LLNL FY13 Site Sustainability Plan

Lawrence Livermore National Laboratory

December 5, 2012



Acknowledgments

Responsible Organization

Institutional Facilities Management,

Operations & Business Principal Directorate

Responsible Managers

Donald M. Boyd Carey O. Bailey

Publication Author and Manager

Gregory T. Stremel

Publication Editor and Designer

Marleen Emig

Contributing Authors

Janet Adams Heather Ottaway

Anna Maria Bailey Mike Payne

Traci Bailey Jose Pineda

Paul Chu Mike Revelli

Jennifer Doman Warren Rued

Bob Glass Sal Ruiz

Noah Goldstein Cathy Shakespeare

Kelly Heidecker Rich Shonfeld

Bill Howing Judy Steenhoven

Susi Jackson Alison Terrill
Hank Khan Clint Worland

About the Cover

The front cover shows LLNL's comingled recycling program; the west entrance to the main site with drought tolerant planting, consistent with LLNL sustainable landscaping practices; and Sequoia, the world's fastest and most energy-efficient high performance computer.







DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC.

This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.

Lawrence Livermore National Laboratory FY13 Site Sustainability Plan

December 5, 2012

Approved by:

Penrose C. Albright, Director

Lawrence Livermore National Laboratory

Table of Contents

Lis	t of Figures
Lis	t of Highlights
Lis	t of Acronyms
1.0	Executive Summary
	Overview of the Lawrence Livermore National Laboratory
	Site Management Vision
	Major Planning Assumptions and Issues
	Approaches to Site Management
	Funding Strategies
	Successes and Challenges
	Energy Challenges
	Summary Table of Goal Targets
2.0	Performance Review and Plan Narrative
	SSPP Goal 1.1 28% Scope 1 & 2 GHG reduction by FY20 from a FY08 baseline
	Overall Reduction of Scope 1 & 2 Greenhouse Gas Emissions
	Performance Status
	Plans and Projected Performance
	SF ₆ Reduction
	Program Improvements
	Plans and Projected Performance
	Resources Required
	SSPP Goal 1.2
	13% Scope 3 GHG reduction by FY20 from a FY08 baseline
	Performance Status
	Plans and Projected Performance
	Resources Required
	SSPP Goal 2.1 30% energy intensity reduction by FY15 from a FY03 baseline
	Performance Status
	Plans and Projected Performance
	Resources Required

EISA Section 432 energy and water evaluations	2-16
SSPP Goal 2.3 Individual buildings or processes metering for 90% of electricity (by October 1, 2012); for 90% of steam, natural gas, and chilled water (by October 1, 2015)	2-17
Performance Status	2-17
Plans and Projected Performance	2-18
Resources Required	2-18
SSPP Goal 2.4	
Cool roofs, unless uneconomical, for roof replacements unless project already has CD-2 approval. New roofs must have thermal resistance of at least R-30	2-19
Performance Status	2-19
Plans and Projected Performance	2-19
Resources Required	2-20
SSPP Goal 2.5 15% of existing buildings greater than 5,000 GSF are compliant with the Guiding Principles (GPs) of HPSB by FY15	2-21
Performance Status	2-21
Plans and Projected Performance	2-21
Resources Required	2-22
SSPP Goal 2.6 All new construction, major renovations, and alterations of buildings greater than 5,000 GSF must comply with the GPs	2-23
Performance Status	2-23
Plans and Projected Performance	2-23
Resources Required	2-23
SSPP Goal 2.7 7.5% of annual electricity consumption from renewable sources by FY13 and thereafter	2-24
Performance Status	2-24
Plans and Projected Performance	2-25
SSPP Goal 2.8 Regional and local planning	2-50

2-35

2-37

2-39

2-39

2-39

2-40

2-40

2-40

2-40

SSPP Goal 3.1 10% annual increase in fleet alternative fuel consumption by FY15 relative to a FY05 baseline 2-27 Performance Status.... 2-27 Plans and Projected Performance 2-28 SSPP Goal 3.2 2% annual reduction in fleet petroleum consumption by FY20 relative to a FY05 baseline 2-29 Performance Status.... 2-29 Plans and Projected Performance 2-29 Resources Required 2-30 SSPP Goal 3.3 100% of light duty vehicle purchases must consist of alternative fuel vehicles (AFV) by FY15 and thereafter (75% FY00–15)..... 2-31 Performance Status.... 2-31 Plans and Projected Performance 2-31 Funding Strategy.... 2-31 SSPP Goal 3.4 Reduce fleet inventory of non-mission critical vehicles by 35% by FY13 relative to a FY05 baseline.... 2-32 SSPP Goal 4.1 26% water intensity reduction by FY20 from a FY07 baseline..... 2-33 Performance Status.... 2 - 33

Plans and Projected Performance

Resources Required....

Performance Status....

Storm Water Management.....

Storm Water Management Performance Status.....

Storm Water Management Planned Actions

Storm Water Management Resources Required.....

Resources Required.....

20% water consumption reduction of industrial, landscaping, and agricultural (ILA) water by FY20 from a FY10 baseline.....

SSPP Goal 4.2

SSPP Goals 5.1 and 5.2 Divert at least 50% of non-hazardous solid waste by FY15..... 2-41 Performance Status.... 2-41 Plans and Projected Performance 2-44 Resources Required..... 2-44 SSPP Goal 6.1 Procurements meet sustainability requirements by including necessary provisions and clauses (Sustainable/Biobased Procurements) 2-46 Performance Status.... 2-46 Sustainable Acquisition Highlights..... 2-46 Plans and Projected Performance 2-47 Resources Required..... 2-47 SSPP Goal 7.1 All data centers are metered to measure a monthly Power Utilization Effectiveness (PUE) of 100% by FY15 2-49 Performance Status.... 2-49 Plans and Projected Performance 2-49 Resources Required..... 2-49 SSPP Goal 7.2 Maximum annual weighted average PUE of 1.4 by FY15 2-50 Performance Status.... 2-50 Plans and Projected Performance 2-53 Resources Required..... 2-53 SSPP Goal 7.3 Electronic Stewardship — 100% of eligible PCs, laptops, and monitors with power management actively implemented and in use by FY12..... 2-55 Performance Status.... 2-55 Plans and Projected Performance 2-55 Funding Strategy.... 2-55

SSPP Goal 2.8

	Regional and local planning	2-56
	Local Planning Coordination	2-56
	Transportation	2-57
	Plans and Projected Performance	2-57
	Energy	2-58
	Renewable Energy	2-58
	Environmental Management	2-58
	SSPP Goal 8	
	Innovation and government-wide support	2-59
	Waste Management and Site Remediation	2-59
	Government- and industry-wide support	2-62
	Sustainability Communication Plan	2-65
3.0	Climate Change Adaptation	3-1
	Developing Resilience to Climate Change Adaptation for the LLNL Site	3-1
	External Stakeholder Assistance to Climate Change Adaptation	3-3
	Advancing Climate Science	3-3
	Stakeholder Guidance on Climate Change Adaptation	3-3

Consolidated Energy Data Report (CEDR) CEDR Content CEDR-1 1.1 1.2 2.1 Energy Management Data Report - Energy Efficiency Improvements and Funding CEDR-3 3.1 3.2b 3.3 3.4 Building Inventory Changes, HPSB Compliance and 4.1 5.1 Data Centers CEDR-43 6.1 Fugitive Emissions: Refrigerants and Fluorinated Gases, Mixed Refrigerants CEDR-49 6.2 Fugitive Emissions: Fugitive Fluorinated Gases and Other Fugitive Emissions CEDR-50 6.3 7.1a 7.1b Business Air Travel CEDR-54 8.1 8.2 8.3 Employee Commuting CEDR-56 9.1a Fugitive Emissions: On-Site Landfills and Municipal Fugitive Emissions: Contracted/Off-Site Landfills and Municipal 10 Fleet Fuel CEDR-59 11

Appendices

- 1 DOE Building Exclusion Self-Certification Form FY12
- 2 LLNL Metering Plan Update, November 2012

List of Figures

Figure 2-1	Three major scopes of GHG emissions
Figure 2-2	SF6 volume by major use
Figure 2-3	Energy use intensity savings through end of FY12
Figure 2-4	LLNL FY12 energy use
Figure 2-5	Cooling and heating degree days
Figure 2-6	Site actual and projected electricity consumption
Figure 2-7	LLNL energy load forecast
Figure 2-8	Proposed projects in support of SSPP Goal 2.1
Figure 2-9	Proposed projects in support of SSPP Goal 2.2
Figure 2-10	LLNL's metering portfolio
Figure 2-11	Proposed projects in support of SSPP Goal 2.3
Figure 2-12	LLNL roof expected life cycle
Figure 2-13	Proposed projects in support of SSPP Goal 2.4
Figure 2-14	Five Guiding Principles of HPSB
Figure 2-15	Proposed projects in support of SSPP Goal 2.5
Figure 2-16	Proposed IGPP projects
Figure 2-17	Site 300 Wind Power Prediction Project conceptual drawing
Figure 2-18	Annual alternative versus fuel use, target versus actual
Figure 2-19	Overall alternative fuel increase, target versus actual
Figure 2-20	Petroleum fuel reduction
Figure 2-21	Proposed projects in support of SSPP Goal 3.2
Figure 2-22	Fossil fuel light-duty vehicle replacement
Figure 2-23	Potable water reduction progress at FY12-end
Figure 2-24	LLNL FY12 potable water use breakdown
Figure 2-25	Proposed projects in support of SSPP Goal 4.1
Figure 2-26	Priority chemical tracking
Figure 2-27	Progress in reducing white office paper usage
Figure 2-28	Implementation of MSP in O&B
Figure 2-29	Proposed projects in support of SSPP Goals 5.1 and 5.2
Figure 2-30	PUE reduction when projects from study are implemented
Figure 2-31	Proposed projects in support of SSPP Goal 7.2
Figure 2-32	Annual savings estimate from power management
Figure 2-33	Proposed projects in support of SSPP Goal 7.3

LLNL-AR-603352 vii

List of Highlights

Energy Savings Projects to Meet Goal	2-13
Grassroots Energy Savings	2-15
Advanced Water Leak Detection	2-36
Potable Water Savings Approaches to Meet Goal	2-38
Comingled Recycling and Composting Program	2-45
LLNL Wins DOE Green Buy Gold	2-48
Sequoia "Tops" Lists	2-52
HPC Innovation Center Receives Best-in-Class Award	2-54
Innovative Green Cleaning at NIF Receives NNSA Pollution Prevention Award	2-61
Hydrogen Shuttle Bus Collaborative Project Receives NNSA Pollution Prevention Award	2-64
Fresh @ the Labs Receives NNSA Pollution Prevention Award	2-67

LLNL-AR-603352 viii

ix

List of Acronyms

AC air conditioner

AFV alternative fuel vehicle

APP Affirmative Procurement Program

ASHRAE American Society of Heating, Refrigerating and Air-Conditioning Engineers

ATI Award Term Incentive
BART Bay Area Rapid Transit
BTU British thermal unit

CAMS Center for Accelerator Mass Spectrometry

CARB California Air Resources Board

CBFI Capability Based Facilities and Infrastructure

CCS Carbon Capture Sequestration

CES-21 California Energy Systems for the 21st Century Project

CD critical decision

CDD cooling degree days

CEDR Consolidated Energy Data Report

CEM Certified Energy Managers

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

CO₂ carbon dioxide

CRAC computer room air conditioners

CVP Central Valley Project

D&D decontamination and demolition

D&D Team LLNL's Environmental Restoration Department Decontamination and Demolition Team

DC Pro Data Center Energy Profiler

DDC direct digital controls

DOE U.S. Department of Energy

DOT Department of Transportation

E85 ethanol fuel

EDC Enterprise Data Center
EEB energy efficiency building

EERE energy efficiency and renewable energy
EISA Energy Independence and Security Act
EMCS Energy Management Control Systems

EMIP Energy Modernization and Investment Program

EMP Environmental Management Plan

EMS Environmental Management System

EO Executive Order

EPA U.S. Environmental Protection Agency

EPACT Energy Policy Act

EPEAT Electronic Product Environmental Assessment Tool

EPP Environmental Affirmative Procurement Program

ES&H Environment, Safety and Health

ESPC Energy Savings Performance Contract FEMP Federal Energy Management Program

FIMS Facility Information Management System

FIRP Facility and Infrastructure Recapitalization Program

FM facility manager

FPOC facility point of contact

FXR flash x-ray FY fiscal year

GBCI Green Building Certification Institute

GHG greenhouse gas

GP general provisions
GP guiding principles

GPIC Greater Philadelphia Innovation Cluster

GSA General Services Administration

GSF gross square foot

HEAF High Explosives Applications Facility

HFC hydrofluorocarbon

HPC high performance computing

HPSB high performance sustainable building
HVAC heating, ventilating, and air conditioning
ICPT Integrated Contractor Purchasing Team

IGPP Institutional General Plant Projects
IFB indistinguishable from background

ILA industrial, landscaping, and agricultural

IPCC Intergovernmental Panel on Climate Change

ISMS Integrated Safety Management System

ISO International Organization for Standardization

IT information technology

kgals one thousand gallons

kV kilovolt kW kilowatt

kWh kilowatt-hour

LBNL Lawrence Berkeley National Laboratory

lbs pounds

LCW low conductivity water

LED light-emitting diode

LEED Leadership in Energy and Environmental Design

LIFE Laser Inertial Fusion Engine

LLNL Lawrence Livermore National Laboratory

LLNS Lawrence Livermore National Security, LLC

LSO Livermore Site Office

LVOC Livermore Valley Open Campus

MPS Managed Print Services Program

MS4 Municipal Separate Storm Sewer Systems

MUSD Maintenance and Utility Services Department

MW megawatts

MWh megawatt hours

NARAC National Atmospheric Release Center

NEPA National Environmental Policy Act

NIF National Ignition Facility

NNSA National Nuclear Security Administration

NPDES National Pollutant Discharge Elimination System

O&B Operations and Business Principal Directorate

OMB Office of Management and Budget

P2 pollution prevention PC personal computer

PCMDI Program for Climate Model Diagnosis and Inter-comparison

PFC perfluorocompounds
PG&E Pacific Gas & Electric

PPA Power Purchase Agreement

PUE power utilization effectiveness

PV photovoltaic

R&D research and development
REC renewable energy credits
RFI request for information
RFP request for proposal

RGD radiation generating device

ROI return on investment S&T scientific and technical

SCM LLNL Supply Chain Management Department

SF square foot/feet SF_6 sulfur hexafluoride

SNL/CA Sandia National Laboratories, California

Site 200 LLNL Main Livermore Site

Site 300 LLNL High-Explosives Experimental Test Site

SLAC Stanford Linear Accelerator Center

SP standard practice

SSP Site Sustainability Plan

SSPP DOE Strategic Sustainability Performance Plan
SWEIS Site-Wide Environmental Impact Statement
SWPPP Storm Water Pollution Prevention Plans

Western Area Power Administration

TSF Terascale Simulation Facility
TYSP Twenty-Five Year Site Plan
UCG underground coal gasification
UQ uncertainty quantification
USGBC U.S. Green Building Council

VFD variable frequency drives
VOC volatile organic compound

VOC volatile organic compound

ZVI zero valent iron

WAPA

LLNL-AR-603352 xii



This document is presented as the Site Sustainability Plan for Lawrence Livermore National Laboratory (LLNL), consistent with the guidance provided by the Department of Energy (DOE) received on October 2, 2012, as a deliverable for the DOE Order 436.1 *Departmental Sustainability* requirement.

Overview of the Lawrence Livermore National Laboratory

LLNL is a DOE Laboratory dedicated to advancing science and engineering to enhance the Nation's security and other important research endeavors. LLNL's mission—to advance and apply science and technology for the benefit of the nation—specifically aims to ensure the safety, security, and reliability of the U.S. nuclear deterrent; reduce or counter threats to national and global security; enhance the energy and environmental security of the nation; and strengthen the nation's economic competitiveness.

LLNL's vision, to "push the frontiers of knowledge to build the scientific and technological foundation that will be needed to address the national security issues of the future," aligns with the nation's vision for a sustainable future. LLNL has a long history of applying science and technological solutions to the toughest and most important problems affecting national and global security and is recognized for its excellence in business and operations, as well as for its responsible stewardship of the resources entrusted to us. LLNL has long engaged in the practice of sustainability, which is integral to the Laboratory's mission, and the mission is vital to the Nation's sustainable future.

LLNL is certified in environmental management (ISO 14001) and occupational health and safety management (ISO 18001), and is in the process of achieving quality management certification (ISO 9001).

Site Management Vision

LLNL's vision for site sustainability is to supply its programs with optimal conditions for success, while undergoing continual improvement to existing energy infrastructure; to collaborate with growing mission areas to identify ways to innovate towards more energy efficient solutions for energy-intensive facilities; to pursue innovative renewable energy generation, both for on-site use and as an ongoing research area; and to incorporate energy efficiency improvements into the ongoing energy management and facility operations of LLNL.

Major Planning Assumptions and Issues

LLNL is planning for growth in mission-based facilities in the upcoming decade. The Laboratory will be addressing the decontamination and demolition of legacy facilities which will allow for new and more energy efficient facilities to be built. LLNL's strategic goal is to lead the nation in stockpile science, innovation and sustainment, be the foremost national security laboratory, anticipating, innovating and delivering solutions for the nation's most challenging security problems, and be the premier destination for the nation's very best scientists and engineers.

These goals will require revitalization of LLNL facilities and infrastructure. Both employee commuting and wastewater emissions are directly related to the size of the LLNL workforce, which is projected to hold steady in the near future, directly affects LLNL's greenhouse gas (GHG) emissions.

Approaches to Site Management

The Laboratory strives to be a leader in responsible environmental stewardship and sustainability. LLNL has made the sustainable operations of the campus and facilities a priority. In FY12, the 2012 LLNL Multi-Year Site Sustainability Investment Proposal was submitted to the LLNL Director. This plan, if implemented at an estimated cost of \$110M, would allow LLNL to meet all the goals stated in this Sustainability Plan, and be a Sustainability leader in the DOE complex.

LLNL incorporates sustainability and environmental management into the planning and performance of day-to-day operations and non-routine activities. The Environmental Management System (EMS) provides a framework for integrating environmental considerations into daily work processes, based on an international standard (ISO 14001), to guide efforts to achieve this goal and continually improve environmental performance. EMS is comprised of four main elements: an environmental policy; planning; implementation; and review and improvement.

The Laboratory employs two full-time systems engineers to help ensure that facilities are operated at the most efficient way practicable, while still providing all necessary mission capabilities to researchers and scientists. Wherever direct digital controllers (DDC) systems are installed, existing resources are used to ensure the night and weekend setback feature is incorporated.

Facility managers (FMs) have also worked to reprogram thermostats on packaged HVAC systems so they will shut off at night and on weekends. FMs are also working to ensure that installed lighting controllers function as designed, and that lights are off in unoccupied offices and conference rooms.

Using engineering, research, and facility staff, LLNL will continue to identify methods to reduce greenhouse gases, focusing first on sulfur hexafluoride (SF_c) emissions in utility components and accelerators. LLNL is dedicated to developing "green" buildings; four buildings are currently Leadership in Energy and Environmental Design (LEED) certified with one new building in the certification process. An additional nine buildings have met the guiding principles for the federal High Performance Sustainable Buildings (HPSB) guidelines. As new facilities are constructed, they will meet the HPSB or LEED Gold requirements.

Funding Strategies

New and existing resources will be leveraged as much as possible in order to achieve LLNL's sustainability goals. The Facility and Infrastructure Recapitalization Program (FIRP) sunsets in early FY13. Since its inception, the FIRP has replaced equipment with the most energy efficient equipment on the market.

A new NNSA program, Capability Based Facilities and Infrastructure (CBFI), will provide life-extension projects for enduring facilities and infrastructure such as metering, boiler and chiller improvements, and heating, ventilation, and air conditioning systems. These will be replaced with energy- and water-efficient projects as practical.

Indirect funding will be used to replace aged equipment as funding becomes available (\$5M in FY13). In FY13, LLNL plans to replace several air handlers and will install energy-efficient motors in Buildings 111, 131 and 543. The Laboratory is replacing older boilers with high efficiency, condensing models in Buildings 121, 551W and 695, and will rebuild several chillers in FY13 that will allow maximum operational efficiency.

Indirect funding will also be used to fund Energy Independence and Security Act (EISA) evaluations and improvements, HPSB and LEED evaluations and perform other sustainability projects.

The 2012 LLNL Multi-Year Site Sustainability Investment Proposal provides the framework for LLNL to meet the goals stated in this Site Sustainability Plan. The projects listed in the subsequent sections list funding requested in the 2012 LLNL Multi-Year Site Sustainability Investment Proposal.

Successes and Challenges

LLNL had a number of successes and challenges in FY12. The successes in site sustainability are manifold, and are outlined in this document. Some highlights include:

- Earning an NNSA Best-In-Class award for the "Livermore Valley Open Campus (LVOC) High Performance Computing Innovation Center: LLNL Program and Facility Development with the Environment in Mind."
- Earning NNSA environmental stewardship awards for two joint LLNL-Sandia California (SNL/CA) projects:
 "Fresh @ the Labs an LLNL-SNL/CA Farmers Market Collaboration," and the "LLNL-SNL/CA Hydrogen Shuttle Bus Collaborative Project."
- Earning an NNSA environmental stewardship award for "Innovative Green Cleaning."
- LLNL was among the first DOE sites to earn a DOE 2012 Green Buy Gold level award for "Sustainable Acquisition Practices."
- Expanding a comingled recycling and composting pilot program in fifteen buildings, including all onsite cafeterias.
- Sequoia, has earned the title of the world's most efficient supercomputer from the Green500.
- Continuing to lead a robust scientific and research program that advances renewable energy research, building energy efficiency, climate change research, and GHG mitigation.
- Working with the DOE Livermore Site Office (LSO) on a solar renewable energy project that will be located on ten acres in the northwest quadrant of the main site. Bids from external contractors are due January 2013.

The self-assessment for the Performance Evaluation Plan for sustainability and Sustainability Management Award Term Initiative (ATI) was submitted, and final rating is pending.

Energy Challenges

LLNL is facing three ongoing energy issues. The first is that LLNL is poised to grow in mission areas that are particularly energy-intensive, such as high performance computing (HPC) and the National Ignition Facility (NIF). This is an indication of the success of the Lab's efforts in research and technology development. Programs such as these will impact LLNL's greenhouse gas (GHG) emissions and potable water intensity. This will be the case even as new computing centers and prospective new facilities are designed and built to be as efficient as possible.

The second issue is that of aging facilities. LLNL has consistently replaced and upgraded equipment with the most efficient and cost-effective replacements.

Lastly, it is very difficult to overcome LLNL's low cost of delivered electricity (~\$0.05 per kWh) to justify significant investments in future energy conservation projects. A number of low-cost energy saving initiatives have been identified from the Energy Savings Performance Contract (ESPC) contractor and internally funded facility audits, yet these will not make a significant impact in the Laboratory's overall energy consumption or energy intensity.

Summary Table of Goal Targets

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non- Attainment	
1.1	28% Scope 1 & 2 GHG reduction by FY20 from a FY08 baseline	LLNL continues on target to meet FY20 goals with reduced energy intensity and fugitive emissions reductions. In FY12, LLNL achieved a reduction of more than 20% in Scope 1 & 2 GHG emissions, relative to its FY08 baseline.	LLNL will aggressively continue to pursue GHG reduction efforts through continued management of fugitive emissions from equipment using SF ₆ . Efforts will continue to manage gas and electric consumption through energy efficiency projects.	High	
1.2	13% Scope 3 GHG reduction by FY 2020 from a FY 2008 baseline	In FY12, according to the LLNL GHG inventory, the Laboratory achieved a reduction of more than 15% in Scope 3 emissions from the FY08 baseline this is a small increase over FY11, but remains consistent with the goals set by DOE for 2020.	LLNL Scope 3 emissions reductions will continue to focus on employee commuting and travel.	Low	
GOAL	2: Buildings, ESPC Initiative Sche	edule, and Regional & Local	Planning		
2.1	30% energy intensity (BTU per gross square foot) reduction by FY 2015 from a FY 2003 baseline	LLNL reduced its energy intensity relative to the FY03 baseline by 14.14% in FY12.	Additional resources are needed to meet the FY15 goal.	High	
2.2	EISA Section 432 energy and water evaluations	LLNL is on track to start the second round of facility evaluations.	Additional resources are needed to execute recommended projects.	Medium	
2.3	Individual buildings metering for 90% of electricity (by October 1, 2012); for 90% of steam, natural gas, and chilled water (by October 1, 2015).	LLNL achieved 90% of advanced metering for electricity and 52% for natural gas in FY12.	LLNL met the 90% goal for advanced metering of electricity and is on track to meet the natural gas goal by the end of FY15.	Low	

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non- Attainment Low	
2.4	Cool roofs, unless uneconomical, for roof replacements unless project already has CD-2 approval. New roofs must have thermal resistance of at least R-30.	In FY12, cool roofs were installed in buildings 1727, 291, 423, 517, 801D and 801A sections K and L.	All roof replacements and new roofs at LLNL will be cool roof installations. Additional roofs are being designed for FY13 replacement.		
2.5	15% of existing buildings greater than 5,000 gross square feet (GSF) are compliant with the Guiding Principles (GPs) of HPSB by FY 2015.	Task of assessing/certifying 15% of the number of existing building greater than 5,000 GSF is 59% complete.	Four additional HPSB Assessments and one LEED certification effort are planned.	Low	
2.6	All new construction, major renovations, and alterations of buildings greater than 5,000 GSF must comply with the GPs.	HPSB certification process for one new construction project is underway.	New facilities greater than 5,000 GSF will be LEED Gold Certified or HPSB compliant.	Low	
2.7	7.5% of annual electricity consumption from renewable sources by FY 2013 and thereafter.	FY12 requirement was met by the purchase of 33,799 MWh RECs through the Western Area Power Administration (WAPA).	The FY13 requirement will be met through REC purchases as well. A 2-4 MW solar project is in development, led by LSO.	Low	
GOAL	3: Fleet Management				
3.1	10% annual increase in fleet alternative fuel consumption by FY 2015 relative to a FY 2005 baseline.	FY12 alternative fuel consumption increased 3.5% compared to FY11. Overall increase compared to the FY05 baseline is 255%.	LLNL will maintain its alternative fuel vehicle (AFV) fleet and continue to replace the existing fleet with E85 vehicles.	Low	
3.2	2% annual reduction in fleet petroleum consumption by FY 2020 relative to a FY 2005 baseline.	In FY12, LLNL's petroleum fuel consumption decreased 14%, compared to FY11, and decreased 67% from the FY05 baseline. LLNL well exceeds the required annual 2% reduction and the cumulative 30% through the end of FY20.	LLNL will continue to strengthen its alternative fuel infrastructure by replacing conventional fueled vehicles with alternative fueled vehicles and by promoting the use of alternative fuels.	Low	

SSPP Goal #	DOE Goal	DOE Goal Performance Status			
3.3	100% of light duty vehicle purchases must consist of alternative fuel vehicles (AFV) by FY 2015 and thereafter (75% FY 2000 – 2015). ⁵	LLNL met and exceeded the required 75% replacement of fossil fuel light-duty vehicles with AFVs in FY11. A total of 84 light-duty vehicles were scheduled to be replaced in FY12; all 84 vehicles were replaced with E85 vehicles.	LLNL will continue replacing its fleet with AFVs as manufacturers make them available and exploring different alternative fueled vehicle options, specifically in the area of electric vehicles.	Low	
3.4	Reduce fleet inventory of non- mission critical vehicles by 35% by FY 2013 relative to a FY 2005 baseline.	Goal 3.4 is not consistent with NNSA-HQ Fleet Management Directives. LLNL will conduct a Vehicle Allocation Methodology (VAM) for determining the optimum fleet inventory.	The FY13 goal will target a 10% reduction in the light duty vehicle fleet.	High	
GOAL	4: Water Use Efficiency and Mana	gement			
4.1	26% potable water intensity (Gal per gross square foot) reduction by FY 2020 from a FY 2007 baseline.	LLNL reduced its water intensity relative to the FY07 baseline by 3.30% in FY12.	LLNL will need more water savings measures and resources to meet FY15 and FY20 goals.	High	
4.2	20% water consumption (Gal) reduction of industrial, landscaping, and agricultural (ILA) water by FY 2020 from a FY 2010 baseline.	LLNL uses potable water for ILA (non-potable water is not used for ILA).	LLNL is investigating multiple strategies for reducing potable water used for ILA including using reclaimed water and xerophytic landscaping.	N/A	
GOAL	5: Pollution Prevention and Waste	Reduction	1 0		
5.1	Divert at least 50% of non-hazardous solid waste, excluding construction and demolition debris, by FY 2015.	LLNL consistently meets or exceeds this goal. In FY12, LLNL diverted 68% of non-hazardous solid waste.	LLNL continues to identify new potential waste streams for diversion. Continued expansion of the composting and comingled recycling is anticipated for FY13.	Low	
5.2	Divert at least 50% of construction and demolition materials and debris by FY 2015.	LLNL consistently meets or exceeds this goal.	Improved tracking of construction and demolition materials and debris continues for FY13.	Low	

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non- Attainment
GOAL	6: Sustainable Acquisition			
6.1	Procurements meet requirements by including necessary provisions and clauses (Sustainable Procurements/Biobased Procurements).	Sustainable Acquisition or Environmental Affirmative Procurement Program (EPP) clauses have been incorporated into all LLNL General Provisions (GPs) for purchase orders and subcontracts, except for the Standard Research General Provisions. 99% of LLNL purchase orders and subcontracts that incorporate General Provisions meet Sustainability requirements and include a sustainable acquisition cause.	LLNL will ensure the Sustainable Acquisition or Environmental Affirmative Procurement Program clauses as identified in the General Provisions are included in all purchase orders and subcontracts. LLNL will continue to implement, review and update Procurement Standard Practice (SP) 23.5, Environmental Affirmative Procurement and Waste Reduction Requirements as it applies to LLNL procurement activities.	Low
GOAL	7: Electronic Stewardship and Da	ta Centers		
7.1	All data centers are metered to measure a monthly Power Utilization Effectiveness (PUE) of 100% by FY 2015.	LLNL has identified 58 data centers that meet the criteria to be classified as data centers that are to be metered by FY 2015.	Only 3% of these data centers have a means of measuring PUE monthly through metering, the remaining have a calculated PUE. Rather than metering all 58 centers, LLNL proposes to focus on consolidation efforts across the site, then meter projects on remaining enduring data centers.	High

SSPP Goal #	DOE Goal	Performance Status	Planned Actions & Contribution	Risk of Non- Attainment				
7.2	Maximum annual weighted average PUE of 1.4 by FY 2015.	The two primary objectives of electronic stewardship are server consolidation and server virtualization. LLNL continues to collocate services into the Building 112 Enterprise Data Center (EDC).	The goal for FY13 to FY15 is to continue consolidation in Building 112 to improve PUE; this requires resource commitment.	High				
7.3	Electronic Stewardship - 100% of eligible PCs, laptops, and monitors with power management actively implemented and in use by FY 2012.	100% of eligible PCs, laptops, and monitors are implemented with power management functionality; monitors are powered off after 30 minutes idle time, PCs and laptops are put into "stand-by" mode after 30 minutes of idle time.	FY13 plans include continuing desktop refresh program and continuing Desktop Power Management Project.	Low				
GOAL	8: Innovation & Government-Wid	e Support						
8.0	Innovation & Government-Wide support	 Site specific objectives: Improve collaboration between scientific and technical (S&T) staff and operations to improve lab energy efficiency. Continue to identify opportunities to leverage scientific staff. Use site data streams as test cases for scientific projects. 						



SSPP Goal 1.1 28% Scope 1 & 2 GHG reduction by FY20 from a FY08 baseline

LLNL's GHG footprint is are defined by the three major scopes of GHG emissions. LLNL quantifies emissions within each scope, as well as targets reductions according to scope-related reduction goals. These are depicted in Figure 2-1. LLNL owns or controls sources from all three direct GHG emissions. LLNL's Scope 1 emissions result primarily from the following types of activities:

- Fuel combustion for the generation of electricity, heat, cooling, or steam (e.g., boilers, furnaces, and emergency generators)
- Mobile source agency controlled emissions that result from the combustion of fuels in mobile combustion sources including LLNL's General Services Administration (GSA)-leased vehicles, commercially leased, and agency-owned vehicles, and the emissions from biofuel combustion




Figure 2-1. The three major scopes of GHG emissions.

- Fugitive emissions from intentional or unintentional releases of GHGs from within LLNL's organizational boundary
 - Equipment leaks from joints, seals, packing, and gaskets (SF₆)
 - Operation of the sewage lagoon at Site 300
 - Pure gases releases, such as carbon dioxide (CO₂), SF_c, and methane
 - Hydrofluorocarbon (HFC)/perfluorocompounds (PFC) emissions from the use of refrigeration and air conditioning equipment
 - Methane leaks from gas transport

LLNL's Scope 2 emissions are a result of indirect emissions associated with consumption of purchased or acquired electricity. All other potential Scope 2 emissions are not applicable to LLNL.

LLNL is committed to continuing to assist DOE in working to achieve its 28% GHG reduction goals. LLNL's Site 200 and Site 300 reduction in major sources of Scope 1 and Scope 2 GHGs are implicitly influenced by the management of natural gas, fossil fuels, electricity, and fugitive emissions (SF_e and others).

Scope 1 and 2 successes continue to be embedded in the activities and accomplishments discussed throughout this document, including:

- Energy intensity reduction
- Renewable energy consumption
- Reducing fleet petroleum use
- Metering
- Cool roofs
- Pollution prevention and waste reduction
- Sustainable acquisition and electronic stewardship

Overall Reduction of Scope 1 & 2 Greenhouse Gas Emissions

DOE's goals include a 28% reduction in the generation of Scope 1 & 2 GHG emissions by FY20 from the FY08 baseline. LLNL's GHG reductions for Scope 1 & 2 are driven by the plans described in this document. LLNL FY12 goals of a 5.6% reduction in Scopes 1 & 2 were surpassed. LLNL was successful in reducing GHG by more than 20% of the FY08 baseline emissions (this will be revised based on the final inventory). As can be seen by the FY12 inventory utilization of electricity, natural gas and SF₆ continue to be the major contributors to LLNL's GHG Scope 1 & 2 emissions. As illustrated in this plan, LLNL has had many successes in the management and reduction of SF₆ and gas utilization.

Performance Status

In FY12, LLNL achieved a reduction of more than 20% in Scope 1 & 2 GHG emissions, relative to its FY08 baseline. As detailed in this section, the progress in Scope 1 & 2 GHG emissions reduction is due in large part to the increased management of SF₆ emissions. Other contributions include the installation of cool roofs, the thermostat setback initiative, fleet management, and awareness of natural gas usage.

Plans and Projected Performance

LLNL will aggressively continue to pursue GHG reduction efforts through continued management of fugitive emissions from equipment using SF₆.

The measures described in this document all have the potential to assist in GHG emission reductions, and they will be carried out if deemed economically feasible and supportive of mission. Future growth of LLNL continues to be centered on energy-intensive facilities and research, including the NIF, HPC, and other program-related areas, all of which will increase LLNL's GHG emissions. It should be noted that though LLNL may be successful with the reductions in energy intensity, this does not necessarily translate into overall GHG reductions. Because the majority of performance and planned actions are discussed extensively in this report, this section will focus on SF₆.

SF₆ Reduction

SF₆ has been in use at LLNL for many years, both in electric power distribution and with experimental activities such as accelerators. SF₆ has traditionally played a large role in the electrical industry as a dielectric medium, especially after the industry moved away from oil filled equipment due to the health effects associated with polychlorinated biphenyls. The dielectric properties made SF₆ the industry standard and allowed for the size of electrical equipment to be greatly reduced. In addition to its use as a dielectric medium, SF₆ has also been used as a tracer gas for air dispersion modeling, an etchant in semiconductor manufacturing, and miscellaneous other uses.

According to the Intergovernmental Panel on Climate Change, SF₆ is the most potent greenhouse gas evaluated; it is estimated that SF₆ is over 23,000 times more potent than CO₂. While its overall contribution to global warming has been estimated to be less than 0.2% due to the proportion of SF₆ emitted compared to gases such as CO₂, methane and ozone, it remains a concern due to the fact that concentrations of SF₆ in the atmosphere have risen by about 7% per year in the 1980s and 1990s. SF₆ is also persistent in the atmosphere, with a lifetime of 3,200 years.

Because of its high CO₂ equivalent value and its relatively narrow range of applications, SF₆ use has been specifically targeted. In addition to the DOE focus, the State of California has also implemented regulations through the California Air Resources Board (CARB) to manage SF₆ use.

SF₆ use at LLNL falls largely under three categories:

- 1) electric power production and distribution,
- 2) small-scale research and development (R&D) applications, and
- 3) as a dielectric medium used in accelerators.

LLNL's use, inventory, and purchase data in FY12 has remained relatively stable when compared to FY11, although it is important to note that many improvements to the SF₆ management program have taken place and are expected to be implemented in the future.

Electrical Use

In the electrical power distribution and distribution field, SF_6 is used primarily as a dielectric gas in equipment. Small amounts are used in the 87 sectionalizing switches located throughout the LLNL Site 200 and in two circuit breakers at Site 300. The gas is contained within the breakers in sealed reservoirs and is not released during normal operations. Another use of SF_6 is with the main 115 kV switchgear located at Building 424.

Small-scale R&D Use

SF₆ is used in a variety of projects, most of which are relatively small-scale. These small-scale projects typically require less than a standard 115-pound cylinder, and usually less than a "lecture" bottle (5 pounds). However, a few of the uses that fall under this category use considerable more gas. The largest uses that fall under this subset are experiments that require a dielectric medium for power supplies/capacitors (i.e., flash x-ray units) and in the development of etching technologies.

Accelerators

There are currently two large accelerators operating at LLNL that use a significant amount of SF_6 as an insulating gas in vessels which house the accelerator components. In Building 235, approximately 850 cubic feet of gas is used. The Center for Accelerator Mass Spectrometry (CAMS) accelerator, housed in B190, uses close to 4,000 cubic feet, representing the largest single use of SF_6 on-site. In addition to these two accelerators, there are two smaller accelerators within CAMS that combined use approximately 186 cubic feet, also as a dielectric gas.

There is no change in the status of the accelerator in Building 194. Funding has not been identified to allow for the resumption of operations employing the Pelletron® accelerator that would use approximately 2,500 cubic feet.

LLNL Inventory

There are approximately 26 distinct uses of SF₆ at LLNL, which is several more than what was reported in the FY12 SSP. The increase can be attributed to increased efforts with project identification and the addition of several new efforts.

Information obtained from Chemtrack, LLNL's chemical inventory database, shows that there are 147 individual SF₆ containers tracked on-site. This is a reduction from the number of containers reported in the FY12 SSP. This reduction is largely a result of a dedicated effort that focused on managing legacy, unwanted gas cylinders that were returned to vendors. This suggests that the number of containers is remaining relatively stable, and the implementation of the LLNL SF₆ Management and Capture Plan (LLNL-AR-483031-REV-1) is helping to identify all sources of SF₆ on-site. Due to the rising cost of gas, and the perception that it may be difficult to obtain in the future, the large users on-site have continued to assume responsibility for containers that previously were not needed for any particular activity and are of a sufficient grade/purity for their operations.

Chemtrack currently captures SF_6 containers purchased (i.e., gas cylinders), not usage, in select experimental apparatus with the notable exception of the main accelerator tank in Building 190 which, at 13,000 lbs., represents nearly half of the LLNL tracked inventory. The information presented in Figure 2-2 accounts for the Chemtrack volume as well as volumes in use as identified in project description documents.




Figure 2-2. SF6 volume by major use.

The majority of the volume listed for accelerators consists of the gas actually located within the accelerator vessels. However, a large volume (approximately 3,000 lbs.) is located in cylinders that may be needed to restart accelerator operations in Building 194. If utilized, this does not mean that the SF_6 will be released into the atmosphere, but rather would be used to provide the initial stocking of the system. Similarly, two thirds of the volume listed for utilities is located within the electrical equipment. This trend does not carry over to the R&D activities where the amount recorded is largely what is stored in the cylinders.

Program Improvements

In October 2012, the LLNL SF₆ Management and Capture Plan (LLNL-AR-483031-REV-1) was updated. The plan is intended to document ongoing SF₆ use, describe current and future efforts to minimize emissions to the extent practical, and provide the basic framework for how LLNL plans to manage SF₆ operations with reduction goals in mind (Figure 2-3).

Over the last several years, LLNL has significantly raised the awareness on environmental issues with the continued use of SF₆. This has resulted in SF₆ being a major component of an Environmental Management Plan (EMP) under LLNL's Environmental Management System. In FY11, LLNL's goal was to achieve a measurable reduction in SF₆ loss during equipment maintenance. In addition, each LLNL program committed to documenting their significant SF₆ uses. In FY12, the environmental management plan included specific and focused reviews of existing projects using SF₆, establishing institutional controls on the ordering and inventory management of SF₆, as well as continuing to define the scope of use at LLNL. EMP efforts for FY13 will include continuing to educate SF₆ custodians and to document controls in work control packages.

Plans and Projected Performance

The largest effort to be undertaken by LLNL in FY13 is to roll out the program elements identified in the SF₆ Management and Capture Plan. While some elements were developed concurrently (such as the inclusion of SF₆ in the Controlled Items and Services List), other items represent new practices that will require an implementation plan. These efforts include developing a process to weigh cylinders coming in and going out of LLNL, incorporating SF₆ control language into work control documents, and communicating SF₆ program requirements to all LLNL users.

Efforts to be taken in FY13 to support the regulatory reporting efforts will include maintaining documentation on R&D uses and reporting emission data from the electrical utility usage. Ongoing efforts are required to complete the process of dispositioning the remaining unneeded containers of SF₆.

Electrical

LLNL expects the efforts already taken by its Maintenance and Utility Services Department (MUSD) will greatly minimize the amount of SF₆ that may be released as a result of electrical power distribution operations. Ongoing maintenance on switches and breakers will help keep the gas reservoirs intact, or at least allow maintenance personnel to more quickly identify a drop in pressure. These efforts are expected to be sufficient to meet the California SF₆ emission reduction requirements for electrical equipment. In addition, new switchgear purchases are being evaluated that would use SF₆ alternatives. The CARB reporting effort will be used as the tool to determine the effectiveness of these efforts.

Small Scale R&D

SF₆ inventories dedicated for miscellaneous R&D activities will be monitored to determine the amount of SF₆ being used. Researchers responsible for these projects will be asked to consider SF₆ alternatives and provide a reasonable justification for why alternatives are not feasible. Any existing or new use that involves the release of SF₆ gas will be evaluated to determine if a capture/recovery system can be employed. All R&D users of SF₆ will be required by the CARB to keep records of their SF₆ processes and emissions, including measures taken to minimize emissions.

Operations at the Site 300 Flash X-Ray (FXR) project continue to be reviewed for possible improvements. Improvements made by the program with respect to this project have been recognized with a 2011 NNSA Environmental Stewardship award and was one of only 15 DOE EStar awards chosen for 2011. Improvements include:

- installation of gas scrubbers to extend SF₆ life;
- purchase of a portable reclamation system to capture residual SF₆ that is contained in the system's hoses during maintenance; and
- utilization of electronic scales and more formal reporting methods to improve inventory management.

These improvements resulted in the reduction of SF₆ emissions from an estimated 5,000 lbs. prior to 1997 to less than 115 lbs. today. An evaluation was performed in 2012 on various systems associated with FXR maintenance that may lead to additional emission reductions.

One notable achievement in the area of R&D applications is the modifications of several radiation generating devices (RGDs) in the High Explosives Application Facility (HEAF) to allow for the use of Ultra Pure air rather than SF₆ as a dielectric material. In addition, HEAF has developed a process for the strict management of their SF₆ management that includes control of the stock on hand and a use tracking mechanism.

Finally, several R&D projects were proposed that originally called for the use of SF₆. In part due to the raised awareness of SF₆ at LLNL and the incorporation of SF₆ considerations into the hazard identification process of LLNL's work control system, the projects were modified to either not use SF₆ or utilize a substitute (i.e., CF₃I).

Accelerators

As funding and resources allow, CAMS will continue to replace older valves on a prioritized schedule. The newly purchased gas recovery cart will be utilized at the two small accelerators during all maintenance operations where gas transfer has to occur. The halogen sniffers will continue to be used in a more formalized manner during transfer operations to detect any possible leaks as early as possible. The accelerator in Building 235 will continue to utilize an efficient gas transfer system during the infrequent maintenance operations, and weekly monitoring of the system will continue to ensure that the system is intact during normal operations. If funded, the Building 194 proposed use will be constructed with more up-to-date standards, but use the same basic system as the Building 235 accelerator.

Resources Required

LLNL will continue to work on documenting SF₆ uses on-site. This will include smaller projects as well as revising, as necessary, the documentation for large projects that may have changed. Continued management attention is necessary to document the volume of gas in programmatic equipment, but not tracked via Chemtrack. This is needed in order to develop a more accurate inventory of SF₆ at LLNL.

Information on SF₆ controls needs to be entered into relevant work control documents. This will require effort on the part of program personnel, as well as Environment, Safety and Health (ES&H) professionals who review and concur on documentation.

As the LLNL SF₆ management program becomes more developed, the number of projects where alternatives to SF₆ can be used becomes smaller. However, the remaining uses, specifically those in the high-voltage applications and accelerators, are typically characterized by robust containment and transfer systems and are contained in systems that can detect significant releases fairly quickly.

While the major users of SF₆ will not be able to eliminate the use of SF₆ in the near future, program management and researchers need to continue to ensure that the gas is used in a manner that minimizes the amount released.

SSPP Goal 1.2

13% Scope 3 GHG reduction by FY20 from a FY08 baseline

Scope 3 includes all indirect emissions not included in Scopes 1 and 2. Scope 3 is an evolving area of GHG accounting, and recent and accepted methods for calculating emissions are also evolving. As new methodologies and procedures are developed, they will be included in the requirements for the inventory process. Examples of these areas include operations associated with leased space, vendors, contractors, and supply chain.

DOE's goal is a 13% reduction in the generation of Scope 3 GHG emissions. The sources of Scope 3 emissions are broad categories that are challenging to precisely measure, and in many cases must be estimated. As is demonstrated by this year's inventory, employee commuting continues to account for the majority of Scope 3 emissions. Included in LLNL Scope 3 GHG emissions are the following:

- Employee commuting
- Employee business travel
 - Air travel
 - Rental or privately owned vehicle mileage
- Off-site domestic wastewater treatment
- Off-site municipal solid waste disposal
- Electrical transmission and distribution losses

Performance Status

In FY12 the Laboratory achieved a reduction of more than 12% in Scope 3 emissions from the FY08 baseline. The emissions reduction was primarily due to a reduction in air travel.

Plans and Projected Performance

LLNL Scope 3 emissions reductions will continue to focus on employee commuting and travel. Efforts include:

- Incentives for public transportation utilization
- Increased teleworking
- Incentives for carpooling and vanpooling
- Performing an employee commuting survey to better understand the sources of Scope 3 emissions and develop strategies to reduce them
- Promotion of LLNL sustainable travel policy to employees through LLNL Newsline with elements that include the following:
 - Encouraging employees to consider using public transportation to hotels, conferences, and airports
 - Encouraging carpooling when using rental cars
 - Assessing the need to travel for meetings; encouraging the use of alternate electronic communication methods (webinars, video conferences, teleconferences)

In September 2012, LLNL conducted a commuter survey to support a more accurate calculation of the employee contribution to LLNL's GHGs. The results of the survey, which are currently under evaluation, will be used to make recommendations to LLNL management of efforts employees are interested in participating in to reduce their GHG contribution.

Resources Required

The resources needed to reduce Scope 3 emissions have not been quantified at this point. Based on the results of the commuter survey, incentives to reductions associated with commuting have been suggested to management for consideration. Incentives that require funding will be determined, and, if approved, funding will be requested. The following need to be explored in order to better understand alternatives to Scope 3-related actions:

- The effectiveness and cost of additional video conferencing equipment to off-set air travel.
- Additional incentives to encourage alternative commuting.
- Upgrades to the on-site electric transmission and distribution system to reduce line losses.
- Researching alternative methods of providing electrical charging stations for POVs.

SSPP Goal 2.1

30% energy intensity reduction by FY15 from an FY03 baseline

Performance Status

LLNL's energy intensity was only marginally lower in FY12 compared to FY11. At the end of FY12, LLNL's net energy use intensity reduction savings was 14.14%, relative to the FY03 baseline. This reduction is less than DOE's target of 21%, as stated in the SSPP. However, if the space demolished and energy consumption is adjusted from the baseline year, LLNL would be at 20.94%, thereby meeting the goal. No facilities were demolished in FY12 due to a lack of funding. The Facility Information Management System (FIMS) list of facilities excluded from the energy intensity goal are attached in the Appendices section of this plan. Figure 2-3 illustrates the savings. The Energy Usage and Cost Report is included in the Consolidated Energy Data Report (CEDR).

The ESPC was completed in FY12. The Energy Management Control Systems (EMCS) upgrade in 23 facilities was completed and are currently in operation. LLNL is continuing to monitor the energy intensity reduction as a result of the ESPC project.




Figure 2-3. Energy use intensity savings through end of FY12 (running year energy intensity savings with zero REC credits and FY11 exclusions).

LLNL-AR-603352 2-9

IFM-10-0020_RevD

LLNL continues to explore its energy usage in order to better understand how to strive towards reduction. The energy chart in Figure 2-4 estimates the sources of energy by type. The energy chart was updated with FY12 data and was created by incorporating metered data, lighting estimates, and equipment inventory. HVAC systems (42%) and lighting (17%) continue to be the two

largest users of energy at LLNL. The breakdown helps to indicate where specific energy conservation efforts should be directed.

LLNL continues implement energy conservation projects. In FY12, an additional 22 street and pathway light fixtures were replaced with light-emitting diodes (LEDs). A study to add occupancy lighting sensors and replace existing, defective sensors has been completed. Also, several projects have been started to install lowcost energy conservation recommendations resulting from the facility audits. These projects were selected based on their highest savings contribution.




Figure 2-4. LLNL FY12 energy use.

On the Thermostat Initiative Project, another facility requiring 27 thermostats and covering 44,000 gross square feet was added to the portfolio in FY12.

In FY12, LLNL was again challenged to meet its energy intensity reduction goal. In the summer of FY12, there were 29% more cooling degree days (CDD) than the summer of FY11, and for the entire year, 13% more than

the base year FY03, resulting in an increased burden on the Laboratory's HVAC cooling systems (Figure 2-5). However, if the MWh per CDD used is considered, LLNL used 267 MWh per CDD in FY12 compared to 304 MWh per CDD in FY11 and 356 MWh per CDD in the base year FY03 showing a downward trend. In the winter of FY12, there were 10% fewer heating degree days than the winter of FY11, and about 6% fewer than the base year FY03.

Overall, LLNL continued to reduce electricity usage by 14.34% and natural gas by 16.8%, both from the FY03 baseline.




Figure 2-5. Cooling and heating degree days (data from City of Livermore).

Plans and Projected Performance

LLNL has developed a comprehensive list of energy intensity savings projects that includes the results from the EISA audits, compliance issues, deferred maintenance projects that have the significant energy savings, metering evaluations, and grassroots suggestions. The list will continue to evolve and expand as new energy efficiency opportunities are identified. It is prioritized by the energy savings return on investment (ROI) compared to the project costs; funding has been requested to perform projects that have an ROI of less than one year.

The testing and adjusting of existing lighting occupancy sensors is complete, and a total of 146 facilities have been evaluated for sensor use. LLNL re-evaluated its existing installed DDC systems, and implemented setbacks for heating and cooling where possible. This effort is continuing and, along with the installation of the new thermostats under the Thermostat Initiative Program, will continue to reduce natural gas and electricity consumption in FY13 and beyond.

Benchmarking of metered buildings was completed in 2012. LLNL completed consolidation of various lists of buildings with meters of varying types and conditions into one master list and used it as the basis for the facilities entered in ENERGY STAR Portfolio Manager. The metering information is analyzed, and when anomalies are found the facility manager is sent an "excessive use alert."

Grassroots opportunities for energy savings are being evaluated and implemented. In FY13, LLNL will initiate an energy savings competition between residents of metered facilities, with the expectation that the facility residents' competitive spirit will reduce energy usage and encourage energy efficient habits. The LLNL blog spot, "Idea Hub," has a thread topic for sustainability. Throughout the year, these ideas will be evaluated, and, if deemed appropriate, will be added to the comprehensive list of energy intensity savings projects. As shown in the "Grassroots Energy Savings" highlight in this section, facility residents are encouraged to "power down" their office, lab, and storage equipment during the holidays.

One of the recommendations of the DOE/IG-0869 audit was to "Implement best practices related to billing for electricity usage to the maximum extent practicable." This was LLNL's practice prior to the contract transition, but stopped to conform to DOE cost accounting standards.

In addition to reductions in energy intensity and electrical and gas utilization, the planned actions mentioned above will also help reduce LLNL's GHG emissions.

Based on LLNL's best estimate of available resources for FY13, it is estimated that energy intensity savings will be 15% with an energy use of 1,225B BTU for the year, considering the total building area of 6,133K SF. As opportunities become available, LLNL will attempt to exceed this goal.

The Site Actual and Projected Electricity Consumption Table is shown in Figure 2-6; the Load Forecast Chart is shown in Figure 2-7.

The chart in the "Energy Savings Projects to Meet Goal" highlight in this section shows several projects that have been identified to reduce energy intensity at LLNL, such as interior and exterior lighting improvements, virtual servers, upgrading to high-efficiency motors, and installing variable frequency drives (VFDs).

Figure 2-6. Site actual and projected electricity consumption (x 10^6 kWh)												
Fiscal Year	2010A	2011A	2012A	2013	2014	2015	2016	2017	2018	2019	2020	2021
Total Electricity Consumption	401	379	408	428	450	472	496	521	547	574	603	633
Baseline Load	260	250	251	263	276	290	305	320	336	353	370	389
HEMSF Facility 1 (TSF)	120	106	133	139	146	154	161	169	178	187	196	206
HEMSF Facility 2 (NIF)	21	23	25	26	27	28	30	31	33	35	36	38





Figure 2-7. LLNL energy load forecast.

Energy Savings Projects to Meet Goal *Past, present, and proposed*

LLNL has identified various approaches to achieve its site-wide energy goals. Most projects demonstrate savings in a stepped fashion based on major facility and infrastructure upgrades.

As plotted on the chart below, only through a significant influx of renewable generation will the goal be attainable given the current rate of growth in LLNL's energy-intensive mission.



Resources Required

Funding will be required for projects identified in the CEDR, including the installation of additional programmable thermostats, interior and exterior lighting upgrade projects, and other energy conservation-related projects. LLNL is continuing to develop a strategy to justify energy conservation projects in comparison to its low cost of electricity.

As funds become available, plans to reduce deferred maintenance while at the same time increasing energy efficiency will be implemented. When replacing aging equipment identified in the master deferred maintenance list, new equipment will be the latest, most energy-efficient type available. A new program that will include an estimate of the energy savings achieved by deferred maintenance replacements is in place.

Figure 2-8 lists projects that, if funded and implemented, would allow LLNL to meet its energy intensity reduction goals.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Boiler Replacement Project - FY13	4	0.3	14.4	4	0	0	0
Boiler Replacement Project - FY14	5	0.3	14.4	0	5	0	0
Building Automation Systems/EMCS	5	0.9	5.4	2	2	2	0
Building Envelope Modifications	4.5	0.14	32.7	1.5	1.5	1.5	0
Electric Motors and Drives, Variable Speed Motors or Drives	2	0.54	4.4	0.7	0.7	0.7	0
Site-wide Lighting Improvements, Exterior	3	0.4	6.5	1	1	0	0
Site-wide Lighting Improvements, Interior	5	3.8	1.3	0	0	5	0

Figure 2-8. Proposed projects in support of SSPP Goal 2.1.

IFM-12-0094_RevA

Grassroots Energy Savings

Laboratory management communicates energy savings reminders that each individual can make a difference.

The following information was posted in Newsline, LLNL's online employee news publication:

Save energy while you're away — turn off or power down

Whether you work in an office or lab, you can do your part to conserve energy while you're out enjoying the holidays.

Before you leave for the long holiday weekends, remember to take a look around your work area and turn off or power down any equipment that won't be used while you're gone.

For information on other things you can do to help LLNL conserve energy, see the LLNL EMS website.

An example of holiday energy savings reminders circulated to employees throughout the Laboratory:

Every Kilowatt Counts!

In keeping with national and Laboratory energy savings goals, we ask for your assistance over the coming holidays. Please take a few moments to evaluate your work areas — offices, labs, storage, etc.

Simple energy savings suggestions:

- · Power down all non-essential equipment
- · Close windows
- Set locally controlled thermostats into vacation/power saving mode
- Turn off all non-required room/area lights
- · Turn off all computer monitors



SSPP Goal 2.2

EISA Section 432 energy and water evaluations

The first round of Energy Independence and Security Act (EISA) facility audits was completed in FY12. The list of facilities to be audited for the second round is currently being developed. LLNL's strategy for the second round of audits is to not include the major high-energy users (i.e., Terascale Facility [TSF] and NIF). This will allow for other facilities to be audited where low-cost or no-cost measures can still be identified. It is not feasible to audit a LEED facility such as TSF where a continuous improvement program is in place and mission demands are high priority. In fact, a "Free Cooling Project" has been designed for TSF and is ready for construction and awaiting funding.

Energy audits to meet EISA Section 432 and efforts to increase efficiency (e.g. combining energy audits with condition assessment surveys) along with re-commissioning/retro-commissioning are constantly being evaluated. Meetings with the facility managers of the facilities identified in the reports are being held to discuss the recommendations of the recent energy audits to map out a path forward, starting with the biggest opportunity energy savers. Several projects are ongoing related to the recommendations.

There are three Qualified Certified Energy Managers (CEM) working for LLNL at the end of FY12. As funds become available, LLNL hopes to increase the number of CEMs as some Facility Managers (FMs) or Facility Points of Contact (FPOCs) are being encouraged to enroll in the program.

Figure 2-9 lists projects that, if implemented, would allow LLNL to meet its energy and water evaluation goals.

Project	Project	Annual	Simple	FY13	FY14	FY15	FY16
	Cost (\$M)	Savings (\$M)	Payback (Yrs)	(\$M)	(\$M)	(\$M)	(\$M)
ECM 3.2 Facility Audits	3.5	0.9	3.8	3.5	0	0	0

Figure 2-9. Proposed projects in support of SSPP Goal 2.2.

IFM-12-0095_RevA

SSPP Goal 2.3

Individual buildings or processes metering for 90% of electricity (by October 1, 2012); for 90% of steam, natural gas, and chilled water (by October 1, 2015)

Performance Status

The Metering Plan was updated in November 2012 and aligns with the October 2012 NNSA Guidelines. LLNL's commitment to support the DOE Strategic Sustainability Performance Plan (SSPP) and comply with EPACT 2005 and EISA 2007 regulations is further exemplified in the latest issue of its Metering Plan. LLNL is committed to monitor and reduce its energy usage and find innovative ways to lead the complex while at the same time meeting its mission goals.

LLNL's metering portfolio, as of October 1, 2012, is shown in Figure 2-10.

Utilizing \$640,000 in funds received from the Energy Modernization and Investment Program (EMIP), LLNL was successful in meeting the goal of installing the 47 electricity meters, and for achieving Energy Policy Act (EPAct) 2005 compliance. In addition to meeting the compliance measure, five additional electrical meters, and one natural gas meter were added to the project. The additional electricity meters were selected from the HPSB list to ensure progress toward meeting the FY15 HPSB goal. The project plan included the re-connection of existing Ethernet and/or analog communications, installing new Ethernet communications where existing communications did not exist, and the installation of analog signal where Ethernet connection was not feasible. The project also replaced damaged/malfunctioning meters with new Ethernet-capable meters where necessary. The 55 electricity meters that were completed under the EMIP project alone account for 36% of the total Site 200 electricity load.

		Number of Meters	Number of Buildings
Electricity			
	Advanced Individual	109	109
	Advanced Shared	138	268
	Standard	49	7
	No Meter	0	24
	Total	296	408
Natural Gas			
	Equipment Meters	25	10
	Building Meters	24	22
	No Meter	0	5
	Total	49	37
Water			
	Advanced	10	0
	Standard	13	1
	Total	23	1

Figure 2-10. LLNL is currently developing a complete water meter deployment plan. Due to the low water use, a measurement plan for water use at Site 300 has not been in place since 2007.

Plans and Projected Performance

Below is a summary of how LLNL's performance compared to the SSPP goals. More details are available in the LLNL Metering Plan Update dated November 2012.

SSPP Metering Stretch Goals	FY12 Performance Status	Planned Actions and Key Issues
Install electricity meters on individual buildings or processes at each site so that these individually metered buildings and processes account for at least 90% by October 1, 2012.	90% achieved as of the end of FY12.	LLNL plans to recommission and callibrate all other electricity meters, and will develop a plan to connect its remaining meters to the MV-90 computer.
Install natural gas, steam and chilled water meters on individual buildings or processes so that these individually metered buildings and processes account for at least 90% by October 1, 2015 (90% for each utility)	90% stretch goal: 90% site projected percentage to be achieved as of the end of FY15.	As of FY12, LLNL meters approximately 52% of its natural gas use at the site. Steam is not metered and Chilled Water use is captured in the building's energy use LLNL is projecting to meet the stretch goal of 90% by FY15.
Independently meter 40% of agency data centers by October 1, 2011 working toward a goal of 100% by October 1, 2015.	Survey to determine the number of data centers that will meet the criteria was completed in FY12.	LLNL plans to request funding to consolidate the data centers which were surveyed in FY12, and develop a data center metering plan. Based on the new definition of "greater than 500 SF and one rack," LLNL will likely not be able to meet this goal by FY15.

Resources Required

Figure 2-11 lists projects that, if funded, will ensure that LLNL facilities that use 90% of its energy and natural gas meet SSPP Metering Goal 2.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)	
Natural Gas Metering	3.5	0.065	54	1.2	1.2	1.2	0	
Water Metering	1.5	0.025	59	0.5	0.5	0.5	0	
TOTAL	5	0.09	55	1.7	1.7	1.7	0	
IFM-12-0043_Rev								

Figure 2-11. Proposed projects in support of SSPP Goal 2.3.

SSPP Goal 2.4

Cool roofs, unless uneconomical, for roof replacements unless project already has CD-2 approval. New roofs must have thermal resistance of at least R-30.

Performance Status

LLNL's roof replacement plan includes replacing end-of-life roofs with cool roofs, unless doing so proves uneconomical. Approximately 225,000 SF of cool roofs have been installed on a total of fifteen buildings. Figure 2-12 illustrates LLNL's expected roof life cycle.

Plans and Projected Performance

All roof replacements and new roofs at LLNL are planned to be cool roof installations. Additional roofs are being designed for FY13 replacement. These include: Buildings 256, 823A, 832A, 813, 383, 4525, 335, and U424. In FY13, cool roof construction is anticipated for Buildings 256, 813, 823A, and 383.




Figure 2-12. LLNL roof expected life cycle (percent square footage in category, replacement cost).

Resources Required

Figure 2-13 lists projects that, if funded and implemented, would allow LLNL to meet its cool roof installation goals.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Cool Roofs - FY13	1	0.04	32.1	1	0	0	0
Cool Roofs - FY14	2	0.05	46.4	0	2	0	0
Cool Roofs - FY15	3	0.06	45.2	0	0	3	0
TOTAL	6	0.15	43	1	2	3	0

Figure 2-13. Proposed projects in support of SSPP Goal 2.4.

IFM-12-0044_RevA

SSPP Goal 2.5

15% of existing buildings greater than 5,000 gross square feet (GSF) are compliant with the Guiding Principles (GPs) of HPSB by FY 2015

Performance Status

The five initial building assessments using the DOE HPSB Assessment Tool were completed in 2011; in 2012, assessments for Buildings 1677, 1888, 1889, and 4675 were completed. These nine buildings have met the requirements of the five HPSB Guiding Principles: Integrated Design, Energy Performance, Water Use Reduction, Indoor Environmental Quality, and Materials Conservation (Figure 2-14).

Assessments are on track to meet the FY15 15% goal. Based on square footage, the task of assessing 15% of the enduring inventory over 5,000 square feet using the LEED system or the HPSB Assessment Tool is 50% complete. Based on number of buildings, the task of assessing 15% of the enduring inventory over 5,000 square feet using the LEED system or the HPSB Assessment Tool is 59% complete.



Figure 2-14. The Five Guiding Principles of High Performance Sustainable Building.

Plans and Projected Performance

Building 311 is scheduled for U.S. Green Building Council (USGBC) LEED submittal in FY13/FY14. The estimated cost of development of the submittal packages of this building is estimated at \$60K, which includes staff time for researching building history, building assessments, completion of USGBC LEED templates, and providing all required support documentation. An initial survey of the lighting and HVAC systems identified and implemented opportunities for lower cost improvements that had a positive effect on the building's overall energy savings; currently, additional funding is being sought to make the remaining changes. A small portion of the funding is set aside for the registration and review fees charged by USGBC/Green Building Certification Institute (GBCI). Funding has not yet been identified for this effort.

In FY13, Buildings 1739, 1878, 1879 and 6925 are scheduled for DOE HPSB assessments which are embedded in the U.S. Environmental Protection Agency (EPA) Portfolio Manager benchmarking website. The facilities will be assessed and all relevant information will be reported using the HPSB Assessment Tool. This includes tracking all energy usage, building ventilation and overall systems' performance, irrigation studies for possible water savings, and demonstrating that green cleaning, integrated pest management and low-emitting materials are in use.

Resources Required

The overall scope of this project is anticipated to require a multi-year effort, and scheduling of upcoming projects is based primarily on staff availability. Funding needed to complete the long-range tasks will be requested in future fiscal years.

The estimated cost of development of the HPSB submittal packages of four buildings is estimated at \$12K each. The only anticipated building modification is the addition of occupancy sensors for lighting control. Funding has not yet been identified for this effort.

Pending funding, additional staff will be hired and/or current staff will be trained to aid in completing more USGBC LEED/HPSB assessment templates, and providing all required support documentation.

Figure 2-15 lists projects that, if funded and implemented, would allow LLNL to meet its HPSB goal.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
HPSB Certification	0.45	0	N/A	0.15	0.15	0.15	0
TOTAL	0.45	0	N/A	0.15	0.15	0.15	0

Figure 2-15. Proposed projects in support of SSPP Goal 2.5.

IFM-12-0053_RevA

SSPP Goal 2.6

All new construction, major renovations, and alterations of buildings greater than 5,000 GSF must comply with the Guiding Principles (GPs)

Performance Status

All new construction greater than 5,000 GSF will comply with the GPs (e.g., HPSB, LEED, etc).

Plans and Projected Performance

LEED Gold certification process is underway for one new construction project, Building 654 (HPC Data Center). The design portion of the project is complete; the construction is not yet funded.

Resources Required

Line item funding is being requested for construction of the new Emergency Operations Center (EOC) in FY16/17. LLNL Institutional General Plant Projects (IGPP) funding will be used to construct one new building each year, for the next three years (Figure 2-16). New buildings will be constructed to meet either LEED Gold or HPSB certification.

To achieve LEED Gold certification, construction costs are generally 10% higher than usual.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
IGPP Funded, HBSB Certified Building	30	N/A	N/A	10	10	10	0
TOTAL	30	N/A	N/A	10	10	10	0

Figure 2-16. Proposed IGPP projects.

IFM-12-0091_RevA

SSPP Goal 2.7

7.5% of annual electricity consumption from renewable sources by FY 2013 and thereafter

Performance Status

Due to the low cost of purchased power, installing renewable energy at LLNL has been a challenge. LLNL is a member of the Northern California Sites Electric Power Consortium (the Consortium). The Consortium includes LLNL, Lawrence Berkeley National Laboratory (LBNL), Stanford Linear Accelerator Center (SLAC), and Sandia National Laboratory California. The Consortium currently utilizes two sources of power to meet its annual energy requirements: 1) the Central Valley Project (CVP) Base Resource allocation of hydropower; and 2) wholesale market power purchases. WAPA is the Consortium's procurement agent, and makes any required wholesale purchases on the Consortium's behalf.

The wholesale power rates are considerably less expensive when compared to local public utilities such as Pacific Gas & Electric (PG&E). These low rates have also made renewable energy development incur a longer ROI relative to projects with standard utility rates. The FY12 requirement that 7.5% of renewable source electricity was met through the purchase of renewable energy credits (RECs). LLNL purchased 33,799 MWh of RECs in FY12 and submitted a waiver request in 2008 that justifies substitution of RECs for on-site generated renewable energy.

In FY11, LLNL completed a Site 300 renewable resource assessment and valuation. The report details the potential for wind and solar photovoltaic (PV) resources at LLNL's Site 300. A renewable resource assessment was completed for LLNL Site 200 in 2008. Two projects are currently being considered at LLNL by LSO as a result of these assessments. For the Site 200 project, a Request for Information (RFI) was issued for a combination of ground-mounted solar PV and solar PV carports. Based on responses to the RFI and further evaluation of feasibility, the project was focused on a 10-acre 2-4 MW ground mounted solar installation in the Site 200 northwest buffer zone. The LSO/LLNL project team has developed a draft solicitation notice and is working with the National Renewable Energy Laboratory and Western Area Power Administration. The current project schedule indicates that construction could begin in FY13.

Progress has continued on the Site 300 Wind Power Prediction Project (Figure 2-17). Recent work has focused on an assessment of the layout and costs for a renewable energy research facility at site 300 important for research and development associated with wind and solar energy, energy storage, and how those can integrate into a smartgrid system.

LLNL is currently exploring the use of Site 300 for renewable energy research purposes. The goal of this effort would be to




Figure 2-17. Site 300 Wind Power Prediction Project conceptual drawing.

both provide a test bed for existing renewable technology (solar and wind) and to improve the multi-scale modeling of renewable resource availability and variability, using high dimensional models in concert with deployed sensors.

LLNL has deployed solar energy at smaller a scale, including a number of pathway and parking lot lights, and environmental sensors. In FY12, LLNL discussed renewable energy options (including fuel cell purchases) with renewable energy providers, yet the relatively high cost of these projects prohibited their actualization.

Details of the REC purchases can be found in the FY13 CEDR on the "List of Purchased Renewable Energy" worksheet.

Plans and Projected Performance

For FY13, LLNL will purchase RECs to comply with the renewable energy requirement. The amount of RECs purchased will decrease substantially once solar power is installed at LLNL. LLNL will continue to support LSO and the solar provider to ensure the new power generation complies with all safety and electrical plans for the sites. LLNL will continue to explore research opportunities for renewable power generation at Site 300; if these projects come to fruition, LLNL use that power as well. The Site 200 renewable energy goals would contribute to DOE's goals as well.

Even with a 2MW array, LLNL would need to purchase additional RECs. Renewable energy projects are very capital intensive. In general terms, a 6MW solar array would be required to meet the renewable energy goals for LLNL; this would require an approximate \$24M investment. A 6MW solar array would also greatly contribute to LLNL's energy reduction goals as well. The high cost of on-site renewable power indicates an ROI that would exceed the projected 20-year useful life of the equipment. When compared to WAPA rates, renewable energy only becomes economically feasible when the producer is a private entity eligible for tax credits, tax exemptions, depreciation and other assorted incentives. A Power Purchase Agreement (PPA) with a private entity appears to be the best option for renewable energy at LLNL. The private entity would install, own, operate, and maintain a "behind the meter" renewable energy project. The additional funds needed to subsidize a PPA for renewable energy purchases would depend on the size, type, and location of renewable energy at LLNL.

Current plans for a new computing facility have incorporated air cooling for its needs, as opposed to using traditional water cooling, and the corresponding energy needed for cooling. The new computing facility will be HPSB compliant as well. This innovative design will not increase LLNL's water use, and will require less electrical demand than a traditional design. DOE Energy Efficiency and Renewable Energy (EERE) Fuel Cell Technologies Program has funded a design study for a 2.8 MW fuel cell to provide power to the LVOC computing facility. The study includes a definition of utility connections, location, heat and water plumbing, and other engineering specifications. The goal of the study is to define the requirements so that an RFP can be issued for bids for fuel cell construction. It is anticipated that a draft Request for Proposals (RFP) will be available in December 2012.

Solar water heating has not been incorporated into LLNL new buildings plans. Hot water heating is a relatively low energy use, relative to the impact of electricity used for cooling and computation. New building designs that increase the electric efficiency of computation will help off-set LLNL's increasing need for power for expanding mission.

For the next fiscal year, LLNL will accomplish the following:

- 1) Continue to support the DOE LSO in its pursuit of on-site renewable energy at Site 200
- 2) Continue exploring scientific opportunities in renewable energy
- 3) Continue discussions with renewable energy providers on innovative opportunities in renewable energy for LLNL
- 4) Continue collaboration in the Northern California DOE Laboratory Consortium

SSPP Goal 2.8 Regional and local planning

Per SSP guidance, Goal 2.8 is discussed in this section after 7.3.

SSPP Goal 3.1

10% annual increase in fleet alternative fuel consumption by FY 2015 relative to a FY 2005 baseline

Performance Status

Based on earlier guidance from DOE, LLNL continued to focus its alternative fuel strategy on the use of ethanol fuel (E85) as its fuel of choice. In 2007, LLNL built an ethanol fuel station with a 12,000 gallon underground tank at a cost of \$1.3M. Subsequently, LLNL restructured its fleet to be composed mostly of E85 compatible vehicles.

In FY12, LLNL's use of alternative fuels increased 3.5% relative to the previous year's consumption.

Despite the increased use of alternative fuels, LLNL did not reach the DOE annual goal of 10%, primarily due to the mandated acquisition of hybrid vehicles in FY10 (Figure 2-18). While hybrid vehicles offer substantial efficiency increases, they are not equipped to use E85 fuel.




Figure 2-18. Annual alternative versus. fuel use, target versus actual.

In comparison with the overall target of 94.9% projected for FY12, LLNL's actual overall percentage for same period was 255%, exceeding the projected target by 160% (Figure 2-19).

In FY12, LLNL acquired additional E85 vehicles from GSA to replace conventional gasoline vehicles.




Figure 2-19. Overall alternative fuel increase, target versus actual.

Plans and Projected Performance

LLNL will maintain its AFV fleet and continue to replace the existing unleaded fuel fleet with E85 vehicles, as well as those AFVs (E85) that come up for replacement.

SSPP Goal 3.2

2% annual reduction in fleet petroleum consumption by FY 2020 relative to a FY 2005 baseline

Performance Status

In FY12, LLNL decreased its petroleum fuel consumption by 67% from the FY05 baseline, well exceeding the required annual 2% reduction and the overall 14% through the end of FY12 (Figure 2-20). This reduction was achieved by replacing unleaded vehicles with AFVs, reducing miles driven, right-sizing the fleet, using on-site mass transportation, performing regular vehicle preventive maintenance, and the introduction of hybrid vehicles into the LLNL vehicle fleet.




Figure 2-20. Petroleum fuel reduction (target is 2% reduction from 2005 baseline).

Plans and Projected Performance

LLNL will continue to strengthen its alternative fuel infrastructure by replacing conventional fueled vehicles with alternative fueled vehicles and by promoting the use of alternative fuels.

LLNL will continue to analyze and evaluate its fleet strategy through the following transportation initiatives.

Restructuring the fleet vehicle type.

LLNL is moving to smaller and more fuel-efficient vehicles and is determining the right vehicle type based on functionality including electric vehicles as discussed in Goal 3.3. The goal is to ensure that the vehicle provided is the type required to safely and efficiently perform needed tasks.

Restructuring the bicycle fleet.

LLNL has a fleet of approximately 600 bicycles that are used as an alternative method for on-site transportation. Seventy new chainless and airless bicycles were purchased in FY12.

The bicycles will help improve employee safety and may reduce bicycle maintenance costs.

Resources Required

Figure 2-21 lists projects that, if funded and implemented, would allow LLNL to further meet its reduction in fleet petroleum consumption goal.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Chainless Bicycles	0.4	-	_	0.13	0.13	0.13	0
Expanded Taxi Service	1.5	-	-	0.5	0.5	0.5	0
TOTAL	1.9	-	-	.63	0.63	0.63	0

Figure 2-21. Proposed projects in support of SSPP Goal 3.2.

IFM-12-0049_RevB

SSPP Goal 3.3

100% of light duty vehicle purchases must consist of alternative fuel vehicles (AFV) by FY 2015 and thereafter (75% FY 2000-2015)

Performance Status

LLNL met and exceeded the required 75% replacement of fossil fuel light-duty vehicles with AFVs in FY12. A total of 84 light-duty vehicles were scheduled to be replaced in FY12; all 84 vehicles were replaced with E85. LLNL's current alternative fuel fleet accounts for 87.2% of the total light-duty vehicles (Figure 2-22).




Figure 2-22. LLNL has replaced 75% of its fossil fuel light-duty vehicles with AFVs. Data available beginning 2005.

Plans and Projected Performance

LLNL will continue replacing its fleet with AFVs as manufacturers make them available and exploring different alternative fueled vehicle options, specifically in the area of electric vehicles. LLNL will continue with its main alternative fuel vehicle strategy, which is based on E85. With this initiative, the AFV fleet mix will include hybrid vehicles as replacements for regular unleaded or diesel vehicles.

Funding Strategy

No projects are necessary at this time to allow LLNL to meet this goal.

SSPP Goal 3.4

Reduce fleet inventory of non-mission critical vehicles by 35% by FY 2013 relative to a FY 2005 baseline

Planned Action

If funded and implemented, LLNL will conduct a Vehicle Allocation Methodology review for determining the optimum fleet inventory. Emphasis will be placed on eliminating unnecessary or non-essential vehicles from the fleet inventory and ensuring lifecycle cost-effectiveness of maintaining such inventory. LLNL's FY13 goal targets a 10% reduction in the light duty vehicle fleet. The review will include an assessment of the taxi service model to compensate for the loss of individual vehicles at a potential annual cost of \$200K.

Additional guidance from the U.S. Office of Management and Budget (OMB) and DOE/NNSA is expected during FY13 on government vehicle inventory.

SSPP Goal 4.1

26% potable water intensity reduction by FY 2020 from a FY 2007 baseline

Performance Status

In FY12, LLNL's potable water intensity savings reduced from 12.56% (FY11) to 3.3%. This is primarily due to the following four factors:

- Cooling tower make-up dramatically increased due to water supplier maintenance and a warmer than normal summer
- Increased irrigation water use due to a warmer than normal summer
- Leaks in the potable water distribution system
- Increase in TSF programmatic operations

Projects listed in Figure 2-25 address all four issues and, if funded and implemented, would allow LLNL to meet its water intensity reduction goal. The free cooling concept at TSF shown in Figure 2-32 will also contribute to reaching the goal.

FY12 was a warmer year than FY11. There were 115 more cooling degree days (CDD) than in FY11, and 180 more than base year FY07. This equates directly into more cooling demand. As the chillers and air conditioning (AC) units respond to the demand, more water is required to ultimately quench the load. In FY12, LLNL achieved a 3.30% water use reduction, below the federal goal of 10% (Figure 2-23). However, if the cooling tower kgals per CDD is considered, LLNL used about 66 kgals in FY12 versus 73 kgals for FY11, and 70 kgals for the base year FY07, indicating efficient use of cooling water. The water consumption and cost data report is included in the CEDR.



Figure 2-23. Potable water reduction progress at FY12-end.

Potable water use at the cooling towers was up nearly 14% from FY11, an increase of 12,473 kgals. This is mainly due to the unavoidable switch to an alternate water supplier (Zone 7) when the main supplier (Hetch-Hetchy) was down for maintenance. This resulted in an increase of about 8,395 kgals in the cooling tower make-up, as the alternate water supply has less desirable water quality attributes. Another factor was the mission growth at the TSF wherein an additional 10,585 kgals were needed to support the mission. However, if the TSF mission growth and the Zone 7 effect were considered, LLNL's water reduction savings would be at 11%, exceeding the 10% goal.

Estimated water use for irrigation was up by 2% from FY11 consumption, mainly due to the lack of rainfall in FY12. LLNL had 8.97 inches of rainwater in FY12 compared to about 16.24 inches in FY11, which imposed a burden on the site's irrigation demand. In FY12, four smart controllers were installed at LLNL bringing the total to ten, covering approximately 35% of the site's landscaping. It is estimated that compared to traditional standard controllers, smart controllers will save at least 18% of the irrigation water. The system uses a computer program that references data from on-site weather stations that measure wind, rain, temperature, and evaporation. That information, along with a factor for vegetation type, is used to adjust the amount of water needed in a particular area. Additional smart controllers are planned to be installed as funding allows.

In FY12, several significant water leaks and pipe breakages were identified in the LLNL Site 200 closed-loop low conductivity water (LCW) distribution system. An estimated 7,500 kgals of water was lost to the ground, accounting for approximately 3% of LLNL's water use in FY12.

A breakdown of LLNL potable water consumption is illustrated in Figure 2-24. The cooling tower make-up component is currently at 41percent, while the irrigation component is approximately 35%.




Figure 2-24. LLNL FY12 potable water use breakdown.

Current LLNL practice is to meter areas or zones of greatest water use, such as the cooling towers and irrigation zones, rather than water use at individual buildings. All five cooling tower make-up water systems at LLNL are furnished with standard water meters. LLNL plans to upgrade all water meters to advanced meters, pending funding. This will allow a more timely and accurate accounting of the total cooling tower make-up water load.

There are several factors that will make it difficult to meet the FY20 goal without additional resources to execute the needed water savings projects. Some challenges in the future include:

- The main supplier of LLNL potable water has an annual shut down for maintenance. This shut down directly impacts the amount of water LLNL must use as make-up water in its cooling towers. At least 1% of LLNL's total annual consumption will be needed because the alternate supplier's water quality has less desirable attributes and allows for only a few cycles of concentrations at the cooling towers. In addition, this imposes an added burden to LLNL's sewer system, as the extra blow down from the cooling towers is discharged to the sanitary sewer system.
- Continued mission growth at the TSF requires additional cooling tower make-up. Unlike energy intensity calculations, there are no exclusions for mission growth for water reduction.

Plans and Projected Performance

There are several water conservation projects underway, or being planned, that will assist the Laboratory in meeting the federal water reduction goal.

- In FY12, a total of 175 low-flow domestic faucet aerators were installed in the limited areas. Eight hudred were previously installed in restrooms and kitchens in property protected areas. The aerators provide an estimated 77% water use reduction (changing water flow from 2.2 gpm to .5 gpm), resulting in an estimated water savings of 2,200 kgals, equal to 1% of LLNL's FY12 consumption.
- LLNL's Sustainable Landscape Concept Plan augments its Landscape Architecture Master Plan and the Laboratory's landscape program to incorporate sustainability recommendations and guidelines in landscaping and irrigation practices on site. The plan provides design directions and a planting palette to future projects; the plan also identifies targets areas for lawn reduction and drought tolerant planting conversion improvements as funding allows. In FY12, LLNL installed its largest xeriscaping project to date at the West Gate Badge Office in a 20,000 SF lawn conversion.
- In FY13, if funded, LLNL will initiate a pilot project to attempt to demineralize treated well water for use as make up in its cooling towers. Currently, this treated well water is sent to the arroyo. The well water would need additional treatment by softening or other means to eliminate the possibility of doing harm to the cooling tower internals. As the percentage of water use is greatest at the cooling towers, a conversion to treated water should assist LLNL in meeting its water reduction goals. Using recycled treated well water as make-up water is estimated to save at least 5,500 kgals annually. Another plan to evaluate the use of recycled and treated well water for irrigation is being considered. The treated well water will have to be blended with potable water to ensure a non-deleterious effect to the landscaping.
- The Water Testbed Project continues to harvest rooftop rainwater at Building 471 for irrigation use in the area. Other candidate areas are being identified as funding becomes available.
- In keeping with its high standard of environmental stewardship and commitment to meeting DOE's
 water intensity reduction goals, LLNL is currently advancing an initiative to identify, monitor, and mitigate
 inefficiencies in its water distribution systems. While pursuing improved leak mitigation strategies, LLNL will
 also capitalize on the contributory benefits of reducing electrical energy expended in water distribution across
 the site that this effort will afford.

Advanced Water Leak Detection

In FY13, LLNL will initiate a project to evaluate the underground city water distribution system for leaks. A pilot project conducted early in FY13—ground penetrating, echo-location technology—successfully located a leak in the low conductivity water distribution system. The technology is non-invasive and can locate leaks within a few feet.

Another available component of advanced leak detection—sonic frequency data loggers—will also be deployed. This technology will continuously monitor LLNL's distribution system for leaks and will alert operators of any anomalies.



- LLNL's search for the most advanced and efficient leak detection technologies has created an opportunity to
 collaborate with industry leaders who employ the latest technological and environmentally sound methods to
 detect, locate, and correct leaks.
- LLNL has proactively identified the benefit of adding continuous leak detection systems, such as geophonic data-loggers, that will be integrated into future water meter projects. These devices will be integrated into the meters' communication system to remotely monitor the water distribution infrastructure and provide graphical data that will alert system operators to any leaks.

Potential projects to meet LLNL's water intensity reduction goal are shown in the "Potable Water Savings Approaches to Meet Goal" highlight in this section.

Based on LLNL's best estimate of available resources for FY13, it is estimated that water intensity savings will be 4%, with a potable water use of 238,000 kgals for the year, considering the total building area of 6,960K SF. As opportunities become available, LLNL will attempt to exceed this goal.

Resources Required

Figure 2-25 lists projects that, if funded and implemented, would allow LLNL to meet its water intensity reduction goal.

Project	Project Cost (\$M)*	Annual Savings (\$M)	Simple Payback (Yrs)	FY15 (\$M)	FY16 (\$M)	FY17 (\$M)	FY18 (\$M)	FY19 (\$M)
Plumbing Improvements - FY15	1	0.03	35.9	1	0	0	0	0
Plumbing Improvements - FY16	2	0.03	71.8	0	2	0	0	0
Plumbing Improvements - FY17	2	0.03	71.8	0	0	2	0	0
Water and Sewer Conservation Systems - install 'smart' irrigation controllers - FY16	1	0.03	29.8	0	1	0	0	0
Water and Sewer Conservation Systems, Modular Sewage Plant	9.9	0.79	12.3	0	0	3.3	3.3	3.3
Drought Tolerant Landscape FY16	2.3	0.04	56.9	0	2.3	0	0	0
Drought Tolerant Landscape FY17	1.5	0.04	37.1	0	0	1.5	0	0
Drought Tolerant Landscape FY18	0.5	0.04	12.4	0	0	0	0.5	0
Drought Tolerant Landscape FY19	1.1	0.04	27.2	0	0	0	0	1.1
TOTAL	21.3	1	19.7	1	5.3	6.8	3.8	4.4

Figure 2-25. Proposed projects in support of SSPP Goal 4.1

IFM-12-0046_RevA

Potable Water Savings Approaches to Meet Goal *Past, present, and proposed*

Smart controllers, plumbing improvements and a modular sewage treatment plant or other forms of reclaimed water use are being evaluated to help LLNL meet its water intensity reduction goal.



IFM-10-0026_RevB

SSPP Goal 4.2

20% water consumption reduction of industrial, landscaping, and agricultural (ILA) water by FY 2020 from a FY 2010 baseline

Performance Status

LLNL uses potable water for industrial (i.e., cooling tower make-up) and landscaping irrigation at Site 200, except at the Central Café where the water is metered, but only a negligible amount is used. At Site 300, potable well water is used for all purposes. A planned conversion from well water to Hetch-Hetchy water is near completion and may be realized in 2013.

The 20% water consumption reduction of ILA water goal does not strictly apply to LLNL since, by definition, ILA is non-potable water. However, LLNL is committed to reducing industrial use of potable water at the cooling towers and for landscape irrigation. As a subset of the water reduction savings, the portion attributable to ILA can also be tracked.

Storm Water Management

The management and control of storm water runoff quantity, timing, and water quality have become important considerations in low impact development and sustainability. Storm water management is a component of LLNL's EMS through various environmental aspects including ground water discharges, inadvertent releases, water use, and land resource use. LLNL also considers storm water management an element in water conservation and green building.

LLNL's storm water program has been designed to address regulatory requirements and DOE Orders. Storm water discharges at both Site 200 and Site 300 are regulated by the State of California under the authority of the Clean Water Act, using industrial and construction storm water National Pollutant Discharge Elimination System (NPDES) permits. The State also regulates storm water discharges under Porter-Cologne Water Quality Control Act using Waste Discharge Requirements. LLNL's storm water programs must also comply with DOE Orders, as specified in Contract DE-AC52-07NA27344. LLNL implements the storm water programs through its ES&H Manual and Storm Water Pollution Prevention Plans (SWPPP).

In December 2007, Congress enacted EISA, which established storm water runoff requirements for development and redevelopment projects. Section 438 of this Act requires all projects at federal facilities adding more than 5,000 square feet of new development or redevelopment to restore the pre-development hydrology to the maximum extent feasible. LLNL has begun to use site planning, design, construction, and maintenance strategies to maintain or restore, to the maximum extent technically feasible, the predevelopment hydrology of the property with regard to the temperature, rate, volume, and duration of flow. This ensures that no adverse impacts to the site hydrology occur as a result of construction activities. In December of 2009, the U.S. EPA published the "Technical Guidance on Implementing the Storm Water Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act" (EPA Guidance), which provides recommendations for implementing low-impact development strategies for runoff control.

In addition, the state-wide Storm Water General Permit for Construction Activities 2009-0009-DWQ (Construction General Permit) was reissued by the State of California in July 2010. This permit revision added additional water balance and runoff requirements for construction designs at sites of one acre or more to protect storm water quality. Construction SWPPPs are prepared for each individual project and specify all best management practices required by the Construction General Permit.

Storm Water Management Performance Status

New construction at LLNL will include storm water controls consistent with EISA 438 and EPA Guidance to the maximum extent technically feasible.

Storm Water Management Planned Actions

LLNL continues to identify other water conservation activities, including additional rainwater harvesting projects. Consistent with EISA 438 and low impact development, LLNL is including water balance considerations into designs for the East Campus Site Improvement project. This project will include a number of low impact development designs to meet or exceed the 95th percentile storm, consistent with the EPA Guidance.

The State of California is in the process of revising the Industrial General Stormwater Permit. LLNL will apply for permit coverage under the revised permit when it is promulgated.

Storm Water Management Resources Required

As LLNL develops and redevelops areas of the site, storm water runoff will be integrated into the planning process. This may incur a 15-30% increase in landscape and runoff management costs. As significant construction or renovation is scheduled for FY13, additional resources required will be identified during the design phase.

Resources Required

Projects that, if funded and implemented, would allow LLNL to meet its ILA water consumption reduction goal are listed in Goal 4.1.

SSPP Goals 5.1 and 5.2 Divert at least 50% of non-hazardous solid waste by FY 2015

LLNL's pollution prevention (P2) efforts have been guided by the Executive Orders, and are firmly entrenched in many of its management practices. Many of the goals have been in place at LLNL and have been exceeded. Pollution prevention is a key component of LLNL's Environmental Management System, which includes training for all employees. DOE's SSPP P2 goals and a summary of LLNL's status and plans are listed below.

- Goal: Divert at least 50% of routine non-hazardous solid waste from landfill by the end of FY15. LLNL status: LLNL consistently meets or exceeds this goal. In FY12, LLNL diverted 70%.
- Goal: Divert at least 50% of construction and demolition materials and debris by the end of FY15. LLNL status: LLNL consistently meets or exceeds this goal. Improved tracking of construction and demolition materials and debris continues in FY13. In FY12, LLNL diverted 57%.

Performance Status

Toxic Chemical Reduction

Using a priority-based approach, LLNL addressed the chemical usage reduction requirements of EO 13514 that focused on toxic, hazardous, and GHG-contributing chemical emissions. Twenty-seven chemicals were selected as "priority" chemicals in 2008 and continue to be tracked and reported regularly (Figure 2-26).




Figure 2-26. LLNL continues to track priority chemicals regularly.

During FY12, the LLNL Chemical Management Working Group worked toward a goal of a 10% reduction of total chemical inventory, 10% reduction of gas cylinder inventory, 5% reduction of the chemical inventory over 10 years of age, or 5% reduction of gas cylinder inventory over 10 years of age. All LLNL Principle Directorates exceeded both of the legacy chemical reduction goals. In addition, LLNL completed a Targeted Legacy Chemical Inventory Pilot Process to identify and remove unneeded legacy chemicals from a major chemistry facility, Building 151, where nearly half of the substantial chemical reagent container inventory (nearly 8,000 primary containers) was identified as greater than ten years old. To initiate this effort, chemical inventory data was reviewed by the responsible line management and chemical custodians to designate legacy chemicals with no foreseeable need. P2 personnel then reviewed the identified chemicals for possible re-purposing; eighteen chemicals were identified for immediate reuse. This data was then uploaded onto newly programmed inventory tablets/scanners that flagged the designated chemicals to be removed from the facility as the Chemical Inventory Technicians performed the inventory scanning. The successful effort was well-coordinated with key stakeholders in multiple organizations, resulting in the safe removal of over 800 legacy chemicals from the facility with minimal disruption to mission activities, and distribution of 80 lbs of chemicals for reuse. LLNL intends to expand the Targeted Legacy Chemical Inventory Process in FY13.

Paper Use

LLNL continues to focus on reducing printing paper and to purchase uncoated paper containing at least 30% post-consumer fiber in accordance with EO 13514 goals; Figure 2-27 highlights LLNL's progress in reducing paper usage. The Laboratory is identifying opportunities to go paperless where ever possible.

The Managed Print Services Program (MPS) is an effort to manage business machines (i.e. copiers, printers, fax machines and scanners) to increase operational efficiency and reduce LLNL's environmental footprint. Equipment selections include environmental benefits such as double-sided (duplex) printing and PDF capabilities to reduce paper usage and use solid ink technology instead of traditional toner cartridges.



Figure 2-27. LLNL is making progress in reducing white office paper usage.

MPS has been implemented across the Operations and Business Principal Directorate (O&B). Figure 2-28 highlights the significant number of existing single-use machines that were removed consistent with the goals of MPS.

In addition to O&B, the Computations Directorate has implemented MPS and the Director's Office is in the second phase of MPS. In FY12, additional business machine assessments were completed and the organizations are working towards initial implementation.




Figure 2-28. Implementation of MSP in O&B resulted in a 33% reduction in business machines.

Waste Minimization and Recycling

LLNL regularly exceeds the EO 13514 goal that specifies that Federal agencies divert at least 50% of routine non-hazardous solid waste, excluding construction and demolition debris, by the end of FY15. LLNL continues its comingled recycling and composting program in 15 buildings (about 30% of LLNL's population) and both on-site cafeterias. During FY12, 83 metric tons of compostable waste and 67 metric tons of comingled recycling were collected under this program.

LLNL's Environmental Restoration Department Decontamination and Demolition (D&D) team employs an assets-for-value strategy to maximize diversion of waste and material from deconstruction and demolition projects, while minimizing costs. This strategy uses the residual value of existing facilities and equipment as a partial off-set to demolition costs, and facilitates the recycling of materials from decontamination and demolition projects.

Other accomplishments in waste management include the following:

- Increasing the recyclable content of procured items
- · Raising awareness through awards and outreach
- Improving tracking of construction and demolition materials and debris
- Expanding plastics recycling to include scraps from the LLNL plastics shop and recyclable plastics from other programmatic areas
- Increasing reuse opportunities

LLNL does not anticipate any changes in site population in FY13 that could impact waste generation. There is potential for several trailer removal projects that will result in demolition-related wastes. However, it is expected that much of the waste from these projects will be recyclable.

Integrated Pest Management and Landscaping Practices

An integrated pest management program has been implemented, including sustainable landscaping practices. In FY12, more than 20,000 square feet of turf were replaced with sustainable California native and drought tolerant plantings.

Materials Not Cleared for Unrestricted Release

LLNL's internal clearance of property procedure HP-FO-450 was recently revised. The revised procedure was expanded to include the release responsibilities of the environmental analysts (e.g. DOE O 458.1) and Property Management's Donation, Utilization and Sales organization, as well as those of the health physicists (10 CFR 835). In addition, an Indistinguishable from Background (IFB) process was specifically created to address the release of items from all accelerator facilities at the Livermore main site.

During the coming year, LLNL plans to review one or more known radiologically contaminated or activated locations and evaluate materials and volumes for potential release.

Plans and Projected Performance

LLNL plans to continue to reduce pollution and increase recycling during FY13 by:

- · Raising awareness through awards and outreach
- Continuing to reduce high risk chemical inventory for chemicals that do not have a foreseeable mission use
- Improving tracking of construction and demolition materials and debris
- Increasing focus on reuse opportunities

Resources Required

Figure 2-29 lists projects that, if funded and implemented, would increase waste diversion and support LLNL's comingled recycling and composting program to continue to comply with local ordinance.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Site Wide Recycle/Compost Program (50% of LLNL population)	0.8	0	0	0.2	0.2	0.2	0.2
Site Wide Recycle/Compost Program (100% of LLNL population)	2.5	0	0	0.63	0.63	0.63	0.63

Figure 2-29. Proposed projects in support of SSPP Goals 5.1 and 5.2.

IFM-12-0056_RevA

Comingled Recycling and Composting Program

The Laboratory initiated a pilot Comingled Recycling and Composting Program in both Cafés and across fifteen buildings on the Livermore campus. This program has been the most requested environmental action by employees for continued improvement in the Laboratory's environmental performance. This recycling and composting initiative continues to be popular among employees, and requests to expand the program are received via the Laboratory's environmental help line green@llnl.gov. While funding issues currently limit its expansion, the Laboratory is proud of this program and hopes to see all employees participate when at the Cafés and in buildings involved in the program.



SSPP Goal 6.1

Procurements meet sustainability requirements by including necessary provisions and clauses (Sustainable/Biobased Procurements)

According to Lawrence Livermore National Security (LLNS) policy, LLNL shall ensure 95% of new contract actions, including task orders under new contracts and existing contracts, require, to the extent possible, the supply or use of products and services that are energy efficient (ENERGY STAR or FEMP-designated), water efficient, bio-based environmentally preferable (including EPEAT – registered products), non-ozone depleting, contain recycled content, or are non-toxic or less toxic alternatives; and LLNS shall update affirmative procurement plans (also known as green purchasing plans or environmentally preferable purchasing plans), policies, and programs to ensure that all federally-mandated designated products and services are included in all relevant acquisitions.

Performance Status

LLNS has implemented an Affirmative Procurement Program (APP) which ensures environmentally preferable products and services, recycled content products, and bio-based products are purchased to the maximum extent practicable and are consistent with Federal law and related procurement requirements, including EO 13423, Strengthening Federal Environmental, Energy, and Transportation Management, and the DOE Affirmative Procurement Program Guidance. LLNS mandates these program requirements be followed as a part of the Integrated Safety Management System (ISMS) (ES&H Manual Volume III, Part 30: General Environmental Controls, Document 30.1 Managing Environmental Aspects through Pollution Prevention). Sustainable Acquisition or EPP clauses requiring subcontractors to utilize environmentally preferable products/services and recovered/recycled content are incorporated into all LLNS General Provisions (GPs) for purchase orders and subcontracts, except for the Standard Research General Provisions which apply to subcontracts awarded for basic or applied research and/or development work. To assist in complying with these requirements, LLNS continues to implement Procurement Standard Practice (SP) 23.5, Environmental Affirmative Procurement and Waste Reduction Requirements. This SP describes the requirements for acquiring environmentally preferable products and services, products with recycled content, and bio-based products, to promote cost-effective waste reduction in Laboratory subcontracts. This SP is reviewed annually to ensure all regulatory revisions, updates, and changes have been incorporated.

Sustainable Acquisition Highlights

- Electronic Product Environmental Assessment Tool (EPEAT) 98% of all computers and monitors purchased during FY12 successfully met the EPEAT criteria.
- LLNS continues to manage sustainable Integrated Contractor Purchasing Team (ICPT) agreements with
 Fisher Scientific, Grainger Industrial Supply, Holman's Inc., and VWR International Scientific Products.
 These agreements offer special promotional pricing to the DOE Contractor Complex for environmentally
 preferable products.
- LLNS awarded subcontracts to suppliers who offer Department of Transportation (DOT) critical carbon steel drums made out of 15% recycled content material.
- Subcontracts were awarded to suppliers who manufacture metal waste boxes containing 22% recycled content material.
- Computer supplier subcontractors were asked by LLNS to include EPEAT rating descriptions fields on their websites.

- The Supply Chain Management Department (SCM) continues to require the major suppliers of desktops, laptops, and computer monitors to issue EPEAT reports on a quarterly basis directly to the Pollution Prevention/Sustainability Program Manager and the Contract Administrator. Receiving detailed reports more frequently throughout the fiscal year assists the Environmental Functional Area (EFA) in analyzing and projecting the total EPEAT buys for the year.
- Additional recycled products were added to The Office City's catalog. Items added were Kleenex facial tissues comprised of 20% recycled content and Kimwipes containing 40% post-consumer fibers.
- SCM is working with The Office City to have them provide a punchout list that identifies recycled content items to its customers.
- In FY13, SCM will include quarterly reporting requirements in a new subcontract being awarded for multifunction devices (copiers/printers).
- SCM received an award for their participation in the hydrogen shuttle bus collaborative project. The project consisted of integrating two hydrogen buses into the LLNL taxi fleet used to transport employees on-site. The introduction of these vehicles reduced the use of traditional diesel-powered buses which lead to an approximate savings of 8,000 kg of carbon dioxide equivalent greenhouse gas emissions.
- SCM established Environmentally Responsible Conduct goals to measure if daily activities performed by departmental personnel could be conducted in an environmentally responsible manner. The goals consisted of the following:
 - 1. Decrease electricity usage in Building 551W by 5%.
 - 2. Increase the amount of double sided printing by 25%.
 - 3. Reduce the amount of paper being used in printers located in Building 551W by decreasing the number of copies being printed each month by 2%.
 - 4. Decrease the amount of styrofoam peanuts purchased during the fiscal year by 2%.
 - 5. Provide information concerning EPP to SCM Contract Administrators for consideration.
 - 6. Complete the 'Green Team' website.

As of October 1, 2012, SCM met or exceeded all of the goals except for the double-sided printing goal (number 2, above).

Plans and Projected Performance

LLNS will continue to support the purchase of environmentally preferable products and services, recycled content products, and bio-based products, to the maximum extent practicable, by ensuring the clauses identified in the General Provisions are included in all purchase orders and subcontracts.

LLNS will also continue to review and update Standard Practice 23.5 in accordance with LLNL's prime contract requirements.

Resources Required

Administrative resources are required to ensure green-related clauses/articles are incorporated into purchase order and subcontract pro-forma documents and to update standard practices, as required. An exact amount of administrative time needed to conduct these activities cannot be calculated as the volume of regulatory requirements requiring revisions to these documents is unknown.

LLNL Wins DOE Green Buy Gold

DOE's new voluntary incentive program was created to encourage sites to track and report on programs that successfully purchase sustainable products. This new award recognizes many data providers that supply information to the P2S program to facilitate awards such as this.

Of the 31 sites that competed, LLNL was one of three Gold winners. Gold is the highest level award, and LLNL received it the first time out.



SSPP Goal 7.1

All data centers are metered to measure a monthly Power Utilization Effectiveness (PUE) of 100% by FY 2015

Performance Status

LLNL has identified 58 data centers that meet the criteria to be classified as data centers that are to be metered by FY15. Only 3% of these data centers have a means of measuring PUE monthly through metering, the remaining have a calculated PUE. Instead of proposing metering all 58 centers, LLNL proposes to first focus on consolidation efforts across the site and then to only propose metering projects on the remaining enduring data centers.

Plans and Projected Performance

In addition to the data centers that are currently metered, HPC at LLNL has identified that power management is critical to the success of energy management in HPC. The solution has been to implement a centralized system of real time data, from the rack to the entire site, to achieve power management. LLNL is creating an operational, event, and real-time data management infrastructure of all external and internal data sources. This requires overcoming challenges: understanding how different types of hardware and software impact power utilization, correlating multiple types of data sources, coordinating with multiple owners of the data, accessing the data, selecting the best interface, comparing and viewing the data on a common platform, and creating various dashboards. Upon completion, this can be leveraged to all LLNL data centers.

Metering projects will be developed where data is calculated to allow for improvements.

Resources Required

Based on the enduring data centers, LLNL estimates that a minimum of \$3–5M of infrastructure investments is needed in order to meet the requirement to fully meter all data centers at LLNL once consolidation is complete. Until funding can be secured, LLNL will continue to calculate PUE on an annual basis to evaluate energy intensity. LLNL will continue to benchmark and model enduring facilities as was performed at Building 112 in SSPP Goal 7.2.

SSPP Goal 7.2

Maximum annual weighted average PUE of 1.4 by FY 2015

Performance Status

The two primary objectives of electronic stewardship are server consolidation and server virtualization. LLNL continues to collocate services into the Building 112 EDC. The goal is to collocate server and storage equipment in the EDC facility and shut down the over-subscribed remote server rooms, thus reducing the electrical, mechanical, and maintenance costs to support these facilities. LLNL is estimating a \$5M cost reduction to the total cost of ownership when the consolidation and virtualization of approximately 800 servers has been completed.

During FY12, LLNL partnered with DOE Office of Chief Information Officer Green Information Technology (IT) Program and Lawrence Berkeley National Laboratory (LBNL) to preview data center energy modeling tools which create an energy model of existing data center power and cooling parameters to evaluate optimization scenarios. Building 112 was selected to evaluate optimization scenarios, investigate efficiency improvements, improve operational set points, make building improvements and identify consolidations. The detailed study indicated three areas of focus to improve overall PUE. These focus areas are to increase the IT load through additional consolidations, install variable speed fans and controls on air handling equipment, and add waterside economization with elevated water temperatures. Figure 2-30 shows the baseline PUE and the reduction in PUE by performing the initiatives from the study. The PUE reduces incrementally from the baseline when the projects are implemented.

The largest reduction in PUE is realized from the consolidation into Building 112 and increasing the IT load. The payback of this initiative is immediate while the second two projects require an investment of \$2M with a payback up to eight years.

The balance of LLNL data centers that will not be consolidated into other spaces will be entered into the Data




Figure 2-30. PUE reduction when projects from study are implemented.

Center Energy Profiler (DC Pro) and data center models will be created to continue to identify the next series of energy-efficient measures. Operational best practices for data centers as outlined in American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) TC 9.9.

For LLNL, data centers use ASHRAE TC 9.9 best practices:

- Raised set points of computer room air conditioners (CRACs) and computer room air handlers
- Sealed and cleaned subfloor area and removed all unneeded obstructions
- Installed chimneys on all CRAC units to reduce short cycling and improve HVAC efficiency
- Monitored, adjusted, and balanced HVAC systems to efficiently support information technology devices within acceptable ASHRAE and manufacturing guidelines
- Used temperature recording devices and infrared imaging to identify and trend HVAC aberrations as well as to confirm remediation
- Relocated CRACs to improve efficiency
- · Arranged enclosures and racks in hot and cold aisle configuration
- Used blanking panels in enclosures to reduce short cycling
- Used cabling grommets to transition and seal cutouts on computer tiles
- Installed flexible strip curtains or doors at end of aisle to reduce short cycling
- Use appropriate diffusers or floor tiles
- Position supply and returns to minimize mixing and short cycling
- Raise the access floor height to increase air volume and static pressure

Since HPC computational efficiency is an ongoing contribution to mission excellence, LLNL is researching and developing techniques to improve the energy efficiency of HPC, which is highly energy intensive. LLNL is involved in a number of efforts that not only aim to reduce the energy use of HPC, but to promote new standards of quantifying efficiency gains beyond gross energy use. LLNL aims to drive the DOE complex to adopt these approaches to use computational efficiency as a viable alternative to measuring advances in HPC sustainable stewardship.

Advanced energy-efficient computing requires revising the techniques of parallel processing, where multiple processors run at once to solve a problem. *Efficient* computing necessitates that individual processors work to their optimal efficiency for the task at hand; some would need to be powered down if they were not needed or if their complimentary processors were not yet done with their tasks. This is a departure from the traditional parallel computing perspective.

Sequoia "Tops" Lists

Sequoia in top ten of the Top Green 500 list

The purpose of the Green 500 is to provide a ranking of the most energy-efficient supercomputers in the world. In the past, performance has been synonymous with speed as measured in Flops. This focus has led to the development of supercomputers that consume large amounts of electrical power, and that produce a lot of heat that requires an enormous cooling infrastructure to ensure proper operation. In addition, the emphasis on speed as the ultimate metric has caused other metrics such as reliability, availability, and usability to be largely ignored.



Sequoia is second on TOP500 list



LLNL has been advancing High Performance Computing (HPC) at the TSF in the both the facility and in the computer systems. For the first time since November 2009, a United States supercomputer sits in the second spot of the TOP500 list of the world's top supercomputers.

Sequoia, the IBM BlueGene/Q system achieved 16.32 petaflop/s on the Linpack benchmark using 1,572,864 cores in June 2012.

Plans and Projected Performance

The goal for FY13 to FY15 will be to continue to consolidate in Building 112 to improve LLNL's overall PUE. In addition, the results of this study will be presented during FY13 at the Silicon Valley Leadership Group's 5th Annual Data Center Efficiency Summit in partnership with the California Energy Commission and LBNL. With the completion of the FY12 infrastructure build-out of the north side of the Building 112 EDC. Completion of the north side will position the EDC to house legacy end-user equipment using LLNL's "roll your own" rack service model. This new service enables the ability to expedite the consolidation efforts while reducing the footprint of the infrastructure. The goal is to stand up a world class institutional infrastructure that meets all the needs across the Laboratory.

All enduring data centers will be benchmarked and modeled to identify efficiencies to provide improved PUE.

LLNL will continue to optimize the efficiency of HPC with the new Sequoia platform, which was deployed in 2012. LLNL will utilize a combination of liquid-cooling and air-cooling techniques for installation of Sequoia with over 90% of the machine being liquid cooled.

LLNL is heavily involved in the Energy Efficiency HPC Working Group, which participates in many HPC events. One such event is the upcoming DOE HPC Power Management Best Practices Workshop where HPC challenges and best practices are identified. The Energy Efficiency HPC Working Group meets monthly and is comprised of nearly 100 contributing members from the HPC industry, including national laboratories, universities, and vendors. This working group is also working with the Green Top 500 list to develop the required metering to attain standardized energy levels during Linpack runs. As part of its ongoing contributions to mission excellence, LLNL is researching and developing techniques to improve the energy efficiency of HPC, a highly energy intensive resource. LLNL is involved in a number of efforts that not only aim to reduce the energy use of HPC, but promote new standards of quantifying efficiency gains beyond gross energy use. LLNL aims to drive the DOE complex to adopt these approaches to use computational efficiency as a viable alternative to measuring advances in HPC sustainable stewardship.

Resources Required

Figure 2-31 lists projects that, if funded and implemented, would allow LLNL to meet its PUE goal.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Data Center Efficiency, Virtual Servers	0.5	0.41	1.2	0.5	0	0	0
B453 Terascale Free Cooling	5.5	0.72	7.6	0	2.75	2.75	0
B451 Free Cooling	3	0.36	8.3	0	1.5	1.5	0
B112 Free Cooling	3	0.36	8.3	0	1.5	1.5	0
Data Center Building	10	0.72	13.8	0	10	0	0
Server Consolidation	3	0.72	4.2	1	1	1	0
TOTAL	25	3.30	7.6	1.50	16.75	6.75	0

Figure 2-31. Proposed projects in support of SSPP Goal 7.2.

LLNL-AR-603352 2-53

IFM-12-0060_RevA

HPC Innovation Center Receives Best-in-Class Award in the Integrative Planning and Design Category

The LLNL High Performance Computing Innovation Center (HPCIC) serves as an example of program and facility development with a focus on environmental stewardship.

This facility is one of the first in the LVOC area, where researchers are active within a wide range of science domains including climate modeling and computational energy. Consistent with programmatic goals, the facility was designed with the environment in mind.

Site design includes the first permeable pavement used at LLNL, and native vegetation to limit water consumption. The facility itself was constructed from refurbished trailers at a cost savings of \$200,000, and a waste generation avoidance of 85 tons. Finally, the trailers were oriented to reduce heat build-up during long summer days and to share use of existing curb cuts and roadway.



SSPP Goal 7.3

Electronic stewardship —100% of eligible PCs, laptops, and monitors with power management actively implemented and in use by FY 2012

Performance Status

LLNL has made significant progress during FY12 to improve and automate electronic stewardship of its personal computing environment and has completed its FY12 Desktop/Laptop Power Manager Project ahead of schedule. Power management has been actively implemented and is in use on all eligible PCs, laptops, and monitors. Figure 2-32 shows the estimated annual savings LLNL will see from the implemented power management.

Computer Power Management Savings Calculator Annual Savings Estimate								
Energy Saved (kWh) Dollars Saved Pollution Prevented CO ₂ (tons								
Savings from monitors going into sleep mode	706K	\$42K	1,625					
Savings from desktops going into CPU throttle mode	1,502K	\$90K	3,459					
Total Savings	2,208K	\$132K	5,084					

Figure 2-32. Annual savings estimate to be achieved from PC, laptop, and monitor power management.

IFM-12-0063_RevA

Plans and Projected Performance

LLNL will continue its power management on all eligible PCs, laptops, and monitors. As computers are replaced, new systems will automatically be included in the power management program.

Funding Strategy

Figure 2-33 lists projects that, if funded and implemented, would allow LLNL to meet its electronic stewardship goal.

Project	Project Cost (\$M)	Annual Savings (\$M)	Simple Payback (Yrs)	FY13 (\$M)	FY14 (\$M)	FY15 (\$M)	FY16 (\$M)
Macintosh Power Management	0.15	0.013	12	0.15	0	0	0
TOTAL	0.15	0.013	12	0.15	0	0	0

Figure 2-33. Proposed projects in support of SSPP Goal 7.3.

IFM-12-0061_RevA

SSPP Goal 2.8 Regional and local planning

Executive Order 13514 instructs federal agencies including DOE to meet the following regional and local planning goals:

- Participate in regional transportation planning, recognition of existing community transportation infrastructure, and incorporation of such efforts into site policy and guidance documents.
- Ensure planning for new federal facilities or new leases includes consideration of sites that are pedestrian friendly, near existing employment centers, and accessible to public transit, and emphasize existing central cities and, in rural communities, existing or planned town centers.
- Identify and analyze impacts from energy usage and alternative energy sources in all Environmental Impact
 Statements and Environmental Assessments for proposals for new or expanded federal facilities under the
 National Environmental Policy Act of 1969, as amended (42 U.S.C. 4321 et seq.).
- Coordinate with regional programs for federal, state, tribal, and local ecosystem, watershed, and environmental management.
- Identify regional transportation planning, ecosystem, watershed, and environmental management initiatives
 affecting sites and opportunities to work with local authorities to align energy policies and siting of renewable
 energy infrastructure.
- Increase interaction of principles for sustainability Federal Location Decision into the agency site selection and lease procurement procedures.

Local Planning Coordination

LLNL maintains very good relationships with local community planning and government groups, including the cities of Livermore and Tracy, as well as the counties of Alameda, Contra Costa, and San Joaquin. Interactions include frequent meetings with City of Livermore planners to discuss the LVOC proposal, discussions with water officials in Livermore to discuss wastewater issues, and participation in stakeholder groups to discuss environmental issues.

In May 2011, the City of Livermore annexed land that includes the LLNL and the adjacent SNL/CA sites with unanimous vote of the City Council, bringing into the city's border 1,022 acres east of Vasco Road, south of Patterson Pass Road and west of Greenville Road. Included is a 1,017-acre area occupied by Sandia California and LLNL, two privately owned parcels totaling five acres and a Greenville Road right-of-way.

With the annexation, the urban growth boundary alignment provides clarity and direction in the implementation of city policies. It would also facilitate to enhance a sustainable community through collaboration with the Laboratory on R&D programs and the agencies and organizations in the East Bay to build ground-breaking partnerships between the labs, academia and the private sector around green transportation technology. The initiative is expected to foster the creation of more than 5,000 jobs and have a fiscal effect of more than \$1B in the region over the next five years. Development of housing and neighborhood expect to follow.

LLNL Staff is also assisting the City of Livermore to develop their Climate Action Plan and will share site success in GHG reduction as local best practice.

Transportation

The Laboratory recognizes the existing community transportation infrastructure and works with multiple local and state agencies on transportation planning, providing input on the selection of future Livermore stations served by regional Bay Area Rapid Transit (BART), and promoting public transit commuting ridership. Such collaborative planning allows the Laboratory to develop anticipated needs of providing appropriate internal means for commuters to connect easily with public transit. The Laboratory's on-site shuttle schedule aligns with the local transit service (Wheels), connecting commute routes to the ACE Train Station, Livermore downtown transit center, and Dublin BART station.

The bicycle remains a popular seasonal method of commuting with increasing awareness of personal fitness and energy conservation, and as more housing has developed close to LLNL. Local bike lanes lead directly onto the Laboratory site; the Bay Area weather and the relatively flat site terrain also contribute to the bicycle and walking as major modes of internal travel on-site.

As a major employer in the community, the Laboratory is committed to supporting commuters using alternate modes of transportation from the single-occupant vehicle by providing certain on-site conveniences and to promote energy conservation:

- Permitting access for vanpools to route through limited areas.
- Maintaining a database to facilitate rideshare and vanpool matching.
- Providing preferential parking spaces for vanpool vehicles.
- Offering free bicycle safety helmets to on-site riders and bicycle commuters.
- Providing on-site taxi shuttle service.

Plans and Projected Performance

Sustainable site development encompasses an integrated approach to the planning of future on-site facilities and infrastructure, consistent with the LLNL Twenty-Five Year Site Plan (TYSP), striving for good site stewardship and integration with the surrounding community. The Laboratory encourages walking and bicycling as means of travel within the site; long-range site development envisions continuous improvement of a bicycle- and pedestrian-friendly environment.

- Future facilities development will be physically scaled and organized to maximize the potential of walking and bicycling on site: quick trips on foot typically measure about one quarter mile, while the typical bicycling distance is about one-half mile.
- Sidewalks and landscaped pathways will provide safe and direct travel for pedestrians segregated from vehicle traffic; bicycle travel is accommodated by bike lanes or shared-use pathways wherever feasible.
- LLNL supplies and maintains approximately 600 unassigned bicycles for employees use on site; riders can leave bicycles at destinations; bicycles are redistributed daily around the site.
- On-site taxi shuttle stop locations will be planned to be within a quarter mile radius from major on-site destinations.
- LLNL continues to pursue civil improvement projects to expand the site-wide integrated pathway network
 for pedestrians and bicycles, providing landscaped linkages between major destinations. LLNL's approach to
 landscaping is to strive for a campus-like environment and be responsive to a sustainable design appropriate
 for the location and function.

Other aspects of site planning at the Laboratory are coordinated with DOE/NNSA's National Environmental Policy Act (NEPA) process and LEED project guidelines. The LLNL Environmental Management Program addresses environmentally sensitive areas, storm water retention, alternate irrigation water sources, and land use provisions to accommodate activities ranging from recreation to recycling of materials.

Energy

LLNL supported DOE/NNSA in preparing a Supplement Analysis under the NEPA for the five-year review of the Site-Wide Environmental Impact Statement (SWEIS) for Continued Operations of LLNL. Environmental impacts from ongoing operations and new or modified projects or modifications in site operations were analyzed, as well as cumulative impacts in utilities and energy use.

Renewable Energy

An LSO/LLNL project team has developed a draft solicitation notice for the installation of a ten-acre 2-4MW ground mounted solar PV system, and is working with the National Renewable Energy Laboratory and Western Area Power Administration. The current project schedule indicates that construction could begin in Q2/Q3 of FY13.

Environmental Management

LLNL participates in the following regional stakeholder groups for regional ecosystem/environmental management projects:

Stakeholder Group Member: Altamont Pass Wind Resources Area Project

Involves participation as a regional/local stakeholder with the development of a Conservation Plan (a joint Natural Community Conservation Plan and Habitat Conservation Plan) for the Altamont Pass Wind Resources Area Project (wind energy development). This plan is being developed to minimize impacts to birds caused by wind turbine operations and conserve birds and other terrestrial species while allowing wind energy development and operations in the Altamont Pass Wind Resources Area Project.

Stakeholder Group Member: East Alameda County Stakeholder Group

Involves participation as a regional/local stakeholder in the development of a Conservation Strategy for East Alameda County for long-term habitat protection and endangered species conservation.

Large-Flowered Fiddleneck Restoration

The large-flowered fiddleneck is a federally listed endangered species with an extremely limited distribution. Only two native populations of this species are known to occur; one population is located at LLNL's Site 300, and the second is located on nearby private land. Two introduced experimental populations (one at Site 300 and a second on property owned by the East Bay Regional Parks) are also maintained by occasional seed bank enhancement. LLNL participates in regional large-flowered fiddleneck recovery efforts including efforts to maintain the experimental populations and research on the effects of fire frequency on large-flowered fiddleneck abundance.

SSPP Goal 8

Innovation and government-wide support

Innovative Ways in Which R&D Technologies are being Deployed in Support of Sustainability

LLNL integrates research and development with site-level sustainability support through innovative projects that take advantage of on-site scientific expertise. Some examples of internal vested projects include:

- **Building Energy Efficiency.** Scientists have used statistical techniques to assist site energy managers to better identify and describe individual building energy use, as well as site-wide energy use. This has resulted in the identification of the appropriate data to use, and a consolidation of the energy and weather data streams for the site.
- Modeling of Site Electrical Grid. Scientists have deployed electrical grid software to simulate the flow of
 electricity throughout the site. These tools are being evaluated to generate scenario-based planning exercises
 for improved electrical load management.
- **Simulating LVOC-CC.** The new computer center in the LVOC was chosen as the focus of energy efficiency/ building energy modeling testing. For this project, over 51,000 simulations of "Energy Plus," a building simulation program, were run to explore the impacts of design, equipment, and operation choices. As a result, the impacts of insulation and chiller efficiency were enumerated, providing energy and cost-saving solutions.
- Investigations of outages. To support the investigation of short-term electrical outages, LLNL data scientists examined multiple data streams of an electrical incident at TSF. As a result, it became evident that TSF would benefit from increased resolution in electrical performance metering to enable outage forensics.
- Renewable Energy. Climate and weather scientists have garnered internal funding to identify the potential
 for using the site as a test bed for renewable energy research. Lab scientists have given input to the RFI
 process to request data from the solar array can be collected for scientific research.
- **SF**₆ **reduction.** Leadership from the S&T areas, with expertise in molecular accelerators, have identified a design for an SF₆-free accelerator that would still contribute to LLNL's scientific and mission goals.

Waste Management and Site Remediation

Comingled Recycling

The Laboratory initiated a pilot Comingled Recycling and Composting Program in both Cafés and across fifteen buildings on the Livermore campus. This program has been the most requested environmental action by employees for continued improvement in the Laboratory's environmental performance. This recycling and composting initiative continues to be popular among employees and requests to expand the program are received in the Laboratory's environmental help line green@llnl.gov. While funding issues currently limit its expansion, the Laboratory is proud of this program and hopes to see all employees participate when at the Cafés and in buildings involved in the program.

Sustainability Successes in Environmental Restoration

Since beginning the environmental restoration activities at the two LLNL sites under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) in the 1980s, a broad spectrum of environmental remediation technologies have been and continue to be tested and applied to clean up soil and groundwater contamination as efficiently and effectively as possible. As a result of this work, there have been both direct and indirect contributions towards site sustainability practices.

With the overall cleanup objective of protecting human health and the environment, there are a number of criteria in regulatory guidance documents that must be considered in selecting remedies, including:

- 1. Overall protection of human health and the environment.
- 2. Compliance with applicable, or relevant and appropriate, requirements.
- 3. Long-term effectiveness and permanence.
- 4. Reduction in toxicity, mobility, and volume through treatment.
- 5. Short-term effectiveness.
- 6. Implementability.
- 7. Cost.
- 8. State acceptance.
- 9. Community acceptance.

Where possible, remedies are selected that are relatively simple to implement and maintain, require less energy to support, and generate less waste. For instance, in certain situations 'monitoring only' has been selected as an appropriate remedy as the contaminants in question (e.g., tritium) have been shown to naturally attenuate without posing unacceptable risks. In other cases, subsurface conditions are being enhanced to promote in situ destruction of volatile organic compounds (VOCs). Bioremediation of VOCs in the subsurface is currently being tested at both LLNL sites and preliminary results are showing promise. Another approach involves injection of zero valent iron (ZVI) into the subsurface via mechanical fracturing technology. In this application, contaminants in groundwater will come into contact and react with the emplaced ZVI as the groundwater follows its normal flow pattern thereby decomposing to less toxic compounds. This work is planned for FY13. Although there is an up-front investment into setting up in situ remedies, over time there is less energy required and less waste generated while treating contamination to acceptable standards.

An indirect benefit of the environmental remediation work is the availability of treated pumped groundwater that is permitted to be discharged to surface storm drains that may be diverted for irrigation needs or other possible industrial uses (e.g., cooling tower make-up water) and thereby reducing the reliance on the municipal water supply.

Innovative green cleaning at NIF Receives NNSA Pollution Prevention Award

LLNL's National Ignition Facility (NIF)—home to the world's largest laser—houses 192 precision aligned laser beams in two bays under tight, environmentally controlled conditions. Extreme cleanliness is required as any bit of debris, oil or other wayward material could cause the laser light to damage the optics.

The NIF Class 10,000 clean room environment maintained throughout the facility is the same level of cleanliness you might find in a hospital operating theatre, permitting no more than 10,000 particles larger than 0.5 microns per cubic foot of air. Custodial operations in this huge environment require a talented and innovative crew. Leading that crew is Dexter Lenoir, who has made significant changes in both cleaning products and methods, which have resulted in improved worker health and safety as well as reduced environmental impacts from custodial operations.



Employee using the steam cleaner/mop.



Employee using the riding hepa vacuum cleaner.

Government-and Industry-wide support

LLNL has supported stakeholders and government missions in a number of ways; both through long-term large scale science initiatives, and smaller scale projects, described in the section below.

Large, High-Impact Research and Development

LLNL has been pursuing research that contributes to fundamental changes in energy generation and planning, and GHG management. These innovations will be realized in the next 10-30 years, with significant impacts.

Laser Inertial Fusion Engine (LIFE)

LIFE is a game-changing technology to provide sustainable, carbon-free energy and could be applied to drastically shrink inventories of nuclear waste. After fusion ignition and burn at NIF, an aggressive research and development program will be needed to make a number of critical but achievable technological advances. Collaborations will involve national laboratories and academia as well as industry and, ultimately, power providers. The DOE has called for the establishment of a National Academy of Science and Engineering committee to study and recommend next steps for such a national program.

Regional climate change prediction and analysis

Building on the Program for Climate Model Diagnosis and Inter-comparison (PCMDI), LLNL will provide technical leadership in reducing uncertainties and improving predictive capabilities of next-generation climate models. Initial focus is on identifying key processes and parameters through uncertainty quantification (UQ). Efforts also build on climate simulation analysis for regional predictions of climate impacts critical to national security.

Greenhouse gas emission verification

The goal of GHG emission verification activities is to become the leader in monitoring and verifying carbon emission reductions for international climate agreements. Efforts will build on the expertise of National Atmospheric Release Center (NARAC) in atmospheric transport and identification of emission sources, and the capabilities of the CAMS in radiocarbon analysis for attribution of anthropogenic carbon emissions. Currently, LLNL is partnering with DOE, the National Aeronautics and Space Administration, and the National Oceanic and Atmospheric Administration on a Greenhouse Gas Information System.

Underground Coal Gasification and Carbon Capture and Sequestration

Capabilities in simulation of Underground Coal Gasification (UCG) processes, reactive transport modeling, geophysical and geochemical monitoring, and geophysical experimentation and success working with industrial partners support the goal of being a national technology leader for UCG and supporting Carbon Capture and Sequestration (CCS) deployment. The objective is to accelerate efficient and sustainable deployment of UCG and CCS while reducing the cost of CCS by 30%. LLNL is currently applying its subsurface simulation and monitoring expertise to large pilot UCG and CCS experiments run by industry and DOE, including international efforts in China and elsewhere.

Short-Term Scientific Advancement

LLNL R&D also focuses on short-term scientific advancement of topics that promote more sustainable energy systems and specific technology deployment.

Wind Power Prediction

The goal of wind power prediction activities is to be the national provider for wind-energy forecasts and simulation, including critical boundary-layer physics, to expand efficient wind energy deployment. Efforts will build on NARAC capabilities to model highly resolved wind flows and turbulence over complex terrain to increase output of existing wind farms and extend life cycles of wind turbines. LLNL is pursuing the development of an energy field experimental laboratory at Site 300 and a National Wind Prediction Center with industrial and academic partners.

Air Capture and Negative Emissions

The Air Capture and Negative Emissions Program strategy is to develop catalyst technology systems to directly remove and sequester atmospheric CO₂. The approach combines capabilities in computational design, laboratory synthesis, and experimental testing of catalysts with system analysis, including geologic sequestration, with a goal of deployed and air capture systems that are cost effective.

Advanced Transportation Research

LLNL is pursuing multiple tracks in advancing state-of-the-art transportation by significantly improving the fuel economy of class 1–8 vehicles (heavy-duty trucks) through introducing advanced concepts/designs, simulations, validation experiments, track, and on-the-road tests. The research aims to provide low- or zero-carbon solutions for class 1–4, and improve aerodynamics and engine design for class 5–8. These efforts have been carried out in partnership with industry through DOE funding.

Building Energy Efficiency Simulation

LLNL is a partner of the DOE Energy Efficient Building (EEB) Hub, located in Philadelphia, focusing on deploying tools and approaches to improve the efficiency of existing buildings. LLNL will bring a new approach to model integrated cyber-physical control systems and then develop methodologies to create a scalable reduced order model that can be rapidly transitioned to commercial deployment. LLNL is also assisting in the EEB Hub management, to ensure the project's success.

Energy Systems Simulation

LLNL is further extending its scientific, engineering and computational expertise to help businesses in the energy domain. First, LLNL has been assisting the California Investor Owned Utilities (IOUs) in their proposal to the California Public Utilities Commission, called the "California Energy Systems for the 21st Century Project" (known as CES-21). CES-21 will enable LLNL staff and computing capabilities to be used by the IOUs in their quest to better monitor, plan, and understand the current electrical grid and gas system, as well as plan for a low-carbon future.

LLNL has also developed a competition for private companies to access its computing resources to improve energy technology. Called the "HPC4Energy Incubator," this novel approach has resulted in six private companies working with LLNL staff to advance their computing capabilities via HPC. By using HPC, these firms could speed the development and analysis of their green energy products, and help their success.

Hydrogen Shuttle Bus Collaborative Project Receives NNSA Pollution Prevention Award

In FY11, LLNL and SNL/CA collaborated on a DOE supported program to demonstrate the use of hydrogen-powered vehicles. This program was administered by the Office of Energy Efficiency and Renewable Energy's Fuel Cell Technologies Program, and supported the early market adoption of these technologies. Two hydrogen buses, one a 12-passenger and a second 8-passenger with wheel chair capability, were integrated into the LLNL taxi fleet used to transport employees at both the LLNL and SNL/CA laboratories.

The hydrogen buses reduced the use of traditional diesel-powered buses onsite and were among the most heavily used in the DOE bus demonstration program, logging a combined 7,561 miles. This translated into a savings of approximately 8,000 kg of CO₂ equivalent greenhouse gas emissions in comparison to diesel-powered buses. These vehicles achieve near-zero regulated emissions (below Super Ultra Low Emission Vehicle regulations for oxides of nitrogen) and no CO₂ emissions.

In addition to use as employee shuttles on and off campus, the buses also were showcased throughout the local community to help raise public awareness of the benefits and safety of hydrogen technologies.



Sustainability Communication Plan

Fostering sustainable practices at LLNL is based on creating culture change. LLNL employees intrinsically understand that sustainability is crucial for us, and future generations to which will be left the nation and planet. Sustainability means many different things to LLNL employees, including:

- · Reducing fossil fuel use and dependency on foreign oil
- Reducing greenhouse gases (carbon footprint)
- Water conservation
- Pollution prevention
- Decreasing electricity demands
- Waste management and recycling
- Purchasing green products
- Reducing total energy costs

It is the mission of the Sustainability Communications Plan to make all employees aware of what they can do to help. LLNL has been communicating the "sustainability message" to employees for many years through Newsline articles, posters, and through "walk the talk" actions. In August 2011, the Sustainability Communications Plan was formalized and efforts were united by creating an interdirectorate committee to enhance and standardize the sustainability message to employees. This is a top-down leadership approach that relies on acceptance and contribution at all levels.

There were several notable communications achievements in FY12 which have made all employees more aware of LLNL's past sustainability accomplishments and future goals. Recent activities included:

- An LLNL Director's column in Newsline
- Ongoing updates to LabBook, LLNL's social networking site, about sustainability.
- Additional training for site energy and water managers to identify and communicate awareness of resource usage
- Monthly sustainability updates at the Monthly Performance Review manager forum by LLNL's Operations & Business Principal Associate Director

LLNL will expand these efforts in FY13. Future efforts will include additional Newsline articles, updating and further distribution of the Sustainability Pocket Guide, preparing a short video for LLNL employees and visitors, and additional educational activities.

The Sustainability Communication Plan encourages employees to:

- Turn off lights and equipment when feasible
- Stop use of space heaters and fans
- Use less water
- Telecommute and use alternative schedules
- Carpool, use public transportation, walk, and bike
- Refrain from printing or print double-sided only
- Teleconference or videoconference rather than travel
- Reduce, reuse, and recycle
- Increase 'green' purchasing
- Look for new ideas on how to further reduce the Lab's total energy use

Training to increase awareness and encourage behavior change

Recognizing the impacts of climate change and resource constraints on future generations, LLNL is educating its leaders and its energy, water, and facility managers on the importance of promoting sustainability and behavioral change. The communication section in this plan has more information on sustainability training and raising awareness of LLNL employees.

Fresh@ the Labs Receives NNSA Pollution Prevention Award

People worldwide are rediscovering the many benefits of buying local food. LLNL and SNL/CA partnered to bring these benefits directly to the Laboratory communities with Fresh @ the Labs, a Farmers Market program.

The Farmers Market, held on the fourth Tuesday of the month from July 2011 through October 2011, was a highly successful partnership between the two labs that promoted community collaboration, employee health, a life convenience, and environmental sustainability. The LLNL and SNL/CA pilot saw more than 2,000 attendees interacting with twenty Bay Area vendors to purchase fresh and local fruits and vegetables, nuts and grains, flowers, eco bags, and more. Adding to the festive experience were gourmet lunch vendors, cooking demonstrations, and live music.





LLNL is addressing climate change and climate change adaptation both internally for the site, and externally for its stakeholders. Internally, LLNL has incorporated climate change adaptation planning as a part of its status as an NNSA lab, with services and equipment critical to the security of the nation. These capabilities, including the NARAC, the Biodefense Knowledge Center, and NIF, necessitate resilience with respect to extreme weather events, changes in heat and precipitation, and sea level. For its external stakeholders, LLNL views assistance in planning for climate change adaptation as a part of its mission, "to ensure the safety and security of the nation through applied science and technology." In the following section, details to internal and external activities in climate change adaptation are presented.

Developing Resilience to Climate Change Adaptation for the LLNL Site

There are numerous ways that climate change could impact the LLNL site, directly and indirectly. These include:

- · Heat waves
- Wildfires
- Sea level change
- Changes in precipitation

The degree to which these impacts affect the lab varies. The table below summarizes how these impacts trigger site-relevant events, the relative degree of those events, and ongoing actions for adapting to those impacts. It should be noted that LLNL climate scientists have reported that forecasts at the local scale can be highly uncertain. In particular, multiple climate and weather forecasts for the San Francisco Bay Area have shown divergent trends in temperature and precipitation forecasts. While the LLNL site may see no change to average local temperature or precipitation, LLNL is prepared for a multitude of climate change impacts in the following ways:

Climate Impact	Regional Impact	Site-relevant events	Degree of importance of those events	LLNL adaptation to those events
Heat Waves	Increased local temperature	Greater cooling needs in buildings; increased costs and GHGs expended in cooling buildings	Medium	LLNL is working to make its building more responsive to temperature changes, and building more efficient buildings that will use less energy in the future.
Heat waves	California-wide strains on the electrical system	Black-outs, or brown-outs of local electrical grid	High	LLNL has sufficient electrical backup for the site as part of its electric plan.

Climate Impact	Regional Impact	Site-relevant events	Degree of importance of those events	LLNL adaptation to those events
Wildfires	Increased risk to Site 300	Reduction of activities at Site 300	Low	Site 300 constantly manages its open space through controlled burns and other approaches.
Sea Level Change	Increase sea level of San Francisco Bay	Transportation challenges to staff, suppliers, and stakeholders	Low	LLNL works with local transportation organizations to provide alerts and planning assistance to its employees.
Changes in Precipitation	Drought	Reduced water availability for cooling water	Medium	LLNL is able to access two separate and different water sources, one from the Sierra Nevada, one a local source. It is unlikely that both sources will be impacted. In addition, the site is exploring non-water based cooling techniques for future facility electrical cooling needs.
Changes in Precipitation	Drought	Reduced water availability for vegetation	Low	LLNL is progressing towards drought-resistant landscaping, and captures rainwater through the Water Conservation Test Bed Project.
Changes in Precipitation	Flood	Site flooding and impacts to local transportation	Medium	LLNL is in constant communication with local and regional planning departments, including water runoff, and long-term planning as a part of that discussion.

External Stakeholder Assistance to Climate Change Adaptation

As part of its mission to assist the nation and its partners in Energy and Environmental security, LLNL seeks to "advance science to better understand climate change and its impacts and develop technologies supportive of a carbon-free energy future." LLNL contributes to efforts in climate change adaptation in two ways, in advancing climate science, and in delivering expert opinion and advice on the impacts of climate change to its different stakeholders.

Advancing Climate Science

LLNL's PCMDI is the cornerstone of the scientific community's climate change research. Since 1989, PCMDI has been leading efforts to develop improved methods and tools for the diagnosis and intercomparison of general circulation models that simulate the global climate. These models of climate change, from collaborators worldwide, are used to determine the potential impacts of climate change on the civilization, and used to assess the potential impacts of that change. PCMDI enables a non-biased comparison of techniques and model results, resulting in a level of rigor in climate modeling that is unsurpassed. As a result of PCMDI's contributions, the Intergovernmental Panel on Climate Change (IPCC), who reports on scientific conclusions from climate change modeling, was awarded the Nobel Prize in 2007.

Stakeholder Guidance on Climate Change Adaptation

LLNL scientists have long been working with stakeholders on efforts to quantify the impacts and risks of climate change to the human and natural environment, as well as on the economy, and international and domestic security. In addition to working with its federal partners (e.g. the Departments of Defense, Agriculture, Homeland Security, Intelligence Agencies), LLNL scientists have contributed to climate change adaptation planning efforts by the Department of Energy's Sustainability Performance Office, the City of Livermore, and the San Francisco Bay Area.



- 1.1 CEDR Content
- 1.2 Performance Summary
- 2.1 Energy Management Data Report Energy Efficiency Improvements and Funding
- 3.1 Facilities Utility/Fuel Consumption and Cost
- 3.2a List of Operating On-Site Renewable Energy Systems
- 3.2b List of Purchased Renewable Energy
- 3.3 Conservation and Renewable Energy Measures List
- 3.4 Building Inventory Changes, HPSB Compliance and Projected Utilities Consumption
- 4.1 Source Energy Savings Credit
- 5.1 Data Centers
- 6.1 Fugitive Emissions: Refrigerants and Fluorinated Gases, Mixed Refrigerants
- 6.2 Fugitive Emissions: Fugitive Fluorinated Gases and Other Fugitive Emissions
- 6.3 Industrial Process Emissions by Process
- 7.1a Fugitive Emissions: On-Site Wastewater Treatment
- 7.1b Contracted Wastewater Treatment
- 8.1 Business Air Travel
- 8.2 Business Ground Travel
- 8.3 Employee Commuting
- 9.1a Fugitive Emissions: On-Site Landfills and Municipal Solid Waste Facilities
- 9.1b Fugitive Emissions: Contracted/Off-Site Landfills and Municipal Solid Waste Facilities
- 10 Fleet Fuel
- 11 EISA Section 432 Compliance Path

CEDR Content

The Consolidated Energy Data Report (CEDR) consists of 23 worksheets that should be completed by each site, as applicable, and included as part each site's SSP in a MS Excel electronic format. The CEDR is due to the SPO no later than <u>December 7th</u>.

Work	sheet	Overview	Action
1.1	Content	Stand-alone overview of the CEDR tabs.	None.
1.2	Performance Summary	Summary table of goals performance.	None.
1.3	Factors and Drop-down Keys	Reference tab containing all factors and drop-down menus information for all tabs.	None.
2.1	Funds, Meters, Training	Collects information on energy and water spending, and metering status.	If applicable, complete cells with blue text.
3.1	Energy & Water	for each fiscal year since FY 2003. Do not report on-site generated and purchased renewable energy or on-site generated non-renewable energy in this tab.	Enter FY 2012 consumption and cost data and review historical information for accuracy.
3.2a	Operating On-Site Renewables	Houses the list of active renewable energy systems at DOE sites to track progress towards renewable energy requirements in EPAct2005 and DOE O 436.1. Also used towards developing the site's GHG inventory.	Review pre-populated data and update as necessary.
3.2b	Purchased Renewables	Collects renewable energy purchases to track progress towards renewable energy requirements in EPAct 2005 and DOE O 436.1. Also used towards developing the site's GHG inventory.	Review pre-populated data and update with FY 2012 purchased data.
3.3	Conservation & RE Measures	Tracks planned energy and water conservation measures, in addition to future renewable energy systems. Also used to project future energy/water consumption along with performance towards goals.	Review pre-populated data and update as necessary.
3.4	Bldg Inventory Changes	Tracks demolition and new construction projects along with construction requirements for meeting HPSB, EPAct 2005 30 percent better than ASHRAE, and stormwater design. Also used to project future energy/water consumption.	Review pre-populated data and update as necessary.
4.1	Source Energy Savings Credit	Part of the Annual Energy Report to adjust site energy use accounting from projects — especially combined heat and power — that would change the accounting of site vs. source energy.	Complete worksheet, if applicable.
5.1	Data Centers	Inventory of DOE data centers along with basic energy management metrics.	Complete worksheet, if not using DOEGRIT.
6.1	Mixed Refrigerants	Collects and calculates fugitive emission data for refrigerants and fluorinated gases.	Review pre-populated data and update with FY 2012 emissions.
6.2	Fugitive F-gases	Collects and calculates fugitive emission data for fluorinated gases and other fugitive emissions.	Review pre-populated data and update with FY 2012 emissions.
6.3	Industrial Process	Collects and calculates GHG emission data for industrial process by process.	Review pre-populated data and update with FY 2012 emissions.
7.1a	On-Site Wastewater	Collects and calculates fugitive emissions data for on-site wastewater treatment.	Review pre-populated data and update with FY 2012 emissions.
7.1b	Contr. Wastewater	Collects and calculates GHG emissions resulting from contracted off-site wastewater treatment, excluding electricity.	Review pre-populated data and update with FY 2012 emissions.
8.1	Air Bus Travel	Collects and calculates emissions for prime contractor employee business air travel.	Review pre-populated data and update with FY 2012 emissions.
8.2	Ground Bus Travel	Collects and calculates emissions for prime contractor employee business ground travel.	Review pre-populated data and update with FY 2012 emissions.
8.3	Commuter Travel	Collects and calculates emissions for prime contractor employee commuting.	Review pre-populated data and update with FY 2012 emissions.
9.1a	On-Site Landfill (Optional)	Calculates emissions for on-site landfill; data should be consistent with PPTRS entry.	Optional – Based on PPTRS data entry.
9.1b	Off-Site MSW (Optional)	Calculates emissions for contracted/off-site municipal solid waste disposal; data should be consistent with PPTRS entry.	Optional – Based on PPTRS data entry.
10	Fleet Fuel (Optional)	Calculates emissions for fleet fuel consumption based on FAST data.	Optional - Download and paste FAST data.
11	Covered Facilities	List of covered facilities with anticipated evaluation dates and type/level.	Select covered facilities and complete associated data columns.

Performance Summary

The table below summarized performance for several sustainability goals based on information reported in this workbook. Please note, Scope 1 & 2 GHG emissions do not include emissions from on-site and contracted landfill as these are to be reported in PPTRS.

SSPP Goal #	DOE Goal	Baseline	Current FY	Performance Status
1.1	28% Scope 1 & 2 GHG reduction by FY 2020 from a FY 2008 baseline	193,046.4	148,714	-23.0%
1.2	13% Scope 3 GHG reduction by FY 2020 from a FY 2008 baseline	43,216.8	35,542	-17.8%
2.1	30% energy intensity reduction by FY 2015 from a FY 2003 baseline (Note: Estimates without REC credit)	234,800	201,606	-14.14%
	Goal Energy (10^6 Btu)	1,467,727	1,235,645	
	Goal Square Footage (x1,000)	6,251	6,129	
2.3a	Individual buildings or processes metering for 90% of electricity (by October 1, 2012)		90%	90%
2.3b	Individual buildings or processes metering for 90% of natural gas (by October 1, 2015)		52.0%	52.0%
2.3c	Individual buildings or processes metering for 90% of steam (by October 1, 2015)		0.0%	0.0%
2.3d	Individual buildings or processes metering for 90% of chilled water (by October 1, 2015)		0.0%	0.0%
2.7	7.5% of annual electricity consumption from renewable sources by FY 2013 and thereafter (5% FY 2010 – 2012)	408,051	33,820	8.3%
3.2	2% annual reduction in fleet petroleum consumption by FY 2020 relative to a FY 2005 baseline (Note: Estimates without biodiesel credit)	355,266	131,134	-63.1%
3.1	10% annual increase in fleet alternative fuel consumption by FY 2015 relative to a FY 2005 baseline	3,160	81,042	2464.6%
4.1	26% water intensity reduction by FY 2020 from a FY 2007 baseline	35.8	34.6	-3.30%
J-7.1	Potable Water Consumption (10 ⁶ Gal)	255	241	
	Total Gross Square Footage (x1,000)	7,104	6,950	
4.2	20% water consumption reduction of industrial, landscaping, and agricultural (ILA) water by FY 2020 from a FY 2010 baseline	0	0	#DIV/0!

Energy Management Data Report

Requirement(s): See tables

Instructions: If applicable, complete cells with blue text and highlight the cell. The information requested is for completing DOE's Annual Energy Report.

Source: Site/Lab

ENERGY EFFICIENCY IMPROVEMENTS AND FUNDING

1-1. E.O. 13514/OMB Circular A-11 Direct Agency Obligations

	FY	7 2012	Projected FY 2013		Projected FY 2014	
		(Thou. \$)		(Thou. \$)		(Thou. \$)
Direct obligations for facility energy						
efficiency improvements, including		\$639.9		\$150.0		\$150.0
facility surveys/audits						
Estimated annual energy savings						
anticipated from obligations (Million	2,154.6	\$429.9	0.0	\$0.0	0.0	\$0.0
BTU)						
Estimated annual water savings						
anticipated from obligations (Thousands	1,252.0	\$85.0	0.0	\$0.0	0.0	\$0.0
Gal)	·					

1-2. E.O. 13514/OMB Circular A-11 Awarded Energy Savings Performance Contracts (ESPCs)

	Annual savings (10^6 BTU)	(Number/Thou. \$)
Number of ESPC Task/Delivery Orders awarded in fiscal year & annual energy (Million BTU) savings	0.0	0.0
Investment value of ESPC Task/Delivery in fiscal year	Orders awarded	\$0.0
Amount privately financed under ESPC T Orders awarded in fiscal year	\$0.0	
Cumulative guaranteed cost savings of ES fiscal year relative to the baseline spending	\$0.0	
Total contract award value of ESPCs awa (sum of contractor payments for debt repa and other negotiated performance period s	\$0.0	
Total payments made to all ESPC contrac	\$0.0	

1-3. E.O. 13514/OMB Circular A-11 Awarded Utility Energy Services Contracts (UESCs)

TOT BIOTICCI (ONID CIrcular II II II		
	Annual savings (10^6 BTU)	(Number/Thou. \$)
Number of UESC Task/Delivery Orders awarded in fiscal year & annual energy (Million BTU) savings	0.0	0.0
Investment value of UESC Task/Delivery in fiscal year	\$0.0	
Amount privately financed under UESC T Orders awarded in fiscal year	\$0.0	
Cumulative cost savings of UESCs award relative to the baseline spending	\$0.0	
Total contract award value of UESCs awa (sum of payments for debt repayment and performance period services)	\$0.0	
Total payments made to all UESC contract	\$0.0	

1-4. EPAct 1992 Training

	(Number)	(Thou. \$)
Number of personnel trained in FY 2012/Expenditure	0	\$0.0

Energy Management Data Report

 $\underline{Requirement(s)}$: See tables

Instructions: If applicable, complete cells with blue text and highlight the cell. The information requested is for completing DOE's Annual Energy Report.

Source: Site/Lab

1-5a. EPAct 2005 Metering Of Electricity Use

(Note: If a building has an advanced and a standard meter, only account for the advanced meter. If a building has multiple meters, ensure the utility metered is accounted/reported only once)

	# of	Standard Meters				Advanced Meters			Total		
Fiscal Year	"Appropriate " Buildings Per EPAct 2005	# of Buildings	of Purchased	Estimated Amount of On-Site Generate Electricity Metered (kWh/Yr)	with	of Purchased	Estimated Amount of On-Site Generate Electricity Metered (kWh/Yr)	Appropriate	Cumulative % of "Appropriate" Buildings Metered	Total % of Electricity Metered	
2012 Report	116	7	2,146,474	0	109	363,525,852	0	116.0	100.0%	90%	
2013 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%	
2014 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%	
2015 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%	

1-5b. EISA 2007 Metering Of Natural Gas Use

(Note: If a building has an advanced and a standard meter, only account for the advanced meter. If a building has multiple meters, ensure the utility metered is accounted/reported only once)

	# of		Standard Meters			Advanced Meter	rs		Total	
Fiscal Year	"Appropriate " Buildings Per EPAct 2005	# of Buildings with Standard Meters	Estimated Amount of Purchased Natural Gas Metered (CF/Yr)	Estimated Amount of On-Site Generate Natural Gas Metered (CF/Yr)			Estimated Amount of On-Site Generate Natural Gas Metered (CF/Yr)		Cumulative % of "Appropriate" Buildings Metered	Total % of Natural Gas Metered
2012 Report	32	22	69,248	0	10	144,805	0	32.0	100.0%	52%
2013 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2014 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2015 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%

1-5c. EISA 2007 Metering Of Steam Use - N/A

(Note: If a building has an advanced and a standard meter, only account for the advanced meter. If a building has multiple meters, ensure the utility metered is accounted/reported only once)

(,				.,	arreported and, and	-,	
	# of		Standard Meters			Advanced Meter	rs		Total	
Fiscal Year	"Appropriate " Buildings Per EPAct 2005	# of Buildings	Estimated Amount of Purchased Steam Metered (Btu/Yr)		with	Retimated Amount			Cumulative % of "Appropriate" Buildings Metered	Total % of Steam Metered
2012 Report	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2013 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2014 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2015 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%

Energy Management Data Report

 $\underline{Requirement(s)}$: See tables

Instructions: If applicable, complete cells with blue text and highlight the cell. The information requested is for completing DOE's Annual Energy Report.

Source: Site/Lab

1-5d. DOE O 436.1 & SSPP Metering Of Chilled Water Use - N/A

(Note: If a building has an advanced and a standard meter, only account for the advanced meter. If a building has multiple meters, ensure the utility metered is accounted/reported only once)

	# of		Standard Meters			Advanced Mete	rs	1	l'otal	Total % of
Fiscal Year	"Appropriate " Buildings Per EPAct 2005	# of Buildings with Standard Meters		Estimated Amount of On-Site Generate Chilled Water Metered (Btu/Yr)			Estimated Amount of On-Site Generate Chilled Water Metered (Btu/Yr)		Cumulative % of "Appropriate" Buildings Metered	Chilled Water Metered
2012 Report	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2013 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2014 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2015 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%

1-5e. Water Management Best Practice Metering Of Water Use

(Note: If a building has an advanced and a standard meter, only account for the advanced meter. If a building has multiple meters, ensure the utility metered is accounted/reported only once)

	# of		Standard Meters			Advanced Meter	rs	,	Total	
Fiscal Year	"Appropriate " Buildings Per EPAct 2005	# of Buildings	Estimated Amount of Purchased Water Metered (Gal/Yr)		with	Estimated Amount of Purchased Water Metered (Gal/Yr)		# of Appropriate Buildings with Dedicated	Cumulative % of "Appropriate" Buildings Metered	Total % of Water Metered
2012 Report	1	1	98,367,000	0	0	13,978,000	0	1.0	100.0%	47%
2013 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2014 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%
2015 Planned	0	0	0	0	0	0	0	0.0	#DIV/0!	0.0%

Facilities Utility/Fuel Consumption and Cost

Requirement(s): NECPA, EPAct 2005, EISA 2007, DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 quarterly consumption and associated cost information for facilities, non-fleet vehicles and equipment, and fully serviced leases (new, voluntary in FY 2012) by utility/fuel type and address SPO requests. On-site non-renewable energy should not be reported in this tab. To receive appropriate credit for metering of on-site generated non-renewable energy complete the "Total % of [utility] Metered" column in tab 2.1. On-site generated and purchased renewable energy should be reported in tabs 3.2a and 3.2b, respectively. FY 2012 square footage should be estimated based on FIMS reports 008, 047, and 063. The SPO will update estimated square footage, if need be, based on the FIMS snapshot in mid-November. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Key:
Light Pre-populated data by SPO to be reviewed and updated with changes highlighted in blue.

Orange Fields that need to reviewed and updated with changes highlighted in blue.

Yellow Optional data field to be completed, if applicable and available.

Red Calculated fields. No action required.

Source: Site/Lab

Property						Utility/Fue	l Consun	nption and	d Cost						No	otes		Estimated G	HG Emission	as
No. 1.2 L.N. Undergo Prof. Prof. Prof. 1. 1. 1. 1. 1. 1. 1.	PSO	Site #	Site	Category	Subcategory	Usage Unit	FY	QTR	Usage Amount	BTU x 10^6	Cost (1,000 \$)	\$/ፒ	Unit	-		SPO Notes	Scope	1 2		Scope 3 - T&D Loss, MtCO ₂ e
NSAS 12 LINE Beallage	NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2003	1	70,057.000	239,034.484	\$2,523.420	\$	0.04	94550			2	-	0.000	
NSSA 12 LINE Cutode Centres Meyers for 20 1 528-139 52-1395 No. 91 993 2 2 41957 No. 900 0000 0000 0000 0000 0000 0000 000	NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons	2003	1	4.430	611.340	\$3.721	\$	0.84	94550			1	45.367	0.000	0.000
NNA 13 1NN Fishard New Cornell (1987) Fishard New Cornell (1987) Fishard (1987) F	NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2003	1	120,043.403	123,404.618	\$565.652	\$	0.00	94550			1	6,549.330	0.000	0.000
NSM 12 LIAN Boology Part Of Services Personal Free 20 2 79,000 2 20,000 2 20,000 20 20	NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2003	1	7,398.390	25,243.307	\$266.486	\$	0.04	94550			2	2,440.573	0.000	160.763
NSSA 12 LIN Subling	NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2003	1	386.086	396.896	\$1.819	\$	0.00	94550			1	21.064	0.000	0.000
NNA 12 LIAL Makeep Nema-Gas December 2004 2 100 1000000000000000000000000000	NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2003	2	70,200.000	239,522.400	\$2,218.059	\$	0.03	94550			2	23,157.504	0.000	1,525.408
NNSA 12 17-18 Panaled Panaled Sparent William Program From Vision 12 1, 664-1918 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 22, 900-190 1, 900-190	NNSA	112		Buildings	Fuel Oil	1,000 Gallons			6.019	830.622		\$	1.22	94550			1	61.640	0.000	
NNSA 112 LLNL Belands Numaria (as 0.000 chee feet 200 2 s 38-226 44 423 52 s 20 9 4850 1 2.2136 0.000	NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2003	2	136,098.000	139,908.744	\$882.715	\$	0.01	94550			1	7,425.237	0.000	0.000
No. No. 1	NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour			6,563.918	22,396.088		\$					2	2,165.299	0.000	
NSSA 12 L.N. Balling Nat Oil 100 Caller 201 1,00 Caller 201 1,00 Caller 201 20	NNSA				Natural Gas	1,000 Cubic Feet		2	435.236		\$2.823	\$	0.01	94550				23.746	0.000	
12 LINE Sublings Nama Ga 1,90 Coefficer 200 3 10,90 Coefficer 200 12,375 Coefficer 10,00 12,375 Coeffi	NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour			74,884.000	255,504.208	\$2,879.837	\$	0.04	94550			2	24,702.657	0.000	
NSNA 11 LANA Gendam Responsible 201 3 58,467 19,200 21,214 48,489 22 18,982 0.00 11,118 NSNA 11 LANA Boldinge Electricity Mages and Law 20 37,389 38,410 2,52,510 2 2,515,00 0.00 1,568,00 NSNA 11 LANA Boldinge Electricity Mages and Law 20 4,000 0.00 2,52,520 3 0.01 450 1 0.00	NNSA				Fuel Oil						•						1			
NSS 12	NNSA				Natural Gas	1,000 Cubic Feet						\$								
NNSA 12 1N. buildings Petricy Megwart Nor Mg 1 10 10 10 10 10 10 10 10 10 10 10 10 1	NNSA	112	LLNL		Electricity	Megawatt Hour	2003	3	5,576.671	19,027.601	\$214.464	\$	0.04	94550			2	1,839.626	0.000	121.178
NSA 12	NNSA				Natural Gas	1,000 Cubic Feet					•	\$								
NSA 12	NNSA				Electricity							\$								
NSA 12	NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons	2003	4	0.000	0.000	\$0.000		NA	94550			1	0.000	0.000	0.000
NNSA 12 LIAL Schelard Normal Cas LOO Chi-Chi-Chi-Chi-Chi-Chi-Chi-Chi-Chi-Chi-	NNSA	112	LLNL	Buildings	Natural Gas			4	78,744.000	80,948.832	\$449.200	\$	0.01	94550				4,296.116	0.000	0.000
NNSA 112 LLNL Backeled Square Feet L009 Calles Feet 2001 4 240.541 247073 81.71 5 0.01 94590 1. 1.13.13 0.000 0.000 0.000 NNSA 112 LLNL Backeled Square Feet L009 Calles Feet 2004 1. 24708 247073 81.71 5 0.01 94590 2. 2. 26.447.037 0.000 1.742.094 NNSA 112 LLNL Backeled Square Feet L009 Calles Feet 2004 1. 24708	NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet	2003	4	6,250.969			\$	-	94550			NA	0.000	0.000	0.000
NNSA 12	NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2003	4	6,851.293	23,376.612	\$280.662	\$	0.04	94550			2	2,260.097	0.000	148.875
NNSA 12 LINL Bullings Parl Off LONG Claims 2004 1 80.17 200 273.548.044 \$3.02.6057 8 0.04 559 2 26.47 1077 0.000 1.742.094 NNSA 12 LINL Bullings Parl Off LONG Claims 2004 1 2.424 \$3.1512 \$3.030 8 1.42 5459 1 1 2.4324 0.000 0.000 0.000 NNSA 12 LINL Bullings LING LONG Claims 2004 1 1.590 0.000 1.000 0.000 1.000 0.000 0.000 1.000 0.000 1.000 0.000 1.000 0.000 1.000 0.000 1.000 0	NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2003	4	240.343	247.073	\$1.371	\$	0.01	94550			1	13.113	0.000	0.000
NNSA 12	NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet	2003	4	772.946			\$					NA	0.000	0.000	0.000
NNSA 112 LINI Buildings LPG 1,000 calloss 2004 1 1,32 80 1,901 S 1,42 9459 1 0,000 0	NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2004	1	80,172.000	273,546.864	\$3,026.057	\$	0.04	94550			2	26,447.057	0.000	1,742.094
NNSA 112 LIXL Buildings Natural Gas LODO Cable Feet 2004 1 127970000 131,553,100 S676,321 S 0,01 94550 1 6,981,789 0,000 0,000 0,000 0,000 NNSA 112 LIXL Buildings Receiving Megawant Hour 2004 1 0,000 0,000 0,000 NN 94550 2 0,000 0,000 0,000 0,000 NNSA 112 LIXL Buildings Period Oil 1,000 Gallons 2004 2 3,594 04,5972 S 1,238 S 1,18 94550 1 0,000 0,000 0,000 0,000 NNSA 112 LIXL Buildings Period Oil 1,000 Gallons 2004 2 145,995.000 1,004,004 NNSA 112 LIXL Buildings Receiving Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Buildings Period Oil 1,000 Gallons 2004 2 145,995.000 1,004,004 NNSA 112 LIXL Buildings Received Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Beached Received Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 2 0,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 86,284,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 1,495 0 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 1,495 0 0,000 NNSA 113,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 3 1,495 0 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 4 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 4 0,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 4 0,000 NNSA 113,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 4 0,000 NNSA 113,000 NNSA 112 LIXL Buildings Received Megawant Hour 2004 4 0,000 NNSA 114,000 NNSA 112 LIXL	NNSA	112		Buildings	Fuel Oil	1,000 Gallons		1			\$3.030	\$	1.25	94550			1	24.824	0.000	0.000
NNSA 112 LINL Exchded Electricity Megavat Hour 2014 1 0.000 0.000 \$0.000 NN 9450 2 0.000 0.000 0.000 0.000 NNSA 112 LINL Exchded Natural Gas 1.000 Cubic Feet 2004 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megavat Hour 2014 2 80,956.000 276,221.872 \$2,947.645 \$0.004 9450 2 2.6705.682 0.000 1.759.130 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2014 2 80,956.000 276,221.872 \$2,947.645 \$0.004 9450 2 2.6705.682 0.000 1.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2014 2 80,956.000 276,221.872 \$2,947.645 \$0.004 9450 2 2.6705.682 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2014 2 2.000 190.440 95.712 \$1.25 \$1.51 94550 1 1 2.004 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 2 1.45,995.000 150,682.800 \$892.18 \$0.01 94550 1 1 7,965.198 0.000 0.000 0.000 NNSA 112 LINL Excluded Natural Gas 1.000 Cubic Feet 2004 2 0.000 0.000 0.000 NNSA 9450 1 1 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megavat Hour 2004 2 0.000 0.000 0.000 NN 9450 1 1 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megavat Hour 2004 3 8.62,840.000 \$2,940.000 \$8,000 NN 9450 1 1 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 3 8.62,840.000 \$2,940.000 \$8,000 NN 9450 1 1 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 3 1.495 265.310 \$2.202 \$1.51 94550 1 1 15.310 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 3 1.495 265.310 \$2.202 \$1.51 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 3 1.495 265.310 \$2.202 \$1.51 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 4 9.92,078.000 137,081 \$1.905 \$1.50 9450 1 1 5.827,724 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 4 9.92,078.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 4 0.142 9.000 0.000 NNSA 113,081 \$1.905 \$1.50 9450 1 1 1.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Callons 2004 4 0.	NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2004	1	1.340	123.280	\$1.901	\$	1.42	94550			1	7.795	0.000	0.000
NRSA 112 LLNL Beakled Natural Gas 1,000 Cubic Feet 2004 1 0,000 0 0,000 0,000 NRSA 112 LLNL Buildings Electricity Magawart Hour 2014 2 80,956.000 276,221.872 \$2,947.645 \$ 0.04 94550 2 26,708.682 0,000 1,759.130 NRSA 112 LLNL Buildings Puel Oil 1,000 Gallons 2004 2 3,594 495.972 \$4.285 \$ 1,18 94550 1 3,68.05 0,000 0,000 NRSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 2 145,095.000 15,008.685 0 892.188 \$ 0.01 94550 1 1,796.139 0,000 0,000 NRSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 2 145,095.000 NRSA 112 LLNL Buildings Buildings Buildings Natural Gas 1,000 Cubic Feet 2004 2 145,095.000 NRSA 112 LLNL Buildings Buildings Buildings Buildings Natural Gas 1,000 Cubic Feet 2004 2 1,000 0,000 NRSA 112 LLNL Buildings Build	NNSA		LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	127,970.000		\$676.321	\$	0.01	94550				6,981.789	0.000	0.000
NISSA 112 LINL Buildings Flectricity Megowart Hour 2004 2 80,956,000 276,221,872 \$2,947,645 \$ 0.04 \$94550 \$ 2 26,705,682 0.000 1,759,130 NNSA 112 LINL Buildings Fuel Oil 1,000 Galoms 2004 2 2,070 190,440 \$31,121 \$ 1.1S 19450 \$ 1 36,806 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 2 145,995,000 15,0082,860 \$892,188 \$ 0.01 94550 \$ 1 7,965,198 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 2 0.000 0.000 \$ 8,000 \$ NA 94550 \$ 2 2,000 0.000 0.000 NNSA 112 LINL Buildings Beletricity Megowart Hour 2004 3 1,490 137,080 \$3,001,647 \$ 0.04 94550 \$ 1 0.000 Galoms 2004 3 1,490 137,080 \$1,912 \$ 0.000 \$ 0.000 \$ NNSA 112 LINL Buildings Puel Oil 1,000 Galoms 2004 3 1,490 137,080 \$1,912 \$ 0.000 \$ NNSA 112 LINL Buildings Puel Oil 1,000 Galoms 2004 3 1,490 137,080 \$1,916 \$ 1.29 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 3 1,490 137,080 \$1,916 \$ 1.29 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 3 1,490 137,080 \$1,916 \$ 1.29 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 3 1,490 137,080 \$1,916 \$ 1.29 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 3 1,490 137,080 \$1,916 \$ 1.29 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 4 9,207,8000 134,170,136 \$3,41,934 \$ 0.00 94,550 \$ 1 8,867 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1,000 Galoms 2004 4 0,142 19,596 \$0,200 \$ 1,55 94,550 \$ 1 0.000 1,000 0.000 NNSA 112 LINL Buildings Feet Oil 1,000 Galoms 2004 4 0,142 19,596 \$0,200 \$ 1,55 94,550 \$ 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Feet Oil 1,000 Galoms 2004 4 0,142 19,596 \$0,200 \$ 1,55 94,550 \$ 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1,000 Galoms 2004 4 0,142 19,596 \$0,200 \$ 1,55 94,550 \$ 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Square Feet 1,000 Square Feet 2004 4 0,000 0.000 \$0,000 NNSA 112 LINL Buildings Square Feet 1,000 Square Feet 2004 4 0,000 0.000 \$0,000 NN	NNSA				Electricity			1	0.000								2			
NNSA 112 LINL Buildings Puel Oil 1,000 Gallons 2004 2 3,594 495.972 \$4.288 \$1.18 94550 1 36.806 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1,000 Cubic Feet 2004 2 145.995.000 150.082.860 \$892.188 \$ 0.01 94550 1 1.2041 0.000 0.000 0.000 NNSA 112 LINL Excluded Electricity Megawatt Hoar 2004 2 0.000 0.000 NNSA 0.000 NNSA 112 LINL Buildings Electricity Megawatt Hoar 2004 2 0.000 0.000 NO NA 94550 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1,000 Gallons 2004 3 86.284.000 294.401.008 \$3.031.647 \$ 0.04 94550 2 2 8.65.377 0.000 1.874.905 NNSA 112 LINL Buildings Puel Oil 1,000 Gallons 2004 3 1.499 137.080 \$1.262 \$ 1.51 94550 1 1 8.667 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 10.817.000 10.897.876 \$635.850 \$ 0.01 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 10.817.000 10.897.876 \$635.850 \$ 0.01 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 10.817.000 10.897.876 \$635.850 \$ 0.01 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.142 19.596 \$ 0.200 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.142 19.596 \$0.200 S.0000 NNSA 94550 1 1.454 0.000 0.000 0.000 NNSA 112 LINL Buildings Puel Oil 1.000 Gallons 2004 4 0.180 16.560 S0.270 S.0000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 S.0000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 S.0000 NNSA 94550 1 1.454 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 S.0000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 0.000 NNSA 94550 1 1.0000 0.000 0.000 0.000 NNSA 94550 1 1.0000	NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2004	1	0.000	0.000	\$0.000		NA	94550			-	0.000	0.000	0.000
NNSA 112 LINL Buildings LPG 1,000 Gallons 2004 2 2,070 190,440 \$3.121 \$ 1.51 94550 1 1,004 10,000 0,00	NNSA				Electricity							\$								
NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Fee 2004 2 145,995,000 150,082,860 \$892,188 \$ 0.01 94550 1 7,965,198 0.000 0.0	NNSA											\$								
NNSA 112 LINL Excluded Electricity Megawat Hour 2004 2 0.000 0.000 S0.000 NA 94550 2 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 3 86.284 0.000 29.44 0.000 0.000 NSA 94550 1 0.000 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Fiel Oil 1.000 Gallons 2004 3 1.495 20.6310 S2.262 \$ 1.51 94550 1 1 15.310 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 1.695 20.6310 S2.262 \$ 1.51 94550 1 1 8.667 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 1.6817.000 1.09.807.876 \$635.695 \$ 0.01 94550 1 1 5.827.724 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 3 0.000 0.000 0.000 NNSA 112 LINL Excluded Electricity Megawat Hour 2004 3 0.000 0.000 NNSA 112 LINL Excluded Natural Gas 1.000 Cubic Feet 2004 3 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 3 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.000 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Fuel Oil 1.000 Gallons 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.465 2.380 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.000 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 16.560 S0.270 \$ 1.55 94550 1 1 0.465 2.380 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 0.000 0.000 NNSA 112 LINL Buildings Natural Gas 1.000 Cubic Feet 2004 4 0.180 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.000 0.000 0.000 NNSA 112 LINL Buildings Electricity Megawat Hour 2004 4 0.000 0.000 NNSA 112 LINL	NNSA	112				1,000 Gallons			2.070	190.440	\$3.121	\$	1.51	94550			1	12.041	0.000	0.000
NNSA 112 LLNL Excluded Natural Gas 1,000 Cubic Fee 2014 2 0,000 0,000 \$0,000 NA 94550 1 0,000 0,000 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 3 86,284,000 294,401,008 \$3,031,647 \$ 0,04 94550 1 1 15,310 0,000 0,000 1,874,905 NNSA 112 LLNL Buildings Fucl Oil 1,000 Gallons 2014 3 1,495 206,310 \$2,202 \$ 1,519 \$4550 1 1 15,310 0,000 0,000 0,000 NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Fee 2014 3 106,817,000 1,9807,876 \$655,695 \$ 0,01 94550 1 1 8,667 0,000 0,000 0,000 NNSA 112 LLNL Excluded Electricity Megawat Hour 2014 3 0,000 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 3 0,000 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 3 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 3 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 9,207,800 314,170.136 \$3,491,934 \$ 0,04 94550 1 1 0,000 0,000 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,142 19,596 80,220 \$ 1,55 94550 1 1 1,454 0,000 0,000 0,000 NNSA 112 LLNL Buildings Pucl Oil 1,000 Gallons 2014 4 0,142 19,596 80,220 \$ 1,55 94550 1 1 1,454 0,000 0,000 0,000 NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Fee 2014 4 0,142 19,596 80,220 \$ 1,55 94550 1 1 1,454 0,000 0,000 0,000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2014 4 0,180 16,550 80,220 \$ 1,55 94550 1 1 1,452 0,000 0,000 0,000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2014 4 0,000 0,000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2014 4 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 112 LLNL Buildings Electricity Megawat Hour 2014 4 0,000 NNSA 11	NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet			145,995.000	150,082.860	\$892.188	\$	0.01	94550				7,965.198	0.000	
NNSA 112 LLNL Buildings Electricity Megawatt Hour 2014 3 86,284.000 294,401.008 \$3,031.647 \$ 0.04 94550 2 28,463.277 0.000 1,874.905 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 3 1,495 206.310 \$2.262 \$ 1.51 94550 1 1 15.310 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2004 3 1,495 206.310 \$2.262 \$ 1.51 94550 1 1 8.667 0.000 0.000 NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 3 106,817.000 109,807.876 \$635.695 \$ 0.01 94550 1 1 5,827.724 0.000 0.000 0.000 NNSA 112 LLNL Excluded Electricity Megawatt Hour 2004 3 0.000 0.000 0.000 NNSA 112 LLNL Buildings Electricity Megawatt Hour 2004 3 0.000 0.000 NNSA 112 LLNL Buildings Electricity Megawatt Hour 2004 4 92,078.000 314,170.136 \$3,491.934 \$ 0.04 94550 1 1 0.000 0.000 0.000 0.000 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 4 0.142 19.596 80.220 \$ 1.55 94550 1 1 1.454 0.000 0.000 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 4 0.180 16.560 \$ 0.270 \$ 1.50 94550 1 1 1.047 0.000 0.000 NNSA 112 LLNL Buildings Rule Gas 1,000 Cubic Feet 2004 4 0.180 16.560 \$ 0.270 \$ 1.50 94550 1 1 1.047 0.000 0.000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2004 4 0.525.033	NNSA	112		Excluded	Electricity	Megawatt Hour			0.000	0.000			NA	94550			2	0.000	0.000	
NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 3 1,495 206,310 \$2,262 \$ 1,51 94550 1 1 15,310 0,000 0,0	NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		2	0.000	0.000	\$0.000						1	0.000	0.000	0.000
NNSA 112 LLNL Buildings	NNSA																			
NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 3 106,817,000 109,807.876 \$635,695 \$ 0.01 94550 1 5,827.724 0,000 0,	NNSA					,														
NNSA 112 LLNL Excluded Electricity Megawatt Hour 2014 3 0.000 0.000 \$0.000 NA 94550 2 0.000 0.000 0.000 0.000 0.000 NNSA 112 LLNL Excluded Natural Gas 1,000 Cubic Feet 2004 3 0.000 0.000 \$0.000 NA 94550 1 0.0000 0.000 0.000 0.000 NNSA 112 LLNL Buildings Electricity Megawatt Hour 2014 4 92,078.000 314,170.136 \$3,491.934 \$ 0.04 94550 2 30,374.596 0.000 0.000 0.000 0.000 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 4 0.142 19.596 \$0.220 \$ 1.55 94550 1 1 1.454 0.000 0.000 0.000 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2004 4 0.180 16.560 \$0.270 \$ 1.50 94550 1 1 1.047 0.000 0.00	NNSA																			
NNSA 112 LINL Excluded Natural Gas 1,000 Cubic Feet 2004 3 0.000 0.000 0.000 80.000 NA 94550 1 0.000	NNSA											\$								
NNSA 112 LLNL Buildings Electricity Megawat Hour 2004 4 92,078.000 314,170.136 \$3,491.934 \$ 0.04 94550 2 30,374.596 0.000 2,000.805 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 4 0.142 19.596 \$0.220 \$ 1.55 94550 1 1.454 0.000 0.000 NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 4 85,274.000 87,661.672 \$552.533 \$ 0.01 94550 1 1.047 0.000 0.000 0.000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2004 4 0.235.023	NNSA				<u> </u>															
NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2004 4 0.142 19.596 \$0.220 \$ 1.55 94550 1 1.454 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2004 4 0.180 16.560 \$0.270 \$ 1.50 94550 1 1.047 0.000 0.000 NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 4 85,274,000 87,661.672 \$552.533 \$ 0.01 94550 1 4,652.380 0.000 0.000 NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2004 4 7,235.023	NNSA																			
NSA 112 LLNL Buildings LPG 1,000 Gallons 2004 4 0.180 16.560 \$0.270 \$ 1.50 94550 1 1.047 0.000 0.000 NSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 4 85,274.000 87,661.672 \$552.533 \$ 0.01 94550 1 4,652.380 0.000 0.000 NSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2004 4 7,235.023	NNSA				•															
NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2004 4 85,274.000 87,661.672 \$552.533 \$ 0.01 94550 1 4,652.380 0.00	NNSA																			
NNSA 112 LLNL Buildings Square Feet 1,000 Square Feet 2004 4 7,235.023 \$ - 94550 NA 0.000	NNSA																			
NNSA 112 LLNL Excluded Electricity Megawatt Hour 2004 4 0.000 0.000 \$0.000 NA 94550 2 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 NNSA 112 LLNL Excluded Natural Gas 1,000 Cubic Feet 2004 4 0.000 0.000 NA 94550 1 0.000	NNSA									87,661.672	\$552.533									
NNSA 112 LLNL Excluded Natural Gas 1,000 Cubic Feet 2004 4 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 0.000 0.000 0.000 0.000 NNSA 112 LLNL Excluded Square Feet 1,000 Square Feet 2004 4 0.000 288,795.092 \$3,143.510 \$0.04 94550 NA 0.000 0.0	NNSA											\$								
NNSA 112 LLNL Excluded Square Feet 1,000 Square Feet 2004 4 0.000 NA 94550 NA 0.000	NNSA				•															
NNSA 112 LLNL Buildings Electricity Megawatt Hour 2005 1 84,641.000 288,795.092 \$3,143.510 \$ 0.04 94550 2 27,921.286 0.000 1,839.203 NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000	NNSA									0.000	\$0.000									
NNSA 112 LLNL Buildings Fuel Oil 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 0.000 NNSA 112 LLNL Buildings LPG 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 0.000	NNSA				Square Feet			4												
NNSA 112 LLNL Buildings LPG 1,000 Gallons 2005 1 0.000 0.000 \$0.000 NA 94550 1 0.000 0.000 0.000	NNSA							1				\$						27,921.286		
·	NNSA							1			•									
NNSA 112 LLNL Buildings Natural Gas 1,000 Cubic Feet 2005 1 140,865.000 144,809.220 \$1,035.218 \$ 0.01 94550 1 7,685.315 0.000 0.000	NNSA										•									
	NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2005	1	140,865.000	144,809.220	\$1,035.218	\$	0.01	94550			1	7,685.315	0.000	0.000

				_	Utility/Fue	l Consun	ption and	l Cost					No	tes		Estimated (GHG Emission	S
PSO	Site #	Site	Category	Subcategory	Usage Unit	FY	QTR	Usage Amount	BTU x 10^6	Cost (1,000 \$)	\$/Ur	Main Site Zip Code	Additional Information	SPO Notes	Scope	Anthropogenic MtCO ₂ e	Biogenic MtCO2e	Scope 3 - T&D Loss, MtCO ₂ e
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2005	1	0.000	0.000	\$0.000	1	NA 94550	Information		2	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2005	1	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2005	2	83,237.000	284,004.644	\$3,564.238	\$	0.04 94550			2	27,458.136	0.000	1,808.695
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		2	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons		2	2.260	207.920	\$3.865		1.71 94550			1	13.147	0.000	0.000
NNSA	112	LLNL	Buildings Excluded	Natural Gas	1,000 Cubic Feet		2	143,486.000 0.000	147,503.608 0.000	\$971.960 \$0.000		0.01 94550 NA 94550			2	7,828.311 0.000	0.000	0.000
NNSA NNSA	112	LLNL	Excluded	Electricity Natural Gas	Megawatt Hour 1,000 Cubic Feet		2	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		3	88,286.000	301,231.832	\$4,869.963	\$	0.06 94550			2	29,123.695	0.000	1,918.407
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		3	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2005	3	1.610	148.120	\$2.661	\$	1.65 94550			1	9.365	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2005	3	111,807.000	114,937.596	\$789.697	\$	0.01 94550			1	6,099.968	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		3	0.000	0.000	\$0.000		NA 94550			2	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		3	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		4	99,968.000	341,090.816	\$5,641.050		0.06 94550			2	32,977.341	0.000	2,172.250
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		4	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA NNSA	112	LLNL	Buildings Buildings	LPG Natural Gas	1,000 Gallons 1,000 Cubic Feet		4	0.000 83,156.000	0.000 85,484.368	\$0.000 \$665.950		NA 94550 0.01 94550			1	0.000 4,536.826	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Cubic Feet		4	7,266.700	05,707.500	ψ003.730	\$	- 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		4	0.000	0.000	\$0.000	•	NA 94550			2	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2005	4	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet	2005	4	0.000				NA 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2006	1	81,580.380	278,352.257	\$4,553.038	\$	0.06 94550			2	26,911.652	0.000	1,772.697
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons	2006	1	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons		1	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas			1	120,273.700	123,641.364	\$1,337.570		0.01 94550			1	6,561.894	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity			1	16,572.390	56,544.995	\$922.088		0.06 94550			2	5,466.883	0.000	360.109
NNSA NNSA	112	LLNL	Excluded Buildings	Natural Gas Electricity	1,000 Cubic Feet Megawatt Hour		2	1,740.277 76,163.030	1,789.005 259,868.258	\$19.354 \$4,250.560		0.01 94550 0.06 94550			2	94.946 25,124.582	0.000	0.000 1,654.981
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		2	0.000	0.000	\$0.000	Ψ	NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons		2	3.290	302.680	\$5.513	\$	1.68 94550			1	19.138	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2006	2	144,022.100	148,054.719	\$1,247.555	\$	0.01 94550			1	7,857.560	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2006	2	19,348.030	66,015.478	\$1,076.524	\$	0.06 94550			2	6,382.508	0.000	420.422
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2006	2	2,083.898	2,142.247	\$18.051	\$	0.01 94550			1	113.693	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		3	80,130.410	273,404.959	\$2,279.348		0.03 94550			2	26,433.337	0.000	1,741.190
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		3	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons		3	1.420	130.640	\$2.175		1.53 94550			1	8.260	0.000	0.000
NNSA	112	LLNL	Buildings Excluded	Natural Gas	1,000 Cubic Feet		3	101,908.500 19,530.130	104,761.938	\$677.902 \$553.820		0.01 94550 0.03 94550			2	5,559.926 6,442.579	0.000	0.000 424.379
NNSA NNSA	112	LLNL	Excluded	Electricity Natural Gas	Megawatt Hour 1,000 Cubic Feet		3	1,474.535	1,515.822	\$9.808		0.01 94550			1	80.448	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		4	83,118.300	283,599.640	\$4,631.270		0.06 94550			2	27,418.979	0.000	1,806.116
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons		4	0.000	0.000	\$0.000		NA 94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2006	4	0.400	36.800	\$0.627	\$	1.57 94550			1	2.327	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2006	4	87,861.380	90,321.499	\$599.458	\$	0.01 94550			1	4,793.543	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet		4	6,994.439			\$	- 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		4	20,317.300	69,322.628	\$1,046.544		0.05 94550			2	6,702.250	0.000	441.484
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		4	1,271.000	1,306.588	\$8.630		0.01 94550			1	69.343	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet		4	241.197	226 502 622	\$2.502.210	\$	- 94550 0.05 04550			NA 2	0.000	0.000	0.000
NNSA NNSA	112	LLNL	Buildings Buildings	Electricity LPG	Megawatt Hour 1,000 Gallons		1	69,315.250 1.411	236,503.633 129.812	\$3,592.310 \$2.288		0.05 94550 1.62 94550			2	22,865.643 8.208	0.000	1,506.183 0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Gallons		1	133,086.500	136,812.922	\$2.288		0.01 94550			1	7,260.935	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		1	27,825.350	94,940.094	\$1,465.277		0.05 94550			2	9,178.998	0.000	604.630
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		1	3,964.107	4,075.102	\$28.233		0.01 94550			1	216.274	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		1	51.280		\$167.746		3.27 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		2	70,677.450	241,151.459	\$4,835.460		0.07 94550			2	23,315.005	0.000	1,535.783
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2007	2	0.000	0.000	\$0.000		NA 94550	_		1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2007	2	145,213.200	149,279.170	\$1,100.130		0.01 94550			1	7,922.544	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		2	25,890.950	88,339.921	\$1,363.411		0.05 94550			2	8,540.880	0.000	562.596
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		2	2,627.492	2,701.062	\$19.906		0.01 94550			1	143.351	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		2	22.939	242 646 010	\$130.299		5.68 94550			NA 2	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2007	3	71,115.480	242,646.018	\$4,798.430	\$	0.07 94550			2	23,459.501	0.000	1,545.301

					Utility/Fuel	Consum	ption and	d Cost						No	otes		Estimated G	HG Emission	s
PSO	Site #	Site	Category	Subcategory	Usage Unit	FY	QTR	Usage Amount	BTU x 10^6	Cost (1,000 \$)	\$/	Unit	Main Site Zip Code	Additional Information	SPO Notes	Scope	Anthropogenic MtCO ₂ e	Biogenic MtCO2e	Scope 3 - T&D Loss, MtCO ₂ e
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2007	3	3.366	309.672	\$4.987	\$	1.48	94550			1	19.580	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		3	106,221.600	109,195.805	\$832.740	\$		94550			1	5,795.240	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity			3	28,423.280	96,980.231	\$1,496.763	\$		94550			2	9,376.242	0.000	617.622
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		3	2,633.252	2,706.983	\$20.644	\$		94550			1	143.665	0.000	0.000
NNSA	112	LLNL	Water	Potable			3	78.904	252 552 100	\$216.680	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity LPG			4	76,978.930	262,652.109 47.288	\$6,061.950	\$ \$		94550			1	25,393.730	0.000	1,672.710 0.000
NNSA NNSA	112	LLNL	Buildings Buildings	Natural Gas	1,000 Gallons		4	0.514 83,016.800	85,341.270	\$0.822 \$546.430	\$		94550 94550			1	2.990 4,529.232	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet		4	6,060.980	03,341.270	ψ3+0.+30	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity			4	30,232.300	103,152.608	\$1,592.026	\$		94550			2	9,973.000	0.000	656.931
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		4	2,718.885	2,795.014	\$17.896	\$		94550			1	148.337	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet		4	1,043.234			\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2007	4	101.385		\$350.188	\$	3.45	94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2008	1	66,285.000	226,164.420	\$3,868.000	\$	0.06	94550			2	21,866.028	0.000	1,440.337
NNSA	112	LLNL	Buildings	Fuel Oil	1,000 Gallons	2008	1	0.000	0.000	\$0.000		NA	94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	LPG	1,000 Gallons	2008	1	0.588	54.096	\$0.764	\$	1.30	94550			1	3.420	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	131,909.000	135,602.452	\$1,010.000	\$		94550			1	7,196.693	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity			1	33,783.000	115,267.596	\$1,944.000	\$		94550			2	11,144.301	0.000	734.086
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		1	2,719.000	2,795.132	\$21.000	\$		94550			1	148.343	0.000	0.000
NNSA	112	LLNL	Water	Potable		2000	1	45.248	222 200 104	\$191.346	\$		94550			NA 2	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity			2	65,442.000	223,288.104	\$3,800.000	\$		94550			2	21,587.940	0.000	1,422.019
NNSA NNSA	112	LLNL	Buildings Buildings	LPG Natural Gas	1,000 Gallons 1,000 Cubic Feet		2	0.000	0.000	\$0.000 \$1,254.000	\$		94550 94550			1	0.000 8,038.469	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		2	32,405.000	110,565.860	\$1,864.000	\$		94550			2	10,689.728	0.000	704.143
NNSA	112	LLNL	Excluded	Natural Gas			2	3,342.000	3,435.576	\$28.000	\$		94550			1	182.333	0.000	0.000
NNSA	112	LLNL	Water	Potable			2	37.169	5,1551575	\$154.323	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity			3	64,048.000	218,531.776	\$3,742.000	\$		94550			2	21,128.088	0.000	1,391.728
NNSA	112	LLNL	Buildings	LPG			3	0.000	0.000	\$0.000			94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2008	3	103,633.000	106,534.724	\$1,134.000	\$	0.01	94550			1	5,654.011	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2008	3	33,882.000	115,605.384	\$1,949.000	\$	0.06	94550			2	11,176.959	0.000	736.237
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2008	3	3,530.000	3,628.840	\$39.000	\$	0.01	94550			1	192.590	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2008	3	75.128		\$317.187	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity			4	66,056.000	225,383.072	\$3,877.000	\$		94550			2	21,790.485	0.000	1,435.361
NNSA	112	LLNL	Buildings	LPG			4	0.000	0.000	\$0.000	Φ.		94550			1	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		4	76,438.000	78,578.264	\$745.000	\$		94550			1 NA	4,170.306 0.000	0.000	0.000
NNSA NNSA	112	LLNL	Buildings Excluded	Square Feet Electricity	1,000 Square Feet Megawatt Hour		4	6,288.900 34,984.000	119,365.408	\$2,013.000	\$ \$		94550 94550			NA 2	11,540.486	0.000	0.000 760.183
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		4	3,253.000	3,344.084	\$32.000	\$		94550			1	177.477	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet		4	821.026	3,511.001	ψ32.000	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		4	88.310		\$431.846	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		1	63,326.000	216,068.312	\$4,057.000	\$		94550			2	20,889.916	0.000	1,376.040
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	118,011.000	121,315.308	\$819.000	\$	0.01	94550			1	6,438.446	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2009	1	36,477.000	124,459.524	\$2,337.000	\$	0.06	94550			2	12,032.995	0.000	792.625
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		1	3,701.000	3,804.628	\$26.000	\$		94550			1	201.919	0.000	0.000
NNSA	112	LLNL	Water	Potable			1	43.557		\$213.423	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity			2	62,318.000	212,629.016	\$3,994.000	\$		94550			2	20,557.398	0.000	1,354.136
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		2	132,495.000	136,204.860	\$728.000	\$		94550			1	7,228.664	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour 1,000 Cubic Feet		2	33,591.000	114,612.492	\$2,153.000	\$		94550 94550			1	11,080.965	0.000	729.914 0.000
NNSA NNSA	112	LLNL	Excluded Water	Natural Gas Potable			2	2,995.000 32.253	3,078.860	\$16.000 \$152.723	\$ \$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity			3	64,060.000	218,572.720	\$3,354.000	\$		94550			2	21,132.047	0.000	1,391.989
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		3	93,866.000	96,494.248	\$371.000	\$		94550			1	5,121.143	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour			34,924.000	119,160.688	\$1,828.000	\$		94550			2	11,520.693	0.000	758.880
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		3	2,777.000	2,854.756	\$11.000	\$		94550			1	151.508	0.000	0.000
NNSA	112	LLNL	Water	Potable			3	62.500		\$305.859	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2009	4	70,332.000	239,972.784	\$4,659.000	\$	0.07	94550			2	23,201.048	0.000	1,528.276
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2009	4	71,166.000	73,158.648	\$264.000	\$		94550			1	3,882.676	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet		4	6,230.158			\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity			4	34,732.000	118,505.584	\$2,301.000	\$		94550			2	11,457.356	0.000	754.708
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		4	2,185.000	2,246.180	\$8.000	\$		94550			1	119.209	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet	2009	4	826.708			\$	-	94550			NA	0.000	0.000	0.000

					Utility/Fue	el Consun	ption and	d Cost						No	tes		Estimated G	HG Emission	s
PSO	Site #	Site	Category	Subcategory	Usage Unit	FY	QTR	Usage Amount	BTU x 10^6	Cost (1,000 \$)	\$/	Unit	Main Site Zip Code	Additional Information	SPO Notes	Scope	Anthropogenic MtCO ₂ e	Biogenic MtCO ₂ e	Scope 3 - T&D Loss, MtCO ₂ e
NNSA	112	LLNL	Water	Potable	Million Gallons	2009	4	101.138	1	\$459.445	\$	4.54	94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2010	1	65,703.000	224,178.636	\$4,449.000	\$	0.07	94550			2	21,674.038	0.000	1,427.691
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	124,649.000	128,139.172	\$667.000	\$		94550			1	6,800.602	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2010	1	34,741.000	118,536.292	\$2,353.000	\$		94550			2	11,460.325	0.000	754.903
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet Million Gallons		1	3,531.000	3,629.868	\$19.000	\$		94550			1	192.644	0.000	0.000
NNSA NNSA	112	LLNL	Water Buildings	Potable Electricity	Megawatt Hour		2	44.854 62,843.000	214,420.316	\$201.551 \$4,344.000	\$ \$		94550 94550			NA 2	0.000 20,730.584	0.000	0.000 1,365.544
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		2	125,803.000	129,325.484	\$797.000	\$		94550			1	6,863.562	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		2	33,688.000	114,943.456	\$2,329.000	\$		94550			2	11,112.963	0.000	732.022
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		2	3,198.000	3,287.544	\$20.000	\$		94550			1	174.477	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2010	2	34.750		\$162.362	\$	4.67	94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2010	3	63,861.000	217,893.732	\$4,700.000	\$	0.07	94550			2	21,066.401	0.000	1,387.665
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2010	3	97,065.000	99,782.820	\$475.000	\$	0.00	94550			1	5,295.674	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2010	3	35,051.000	119,594.012	\$2,580.000	\$	0.07	94550			2	11,562.588	0.000	761.639
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2010	3	2,716.000	2,792.048	\$13.000	\$	0.00	94550			1	148.180	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		3	59.302		\$265.918	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		4	67,875.000	231,589.500	\$5,326.000	\$		94550			2	22,390.535	0.000	1,474.887
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		4	79,626.000	81,855.528	\$279.000	\$		94550			1	4,344.237	0.000	0.000
NNSA NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet		4	6,265.845	126 449 720	\$2,000,000	\$		94550			NA 2	0.000	0.000	0.000
NNSA NNSA	112	LLNL	Excluded Excluded	Electricity Natural Gas	Megawatt Hour 1,000 Cubic Feet		4	37,060.000 2,317.000	126,448.720 2,381.876	\$2,908.000 \$8.000	\$ \$		94550 94550			1	12,225.315 126.411	0.000	805.294 0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Cubic Feet		4	826.798	2,361.670	\$8.000	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		4	93.953		\$275.898	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2011	1	63,461.000	216,528.932	\$4,439.000	\$		94550			2	19,033.029	0.000	1,253.725
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	114,907.000	118,124.396	\$544.000	\$		94550			1	6,269.098	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2011	1	34,771.748	118,641.204	\$2,432.000	\$	0.07	94550			2	10,428.637	0.000	686.945
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2011	1	3,074.000	3,160.072	\$15.000	\$	0.00	94550			1	167.711	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2011	1	44.157		\$297.879	\$	6.75	94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2011	2	59,710.000	203,730.520	\$4,322.000	\$	0.07	94550			2	17,908.041	0.000	1,179.621
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2011	2	132,246.000	135,948.888	\$625.000	\$	0.00	94550			1	7,215.079	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		2	30,907.000	105,454.684	\$2,237.000	\$		94550			2	9,269.533	0.000	610.593
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		2	3,583.000	3,683.324	\$17.000	\$		94550			1	195.481	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		2	24.125	200 022 504	\$126.401	\$		94550			NA 2	0.000	0.000	0.000
NNSA NNSA	112	LLNL	Buildings Buildings	Electricity Natural Gas	Megawatt Hour 1,000 Cubic Feet		3	61,232.000	208,923.584	\$2,814.000 \$505.000	\$ \$		94550 94550			1	18,364.515 5,455.965	0.000	1,209.689 0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		3	31,266.000	106,679.592	\$2,098.000	\$		94550			2	9,377.203	0.000	617.686
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		3	3,016.000	3,100.448	\$15.000	\$		94550			1	164.547	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		3	58.563	3,1000	\$305.497	\$	5.22				NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity				65,814.000	224,557.368	\$2,814.000	\$		94550			2	19,738.734	0.000	1,300.210
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		4	72,335.000	74,360.380	\$362.000	\$		94550			1	3,946.454	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet	2011	4	6,214.581			\$	-	94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2011	4	31,817.000	108,559.604	\$1,361.000	\$	0.04	94550			2	9,542.458	0.000	628.571
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2011	4	2,823.000	2,902.044	\$14.000	\$	0.00	94550			1	154.017	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet		4	821.196			\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		4			\$508.326		ALUE!				NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		1	60,679.000	207,036.748	\$3,835.000	\$		94550			2	18,198.660	0.000	1,198.764
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet		1	106,233.000	109,207.524	\$405.000	\$		94550			1	5,795.862	0.000	0.000
NNSA NNSA	112	LLNL	Excluded Excluded	Electricity Natural Gas	Megawatt Hour 1,000 Cubic Feet		1	30,213.000 10,004.000	103,086.756 10,284.112	\$1,910.000 \$38.000	\$ \$		94550 94550			1	9,061.391 545.798	0.000	596.883 0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		1	46.052	10,204.112	\$265.044	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour		2	57,974.000	197,807.288	\$3,258.000	\$		94550			2	17,387.385	0.000	1,145.324
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet			113,578.000	116,758.184	\$353.000	\$		94550			1	6,196.590	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour		2	36,016.000	122,886.592	\$2,024.000	\$		94550			2	10,801.809	0.000	711.526
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet		2	11,027.000	11,335.756	\$34.000	\$		94550			1	601.611	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons		2	39.838		\$233.949	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour			62,781.000	214,208.772	\$3,045.000	\$		94550			2	18,829.086	0.000	1,240.291
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2012	3	82,554.000	84,865.512	\$218.000	\$	0.00	94550			1	4,503.982	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2012	3	47,852.000	163,271.024	\$2,321.000	\$		94550			2	14,351.626	0.000	945.356
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet			10,106.000	10,388.968	\$27.000	\$		94550			1	551.363	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2012		62.545		\$386.266	\$		94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Buildings	Electricity	Megawatt Hour	2012	4	69,107.000	235,793.084	\$2,559.000	\$	0.04	94550			2	20,726.361	0.000	1,365.266

					Utility/Fuel	Consum	ption and	l Cost					No	tes		Estimated G	HG Emission	S
PSO	Site #	Site	Category	Subcategory	Usage Unit	FY	QTR	Usage Amount	BTU x 10^6	Cost (1,000 \$)	\$/Un	Main Site Zip Code	Additional Information	SPO Notes	Scope	Anthropogenic MtCO ₂ e	Biogenic MtCO ₂ e	Scope 3 - T&D Loss, MtCO ₂ e
NNSA	112	LLNL	Buildings	Natural Gas	1,000 Cubic Feet	2012	4	68,062.000	69,967.736	\$138.000	\$	0.00 94550	·		1	3,713.328	0.000	0.000
NNSA	112	LLNL	Buildings	Square Feet	1,000 Square Feet	2012	4	6,129.000			\$	- 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Excluded	Electricity	Megawatt Hour	2012	4	43,408.000	148,108.096	\$1,607.000	\$	0.04 94550			2	13,018.795	0.000	857.561
NNSA	112	LLNL	Excluded	Natural Gas	1,000 Cubic Feet	2012	4	9,866.000	10,142.248	\$20.000	\$	0.00 94550			1	538.269	0.000	0.000
NNSA	112	LLNL	Excluded	Square Feet	1,000 Square Feet	2012	4	821.196			\$	- 94550			NA	0.000	0.000	0.000
NNSA	112	LLNL	Water	Potable	Million Gallons	2012	4	92.344		\$648.233	\$	7.02 94550			NA	0.000	0.000	0.000

List of Operating On-Site Renewable Energy Systems

Requirement(s): EPAct 2005, DOE O 436.1, E.O. 13423, E.O. 13514

<u>Instructions</u>: Update the list of currently operating on-site renewable energy systems and address SPO requests. For additional guidance see comments in row 9 of each column and Appendix C and I of the Site Sustainability Plan Guidance. Purchased renewable energy should be listed in the "Purchased RE" worksheet. Newly proposed or potential on-site renewable energy systems should be listed in the "Conservation & RE Measures" worksheet. Edited and new data cells should be highlighted.

Source: Site/Lab

Key:	
Light	Pre-populated data by SPO to be reviewed
Green	and updated with changes highlighted in blue.
Orongo	Fields that need to reviewed and updated with
Orange	changes highlighted in blue.
Yellow	Optional data field to be completed, if
renow	applicable and available.
Red	Calculated fields. No action required.

					S	ystem Ir	nformation							
PSO	Site #	Site	System Description/Name	Location Description (e.g., building name, etc.)	System Location (Zip Code)		Cotocopy	Siting Status - On Federal or Indian Land?	% of RECs Retained	On or Off Grid?	Does the site own the T&D system that delivers the electricity?	Scope 1 or 2 System?	Generator Nameplate Capacity (MW)	System Type/Category
NNSA	112	LLNL	Photovoltaic	Discovery Visitor's Center, T1800, Lake Hausmann	94550	2003	Goal Subject	On Federal Land, On User Site	100%	Electric Off Grid	Yes	Scope 1	0.001027	Solar Photovoltaic
NNSA	112	LLNL	Photovoltaic	Site-300	94550	2001	Goal Subject	On Indian Land, On User Site	100%	Electric Off Grid	Yes	Scope 1	0.000171	Solar Photovoltaic

Produc	ction/Consumption	Information			Cost		Biomas	ss Fuel Informatio	on	Note	s
Estimated Annual Renewable Electricity Output (MWh/Yr)	Estimated Annual Renewable Electricity Consumed (MWh/Yr)	Estimated Annual GHG Emissions Avoided (MtCO ₂ e/Yr)	Output (10A6	Estimated Annual Renewable Thermal Consumed (10^6 BTU/Yr)	Implementation Cost (\$)	Principal Biomass Fuel Type	Principal Biomass Fuel Use (10^6 BTU/Yr)	Secondary/ Blend Fuel Type	Secondary/ Blend Fuel Use (10^6 BTU/Yr)	Additional Information	SPO Notes
18.000	18.000	8.863		0.000							
3.000	3.000	1.477		0.000							
	0.000	0.000		0.000							
	0.000	0.000		0.000							
	0.000	0.000		0.000							
	0.000	0.000		0.000							
	0.000	0.000		0.000							

List of Purchased Renewable Energy

Requirement(s): EPAct 2005, DOE O 436.1, E.O. 13423, E.O. 13514

<u>Instructions</u>: Update the list of purchased renewable energy resources and address SPO requests. For additional guidance see comments in row 9 of each column and Appendix C and I of the Site Sustainability Plan Guidance. On-site operational renewable energy should be listed in the "Operating On-Site Renewables" worksheet. Edited and new data cells should be highlighted.

Source: Site/Lab

Kev:	
Key.	
Light	Pre-populated data by SPO to be reviewed
Green	and updated with changes highlighted in blue.
Onon oo	Fields that need to reviewed and updated with
Orange	changes highlighted in blue.
Yellow	Optional data field to be completed, if
renow	applicable and available.
Red	Calculated fields. No action required.

Purchase Information										Consumption Information			Cost			Notes		
PSO	Site #	Site	Type of Renewable Energy Purchased	System Type/Category	Source Location (Zip Code)	Service Year (YYYY)	Purchase Year (FY)	End Use Category	Purchase Term	Siting Status - On Federal or Indian Land?	Ranawahla	Estimated Annual GHG Emissions Avoided (MtCO ₂ e/Yr)	Total Renewable Thermal Purchased (10^6 BTU/Yr)	Annual C	ost	\$/Unit	Additional Information	SPO Notes
NNSA	112	LLNL	Renewable Energy Credits	Wind	59036		2008	Goal Subject	Short-Term (≤ 10)		14,614.000	8,885.781		\$ 13,786	5.00	\$ 0.94		
NNSA	112	LLNL	Renewable Energy Credits	Wind	58413		2009	Goal Subject	Short-Term (≤ 10)		14,933.000	14,702.992		\$ 15,600	0.00	\$ 1.04		
NNSA	112	LLNL	Renewable Energy Credits	Wind	58413		2010	Goal Subject	Short-Term (≤ 10)		32,995.000	32,486.788		\$ 37,119	9.38	\$ 1.13		
NNSA	112	LLNL	Renewable Energy Credits	Wind	79566		2011	Goal Subject	Short-Term (≤ 10)		33,424.000	17,559.335		\$ 32,000	0.00	\$ 0.96		
NNSA	112	LLNL	Renewable Energy Credits	Wind	79566		2012	Goal Subject	Short-Term (≤ 10)		33,799.000	17,756.341		\$ 33,799	9.00	\$ 1.00		

Conservation and Renewable Energy Measures List

Requirement(s): EISA 2007, DOE O 436.1

<u>Instructions</u>: Update the list of conservations and renewable energy measures/projects and address SPO requests. For additional guidance see comments

Source: Site/Lab June 2012 EISA Sec 432 report

Light
Green
Orange
Orange

Optional data field to be completed, if applicable and available.

Calculated fields No action required

										Red Calcu	ulated fields. No action	on required.					
	Measure/Project Description										Fun	ding Overview					
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site :	# Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #	Site Project #	Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	multiple or	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0003	2009	No	TC40	Identified	Data Center Efficiency	Virtual Servers: Collocate server and storage equipment and close down remote servers rooms to reduce electrical, mechanical and maintenance costs. 86 virtual machines will be installed in B112 and will allow the removal of 700 physical servers.			No	Yes	Unknown	2011	2013	6
NNSA	. 112	LLNL	NNSA- 0112-0004	2009	No	LLNL-TC13- 01	- Identified	Water & Sewer Conservation Systems	Water Conservation Systems: Install drought- tolerant plants and landscape. Recycle treated groundwater and rainwater collected from building roofs for irrigation. Upgrade irrigation system with 'smart' water controllers. Buildings 071, 111, 113, 121, 170, 482, 581.		Multiple	No	Yes	GPP	2011	2013	15

	Measure	ement & V	erificat	ion					So	ource Savings/Re	newable Energ	gy Output				
()	(1)	()										(1)	()	(6)		
(s)	(t)	(u)	&V has be	v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V		YYYY	Is this a energy saving measure or renewable energy system?	Estimated Annual Electricity Saved (MWh/Yr)	Estimated Annual			Estimated Annual Coal Saved (Short Ton/Yr)		Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is	Estimated	Freshwater)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 560,000	0 N /A				Energy Saving F	2,491.208	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 5,000,000	0				Energy Saving F	95.454	0.000	0.000	0.000	0.000	0.000	0.000		24,000.000	0.000	0.000

		Cos	t Savings			Notes	
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Annual Water Cost	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes

0.000 \$ 250,000 \$ - \$ - \$ - 1

0.000 \$ 6,682 \$ 120,000 \$ - \$ - 4

		Measure/Project Description								Funding Overview							
(a)	(1-)	(a)	(4)	(a)	(F)	(5)	(h)	(*)	(*)	(1-)	(1)	(772)	()	(a)	()	(~)	()
PSO	(b) Site #	(c) Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	(f) Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		(h) Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	(k) Measure(s) Location (Zip Code)	Is this a multiple or single facility ECM?	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	(q) Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0006	2009	No	LLNL-TC5- 02	Identified	Lighting Improvements	Lighting Improvements - Interior: Install computer energy analysis hardware and software to monitor and control environmental conditions such as lighting and HVAC. Install motion detectors for indoor lighting and replace older inefficient lamps with energy efficient lamps. Multiple buildings.		Multiple	No	Yes	Other	2011	2013	24
NNSA	112	LLNL	NNSA- 0112-0007	2009	No	LLNL-TC5- 01	Identified	Lighting Improvements	Lighting Improvements - Exterior: Replace outdoor standard lighting with PV and LED lighting fixures to reduce energy consumption. Multiple buildings.		Multiple	No	Yes	Unknown	2011	2013	10
NNSA	112	LLNL	NNSA- 0112-0008	2009	No	LLNL-E-01	Identified	Solar Photovoltaic	Renewable Energy Photovoltaic System: Install concentrated photovoltaic systems to carry up to 25% of LLNL's Power use.			No	Yes	Unknown	2011	2013	15
NNSA	112	LLNL	NNSA- 0112-0009	2009	No	LLNL-E-02	Identified	Wind	Renewable Energy - Wind Power : Install 5MW Wind turbine generators at Site 300 to make it fully self sufficient.			No	Yes	Unknown	2011	2013	15
NNSA	112	LLNL	NNSA- 0112-0010	2009	No	TC30	Identified	Other	Facilities Footprint Consolidation		Multiple	Yes	No	Disposition	2007	2015	25

	Measure	ment & V	erificat	ion			Source Savings/Renewable Energy Output											
(s)	(t)	(u)		v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)		
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V	MM		Is this a energy saving measure or		Estimated Annual	Estimated Annual Natural Gas Saved (10^3 Cf/Yr)		Estimated Annual Coal Saved (Short Ton/Yr)	F-4241	Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is	Estimated Annual Potable Water Savings (10^3 Gal/Yr)	Estimated Annual ILA (Non-Potable Freshwater) Savings (10^3 Gal/Yr)	Estimated Annual Renewable Electricity Output (MWh/Yr)		
\$ 5,000,000					Energy Saving F	20,000.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000		
\$ 5,000,000					Fuel Switching I	20,000.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	20,000.000		
\$ 35,000,000					Fuel Switching I	59,285.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	59,400.000		
\$ 15,000,000					Fuel Switching I	13,000.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	13,000.000		
\$ 80,000,000					Energy Saving F	22,928.963	0.000	0.000	410.613	0.000	0.000	0.000		0.000	0.000	0.000		

		Cos	t Savings			Notes	
(a.i)	(ai)	(ala)	(all)	(0.00)	(27)	(22)	(om)
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Estimated Annual	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes

0.000 \$	1,400,000	\$	-	\$	-	\$	-	Not a Renewable Energy Project
----------	-----------	----	---	----	---	----	---	--------------------------------

0.000 \$	1,400,000	\$	-	\$	1,400,000	\$	-	3
----------	-----------	----	---	----	-----------	----	---	---

0.000 \$	4,150,000	\$	_	\$	4,150,000	\$	_
σ.σσσ φ	.,120,000	4		Ψ	.,120,000	Ψ	

0.000	\$	910,000	\$	_	\$	910,000	\$	_
0.000	Ψ	710,000	Ψ		Ψ	710,000	Ψ	

		Measure/Project Description									Funding Overview						
()	(1)	()	(1)		(P)		(1)	(*)	(*)	(1)	(I)		()				()
PSO	(b) Site #	(c) Site	HQ Measure #	(e) If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #	Site Project #	(h) Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	(k) Measure(s) Location (Zip Code)	Is this a multiple or single facility ECM?	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0011	2009	No	LLNL-W-04	Identified	Water & Sewer Conservation Systems	Integration of cooling tower operations: This project will optimize the operations of the sites cooling towers to minimize water and power usage while maintaining reliability.	L	Multiple	Yes	No	Unknown	2011	2013	20
NNSA	112	LLNL	NNSA- 0112-0012	2009	No	LLNL-TC- 04	Identified	Boiler Plant Improvement	Boiler Replacement Project: Replace boilers in vaious buildings across site with new efficient boilers that also comply with newly-adopted SF Bay Area Air Quality Management District site emmision reduction requirements. Multiple buildings.		Multiple	Yes	No	M&R Indirect	2011	2013	20
NNSA	112	LLNL	NNSA- 0112-0013	2009	No	TC5	Identified	Lighting Improvements	B132N/S lighting retrofit		Multiple	Yes	No	M&R Indirect	2010	2013	25
NNSA	112	LLNL	NNSA- 0112-0016	2009	No	4.4	Identified	Other	High efficiency air filters		Multiple	Yes	No	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0017	2009	No	5.1	Identified	Lighting Improvements	Lighting upgrades		Multiple	Yes	No	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0018	2009	No	8.1	Identified	Electric Motors & Drives	Motor replacement with high effciency motors		Multiple	Yes	No	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0019	2009	No	8.2		Electric Motors & Drives	Variable speed motors or drives		Multiple	Yes	Yes	Unknown	2011	2013	25

	Measure	ment & V	erificat	ion					So	urce Savings/Rei	newable Energ	y Output				
	(1)			>	()			()		(1)				(6		
(s)	(t)	(u) If M &	&V has be	v) een	(w)	(x) Provide estimated	(y) Lenergy saved or s	(z) witched for each en	(aa) ergy tyne, as annlig	(ab) cable. If there are n	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V		YYYY	Is this a energy saving measure or renewable		Estimated Annual			Estimated Annual Coal Saved (Short Ton/Yr)		Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated Annual Potable Water Savings (10^3 Gal/Yr)	Estimated Annual ILA (Non-Potable Freshwater) Savings (10^3 Gal/Yr)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 500,000					Energy Saving F	4,574.443	0.000	0.000	0.000	0.000	0.000	0.000		5,411.000	0.000	0.000
\$ 9,000,000					Energy Saving E	2,074.713	0.000	0.000	159.350	0.000	0.000	0.000		0.000	0.000	0.000
\$ 60,000					Energy Saving F	117.006	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,332,473					Energy Saving E	1,548.066	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 2,869,670					Energy Saving I	195.487	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,111,073					Energy Saving I	1,589.683	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,992,522					Energy Saving B	4,681.419	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000

		Cos	t Savings			Notes	
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Estimated Annual Water Cost Savings (\$/Yr)	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes
0.000	\$ 320,213	\$ 27,056	\$ -	\$ -		Not a renewable energy system	
0.000	\$ 100,000	\$ -	\$ -	\$ -	8		
0.000	\$ 9,239	\$ -	\$ -	\$ -			SPO Note: Completion year on or before 2011, please verify/update conservation measure status; Completion year on or before 2011, please verify/update conservation measure status
0.000	\$ 86,049	\$ -	\$ -	\$ -			
0.000	\$ 227,287	\$ -	\$ -	\$ -			
0.000	\$ 88,368	\$ -	\$ -	\$ -			
0.000	\$ 260,208	\$ -	\$ -	\$ -			

					Measure/Proj	ect Descript	tion							Fun	ding Overview		
(0)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site #		HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		Conservation	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	Is this a multiple or	Does the	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or	Estimated Service
NNSA	112	LLNL	NNSA- 0112-0020	2009	No	13.1	Identified	Water & Sewer Conservation Systems	Plumbing Fixture Replacement: Replace fixtures with motion activated, low flow water conservation systems. Multiple buildings.		Multiple	Yes	Yes	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0021	2009	No	13.2	Identified	Conservation Systems	Water efficient irrigation		Multiple	No	Yes	Unknown	2011	2013	25
NNSA NNSA		LLNL	NNSA- 0112-0022 NNSA- 0112-0028		No No	17.1 4.3	Identified Identified	Commissioning, Re/Retro- commissioning Heating, Ventilating, and Air Conditioning (HVAC)	Retro-commissioning services LEED EB Cert Fume hood modification		Multiple Multiple		Yes	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0005	2010	No		Identified	Data Center Efficiency	Terascale B-453 Free Cooling: - Modify existing HVAC system to utilize seasonal and nighttime cool outside air to provide free cooling, in lieu of mechanically cooled air, to the high performance computing center space.		Single	No	Yes	Unknown	2013	2014	25
NNSA	112	LLNL	NNSA- 0112-0029	2010	No		Identified	Building Envelope Modifications	Building Envelope Replacement: Replace single pane windows with double pane windows, replace damaged siding and inefficient insulation. Buildings 170, 181, 551E, 551W,		Multiple	Yes	Yes	M&R Indirect	2011	2013	30

	Measure	ment & V	erificat	ion					Sor	urce Savings/Rei	newable Energ	y Output				
(s)	(t)	(u)		v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
Estimated plementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V	MM	YYYY	Is this a energy saving measure or		Estimated Annual	Estimated Annual Natural Gas Saved (10^3 Cf/Yr)		Estimated Annual Coal Saved (Short Ton/Yr)	Estimated	Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated	Estimated Annual ILA (Non-Potable Freshwater) Savings (10^3 Gal/Yr)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 1,000,000					Energy Saving E	10.702	0.000	0.000	0.192	0.000	0.000	0.000		15,869.600	0.000	0.000
\$ 663,048					Energy Saving E	6.055	0.000	0.000	0.000	0.000	0.000	0.000		6,055.000	0.000	0.000
\$ 388,044					Energy Saving E	486.803	0.000	0.000	8.718	0.000	0.000	0.000		0.000	0.000	0.000
\$ 3,527,081					Energy Saving E	11,029.066	0.000	0.000	197.509	0.000	0.000	0.000		0.000	0.000	0.000
\$ 6,500,000					Energy Saving E	12,017.000	0.000	0.000	0.000	0.000	0.000	0.000		6,570.000	0.000	0.000
\$ 4,500,000					Energy Saving E	1,428.571	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000

				Cos	t Savi	ngs				Notes	
(ai)	(aj)			(ak)		(al)		(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimate Annual Ene Cost Savin (\$/Yr)	rgy	Ai Wat Sa	imated nnual eer Cost avings S/Yr)	Cos (\$/ swit renew	ated Annual st Savings Yr) from tching to a vable energy source	An	Estimated Annual cillary Cost vings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes
0.000	\$ 163,3	346	\$	79,348	\$	-	\$	-	9		
0.000	\$ 6,0)55	\$	30,275	\$	-	\$	-			
0.000	\$ 40,1	27	\$	-	\$	-	\$	-		B111, B121, B123, B166, B191, B211, B235, B241, B253, B281, B311, B361, B364, B365, B451, B453, B543, B663, B693, B695, T3725, B132N&S, 551E, 551W	
0.000	\$ 650,9	977	\$	-	\$	-	\$	-			
0.000	\$ 525,0	000	\$	57,850	\$	-	\$	-	6	B453	
0.000	\$ 30,0	000	\$	-	\$	-	\$	-	7	Buildings 170, 181, 551E, 551W,	

					Measure/Proj	ect Descript	tion						<u> </u>	Fun	ding Overview		
	(1)		(1)	()	/ 0	()	(1)	(1)	(1)	(1.)	(1)			()			
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(g)	(r)
PSO	Site #	Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	Is this a multiple or single facility ECM?	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0030	2010	No		Identified	Renewable Energy Assessment	Renewable Energy Project Development: Feasibility planning to develop solar, wind and fuel cells packages for third party financing. Projects include 10 MW solar panels at Site 200 and 10 MW solar panels at Site 300, 30 MW wind farm at Site 300, and three 400KW fuel cell units that will tie into the 13.8KV electrical system at Site 200.			No	Yes	Unknown	2011	2013	N/A
NNSA	112	LLNL	NNSA- 0112-0031	2010	No		Identified	Water & Sewer Conservation Systems	Water Conservation Systems: Install drought- tolerant plants and landscape.		Multiple	Yes	No	Unknown	2011	2013	30
NNSA	112	LLNL	NNSA- 0112-0032	2010	No			Water & Sewer Conservation Systems	Water Conservation Systems: Upgrade irrigation system with 'smart' water controllers.		Multiple	Yes	Yes	Unknown	2011	2013	20
NNSA	112	LLNL	NNSA- 0112-0033	2010	No	3.1	Identified	Building Automation Systems/EMCS	Energy Management Control System Improvement		Multiple	Yes	Yes	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0034	2010	No	4.4	Identified	Other	High efficiency air filters		Multiple	Yes	No	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0035	2010	No	8.2	Identified	Electric Motors & Drives	Variable speed motors or drives		Multiple	Yes		Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0036	2010	No	17.1	Identified	Commissioning, Re/Retro- commissioning	Retro-commissioning services LEED EB Cert		Multiple	Yes	Yes	Unknown	2011	2013	25
NNSA	112	LLNL	NNSA- 0112-0037	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B113 (HVAC & Lighting)		Single	No	No	Unknown	2012	2013	10

												_				
	Measure	ment & V	erificat	ion					So	urce Savings/Re	newable Energ	y Output				
(s)	(t)	(u) If M&	(V) has be	v) een	(w)	(x) Provide estimated	(y) Lenergy saved or s	(z) switched for each en	(aa)	(ab)	(ac)	(ad)	(ae) ure enter ''0''.	(af)	(ag)	(ah)
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V		YYYY	Is this a energy saving measure or renewable energy system?			Estimated Annual Natural Gas Saved (10^3 Cf/Yr)				Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated Annual Potable Water Savings (10^3 Gal/Yr)	Estimated Annual ILA (Non-Potable Freshwater) Savings (10^3 Gal/Yr)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 400,000					Fuel Switching I	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 200,000					Water Saving E	0.000	0.000	0.000	0.000	0.000	0.000	0.000		5,000.000	0.000	0.000
\$ 100,000					Water Saving E	0.000	0.000	0.000	0.000	0.000	0.000	0.000		2,500.000	0.000	0.000

0.000

0.000

0.000

0.000

5,490.300

157.970

0.000

0.000

8.718

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

0.000

8,821.158

1,548.066

4,681.419

486.803

551.280

Energy Saving E

Energy Saving E

Energy Saving E

Energy Saving E

Energy Saving F

0.000

0.000

0.000

0.000

0.000

3,489,118

444,158

199,252

201,783

97,285

		Cos	t Savings			Notes	
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Estimated Annual Water Cost Savings (\$/Yr)	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes

0.000 \$ - \$ - \$ - \$	0.000 \$	- \$	- \$	- \$	-	10
-------------------------	----------	------	------	------	---	----

0.000	\$ -	\$ 25,000	\$ -	\$ -	11
0.000	\$ -	\$ 12,500	\$ -	\$ -	12
0.000	\$ 986,543	\$ -	\$ -	\$ -	B115, B117, B125, B170, B191, B411, B438, B439, B543
0.000	\$ 11,620	\$ -	\$ -	\$ -	B391, B543
0.000	\$ 41,416	\$ -	\$ -	\$ -	B391, B691
0.000	\$ 27,867	\$ -	\$ -	\$ -	B115, B117, B181, B191, B194, B391, B411, B438, B471, B543, B583, B691, U325
0.000	\$ 81,263	\$ -	\$ -	\$ -	

					Measure/Proje	ect Descrip	tion							Fun	ding Overview		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site #		HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		Conservation	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	Is this a multiple or	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service
NNSA	112	LLNL	NNSA- 0112-0038	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B115 (HVAC & Lighting) ON HOLD	L	Single	No	No	Unknown	2012	2013	10
NNSA	112	LLNL	NNSA- 0112-0039	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B170 (HVAC) COMPLETED		Single	No	No	Unknown	2012	2012	10
NNSA	112	LLNL	NNSA- 0112-0040	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B191 (HVAC)		Single	No	Yes	Unknown	2013	2013	10
NNSA	112	LLNL	NNSA- 0112-0041	2011	No		Identified	Energy Audit	Facility Audit Recommendations - U291 (Operations)		Single	No	Yes	Unknown	2012	2012	10
NNSA	112	LLNL	NNSA- 0112-0042	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B391 ((HVAC)		Single	No	No	Unknown	2012	2012	10
NNSA	112	LLNL	NNSA- 0112-0043	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B471 (HVAC) COMPLETED		Single	No	No	Unknown	2012	2012	10
NNSA	112	LLNL	NNSA- 0112-0044	2011	No		Identified	Energy Audit	Facility Audit Recommendations - B691 (HVAC)		Single	No	Yes	Unknown	2012	2012	10
NNSA	112	LLNL	NNSA- 0112-0014	2009	No	LLNL-W-01	Verified	Water & Sewer Conservation Systems	Water Reclamation System: Install a modular sewage treatment system to provide irrigation water. Upgrade the irrigation piping system for reclaimed water distribution.			No	Yes	Unknown	2013	2015	25

		Measure	ment & V	erificat	ion					Sou	ırce Savings/Rer	newable Energ	y Output				
	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
	(-)	(-)	\ /	&V has b		()					able. If there are no					\ 8 /	()
Imple	imated mentation ost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V		YYYY	Is this a energy saving measure or renewable energy system?	Estimated Annual Electricity Saved (MWh/Yr)				Estimated Annual Coal Saved (Short Ton/Yr)		Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated	Freshwater)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$	31,052					Energy Saving I	309.780	0.000	1,845.200	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	66,734					Energy Saving I	167.380	0.000	3,415.200	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	324,453					Energy Saving I	737.920	0.000	6,202.200	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	442,248					Energy Saving I	3,796.040	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	137,509					Energy Saving I	1,551.010	0.000	4,021.900	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	5,406					Energy Saving I	206.040	0.000	1,982.700	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	50,477					Energy Saving I	480.810	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	9,800,000					Energy Saving F	254.804	0.000	0.000	4.563	0.000	0.000	0.000		95,000.000	0.000	0.000

				Cos	t Savi	ngs				Notes	
(0;)		(a)		(als)		(al)	(om)	(on)	(00)	(an)
(ai) Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Annı Cos	(aj) stimated ual Energy st Savings (\$/Yr)	W	stimated Annual ater Cost Savings (\$/Yr)	Cos (\$/ swit renew	ated Annual at Savings Yr) from ching to a rable energy source	Esti Aı Ancill	imated inual ary Cost gs (\$/Yr)	(an) Site Priority	(ao) Additional Information	SPO Comments/Notes
0.000	\$	36,103	\$	-	\$	-	\$	-		ON HOLD	
0.000	\$	38,151	\$	-	\$	-	\$	-		COMPLETED	
0.000	\$	106,941	\$	-	\$	-	\$	-			
0.000	\$	268,077	\$	-	\$	-	\$	-			
0.000	\$	153,067	\$	-	\$	-	\$	-			
0.000	\$	29,837	\$	-	\$	-	\$	-		COMPLETED	
0.000	\$	33,956	\$	-	\$	-	\$	-			
0.000	\$	26,449	\$	475,000	\$	-	\$	-	5		

					Measure/Proje	ect Descrip	tion							Fun	ding Overview		
	(-)	()	(-)	()	(0)		(T.)		40	a)							
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site #	Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #	Site Project #	Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	multiple or	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0001	2009	No	3.1	Awarded/Approv	Building v Automation Systems/EMCS	Energy Management Control System Improvement COMPLETED		Multiple	Yes	Yes	ESPC	2008	2012	25
NNSA	112	LLNL	NNSA- 0112-0002	2009	No	3.2	Awarded/Approv	Advanced ^V Metering Systen	Electrical Metering Installation COMPLETED		Multiple	Yes	Yes	ESPC	2008	2012	25
NNSA	112	LLNL	NNSA- 0112-0015	2009	No	TC30	Cancelled	Other	Facilities Footprint Consolidation		Multiple			N/A			
NNSA	112	LLNL	NNSA- 0112-0023	2009	No	N/A	t ancelled	Boiler Plant Improvement	Secure boilers		N/A	N/A	N/A	N/A	N/A	N/A	N/A
NNSA	112	LLNL	NNSA- 0112-0024	2009	No	N/A		Data Center Efficiency	PC shutdown		N/A	N/A	N/A	N/A	N/A	N/A	N/A
NNSA	112	LLNL	NNSA- 0112-0025	2009	No	N/A	Lancallad	Boiler Plant Improvement	Boiler replacement project		N/A	N/A	N/A	N/A	N/A	N/A	N/A
NNSA	112	LLNL	NNSA- 0112-0026	2009	No	N/A	Cancelled	Other	Cold and dark facilities		N/A	N/A	N/A	N/A	N/A	N/A	N/A
NNSA	112	LLNL	NNSA- 0112-0027	2009	No	N/A	Cancelled	Energy Related Process Improvements	Vending machine energy management controls		N/A	N/A	N/A	N/A	N/A	N/A	N/A

		Measure	ement & V	erifica	tion					So	urce Savings/Rei	newable Energ	y Output				
	(s)	(t)	(u)		(v)	(w)	(x)	(y)	(z)	(aa)	(ab)	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
	(5)	(6)		&V has b							cable. If there are n					(ug)	(uii)
Implem	mated nentation ost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V	ММ	YYYY	Is this a energy saving measure or	Estimated Annual Electricity Saved (MWh/Yr)				Estimated Annual Coal Saved (Short Ton/Yr)		Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated	Freshwater)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 5	5,820,050	Yes	Continuous			Energy Saving I	8,821.158	0.000	0.000	157.970	0.000	0.000	0.000		0.000	0.000	0.000
\$ 2	\$ 2,365,076 Yes		Continuous			Energy Saving I	5,071.805	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 15	5,000,000					Energy Saving I	22,928.963	0.000	0.000	410.613	0.000	0.000	0.000				0.000
\$	150,000	N/A	N/A			Energy Saving I	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	5,000	N/A	N/A			Energy Saving I	4.991	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 9	9,000,000	N/A	N/A			Energy Saving I	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
		N/A	N/A			Energy Saving I	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$	22,000	N/A	N/A			Energy Saving I	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000

			C	ost Savin	ıgs			Notes	
(ai)	(aj	j)	(ak)		(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estim Annual l Cost Sa (\$/Y	Energy wings	Estimated Annual Water Co Savings (\$/Yr)	st Cost (\$/Y switc renewa	ted Annual Savings (r) from hing to a able energy ource	Estimated Annual Ancillary Cost Savings (\$/Yr)		Additional Information	SPO Comments/Notes
0.000	\$ 93	37,572	\$ -	\$	-	\$ -		COMPLETED	SPO Note: Completion year on or before 2011, please verify/update conservation measure status; Completion year on or before 2011, please verify/update conservation measure status SPO Note:
0.000	\$ 35	58,060	\$ -	\$	-	\$ -		COMPLETED	Completion year on or before 2011, please verify/update conservation measure status; Completion year on or before 2011, please verify/update conservation measure status
	\$ 2,45	50,000				\$ -	Duplicate		
	\$	-	\$ -			\$ -			
	\$	-	\$ -			\$ -			
	\$	-	\$ -			\$ -			
	\$	-	\$ -			\$ -			
	\$	-	\$ -			\$ -			

					Measure/Proje	ect Descript	tion							Fun	ding Overview		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site #	Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	Is this a multiple or single facility ECM?	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL	NNSA- 0112-0045	2012	No		Awarded/Approv	Heating, Ventilating, and Vair Conditioning (HVAC)	Thermostat Initiative: Install 700 programmable thermostats at 95 facilities COMPLETED		Multiple	No	Yes	M&R Indirect	2011	2011	15
NNSA	112	LLNL	NNSA- 0112-0046	2012	No		Awarded/Approv	Lighting Improvements	Lighting Improvements - Exterior: Replace 200 exterior parking and street lighting with LED lighting fixures to reduce energy consumption. COMPLETED		Multiple	No	Yes	M&R Indirect	2011	2011	15
NNSA	112	LLNL	NNSA- 0112-0047	2012	No		Awarded/Approv		Install 1,800 sink aerators at restrooms and kitchen faucets.		Multiple	No	Yes	M&R Indirect	2011	2013	15
NNSA	112	LLNL	NNSA- 0112-0048	2012	No		Awarded/Approv	Lighting Improvements	Lighting Occupancy Sensor Test and Survey COMPLETED		Multiple	No	No	M&R Indirect	2011	2012	25
NNSA	112	LLNL		2012	No			Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B112 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15
NNSA	112	LLNL		2012	No			Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - U325 (Operations)		Single	No	No	TBD	2013	2013	15
NNSA	112	LLNL		2012	No			Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B153 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15
NNSA	112	LLNL		2012	No		Identified	Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B231 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15

	Measure	ment & V	erificat	ion					So	urce Savings/Rer	newable Energ	y Output				
	(1)									(1)				(6		
(s)	(t)	(u) If M&	V has b	v) een	(w)	(x) Provide estimated	(y) energy saved or s	(z) witched for each end	(aa) ergy tyne, as annlig	(ab) cable. If there are no	(ac) Savings associat	(ad) ed with the meas	(ae) ure enter ''0''.	(af)	(ag)	(ah)
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V		YYYY	Is this a energy saving measure or	Estimated				Estimated Annual Coal Saved (Short Ton/Yr)		Estimated Annual Other Saved (10^9 BTU/Yr)	If "Other", what is "Other"?	Estimated Annual Potable Water Savings (10^3 Gal/Yr)	Estimated Annual ILA (Non-Potable Freshwater) Savings (10^3 Gal/Yr)	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 328,000					Energy Saving E	1,700.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 225,000	\$ 225,000				Energy Saving F	184.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 10,000					Water Saving E	0.000	0.000	0.000	0.000	0.000	0.000	0.000		2,000.000	0.000	0.000
\$ 60,000					Energy Saving F	500.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,040,026					Energy Saving E	2,550.001	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 212,800					Energy Saving F	3,472.920	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 105,888					Energy Saving E	383.955	0.000	786.809	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,322,000					Energy Saving F	1,573.051	0.000	4,236.663	0.000	0.000	0.000	0.000		0.000	0.000	0.000

		Cos	t Savings			Notes	
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Estimated Annual Water Cost Savings (\$/Yr)	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes
0.000	\$ 119,000	\$ -	\$ -	\$ -		COMPLETED	SPO Note: Completion year on or before 2011, please verify/update conservation measure status; Completion year on or before 2011, please verify/update conservation measure status
0.000	\$ 12,880	\$ -	\$ -	\$ -		COMPLETED	SPO Note: Completion year on or before 2011, please verify/update conservation measure status; Completion year on or before 2011, please verify/update conservation measure status
0.000	\$ -	\$ 26,000	\$ -	\$ -			
0.000	\$ 35,000	\$ -	\$ -	\$ -		COMPLETED	
0.000	\$ 179,383	\$ -	\$ -	\$ -			
0.000	\$ 245,258	\$ -	\$ -	\$ -			
0.000	\$ 33,300	\$ -	\$ -	\$ -			
0.000	\$ 158,034	\$ -	\$ -	\$ -			

					Measure/Proje	ect Descript	ion							Fun	ding Overview		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(1)	(m)	(n)	(0)	(p)	(q)	(r)
PSO	Site #	Site	HQ Measure #	If Covered, EISA S432 Reporting Year (YYYY)	Has this measure been included in an official DOE budget requests? If yes, provide Project/Measure #		Conservation Measure(s) Status	Conservation Measure(s) Type	Conservation Measure(s) Name or Description	Measure(s) Location (Zip Code)	multiple or	Does the measure contribute to the reduction of deferred maintenance?	Is this effort/measure beyond typical O&M improvement to meet a goal?	Funding Source/Type (Actual or Potential)	Starting Year of Measure Implementation (Anticipated or Actual - YYYY)	Completion/ Operational Year of Measure (Anticipated or Actual YYYY)	Estimated Service Life
NNSA	112	LLNL		2012	No		Identified	Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B151 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15
NNSA	112	LLNL		2012	No		Cancelled	Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - OS454 (Operations)		Single	No	No	TBD	N/A	N/A	N/A
NNSA	112	LLNL		2012	No		Identified	Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B298 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15
NNSA	112	LLNL		2012	No		Identified	Audit/Evaluatio n (Energy, Water)	Facility Audit Recommendations - B490 (HVAC & Lighting)		Single	No	No	TBD	2013	2013	15

	Measure	ment & V	'erificat	ion					So	urce Savings/Rei	newable Energ	y Output				
(s)	(t)	(u)	(° &V has be	v)	(w)	(x)	(y)	(z)	(aa)	(ab) cable. If there are n	(ac)	(ad)	(ae)	(af)	(ag)	(ah)
Estimated Implementation Cost (\$)	Are there plans to measure and verify the performance of this measure?	Type of M&V	MM	YYYY	Is this a energy saving measure or renewable		Estimated Annual			Estimated Annual Coal Saved (Short Ton/Yr)			If "Other", what is	Estimated Annual Potable Water Savings (10^3 Gal/Yr)	Savings	Estimated Annual Renewable Electricity Output (MWh/Yr)
\$ 1,125,463					Energy Saving E	1.371.585	0.000	15,037.924	0.000	0.000	0.000	0.000		0.000	0.000	0.000
N/A	N/A	N/A			Energy Saving I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
\$ 587,729					Energy Saving F	2,188.103	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000	0.000
\$ 1,121,419					Energy Saving F	1,359.517	0.000	8,144.035	0.000	0.000	0.000	0.000		0.000	0.000	0.000

		Cos	t Savings			Notes	
			- Savings			Notes	
(ai)	(aj)	(ak)	(al)	(am)	(an)	(ao)	(ap)
Estimated Annual Renewable Thermal Output (10^9 BTU/Yr)	Estimated Annual Energy Cost Savings (\$/Yr)	Estimated Annual Water Cost Savings (\$/Yr)	Estimated Annual Cost Savings (\$/Yr) from switching to a renewable energy source	Estimated Annual Ancillary Cost Savings (\$/Yr)	Site Priority	Additional Information	SPO Comments/Notes
0.000	\$ 216,398	\$ -	\$ -	\$ -			
N/A	N/A	N/A	N/A	N/A		Impacts mission, not recommended for implementation at this time.	
0.000	\$ 154,525	\$ -	\$ -	\$ -			
0.000	\$ 160,746	\$ -	\$ -	\$ -			

Building Inventory Changes, HPSB Compliance and Projected Utilities Consumption

Requirement(s): EPAct 2005, EISA 2007, DOE O 436.1

Instructions: Update this worksheet with information on new building construction, major renovation, replacements, and buildings that are to be disposed of in the near future, and address SPO requests. For additional guidance see comments in row 9 of each column and Appendix C of the Site Sustainability Plan Guidance. Edited and new data cells should be highlighted.

Source: Site/Lab

						Bas	ic Informati	on						For compliance with Sec 438 of EISA			ction if <i>new</i> building project 1 or lower on <u>10/1/06</u>	Complete this section if construction has been completed	Calculated fields. N	es
PSO Site# Site	Project ID	Building/Project Name (Planned or Actual CD-2 Date (MM/YY)	Current CD Status	Total Project Cost (\$ M)	Number/Type of Facilities	Facility Change Status		Anticipated Natural Gas Usage (10^3 Cubic Feet/Yr)	Anticipated Potable Water Usage (10^3 Gal/Yr)	Anticipated II.A Water Usage (10^3 Gal/Yr)	fuom	Expected Building Occupancy or Removal Year (YYYY)	If > 5,000 sq ft, will it maintain or restore pre- development hydrology?	achieve?	Estimated percentage below ASHRAE Std 90.1 in terms of energy use		percentage below	Additional Information	SPO Comments/Note

Source Energy Savings Credit

Requirement(s): E.O. 13123

<u>Instructions</u>: Optional, complete the tables below for projects that increase site energy use but save source energy. For additional guidance see: http://www.eere.energy.gov/femp/pdfs/sec502e_%20guidance.pdf. Edited and new data cells should be highlighted.

Source: Site/Lab

EPACT Goal Subject Buildings

Name of Project Saving Source Energy in FY 2011 (insert additional rows as	Annual Site Energy Increase with the Project	Annual Source Energy Saved with the Project	Adjustment to Annual Site Energy
necessary)	(10^6 BTU/Yr)	(10^6 BTU/Yr)	(10^6 BTU/Yr)
Project No. 1	0.0	0.0	0.0
Project No. 2	0.0	0.0	0.0
Project No. 3	0.0	0.0	0.0
Totals	0.0	0.0	0.0

EPACT Excluded Buildings

Name of Project Saving Source Energy in FY 2011 (insert additional rows as	Annual Site Energy Increase with the Project	Annual Source Energy Saved with the Project	Adjustment to Annual Site Energy
necessary)	(10^6 BTU/Yr)	(10^6 BTU/Yr)	(10^6 BTU/Yr)
Project No. 1	0.0	0.0	0.0
Project No. 2	0.0	0.0	0.0
Project No. 3	0.0	0.0	0.0
Totals	0.0	0.0	0.0

Data Centers

Requirement(s): EISA 2007, DOE O 436.1

Instructions: Update the list of data centers and complete all fields, if not using DOEGRIT. For additional guidance see comments in row 9 of each column and Appendix C of the Site Sustainability Plan Guidance.

Source: Site/Lab

Key:

Light Green and updated with changes highlighted in blue.

Orange Fields that need to reviewed and updated with changes highlighted in blue.

Yellow Optional data field to be completed, if applicable and available.

<u>Bource</u> , B.																			Red Cal	culated fields. No	action required.		
								Basic Informati	ion														IT Fac
PSO	Site #	Site	GOCO / FED	Data Center Name	Data Center Function	Assigned DCEP POC	Data Center POC	Target Date for Closure (CY) (If Scheduled)	Phase of Closure	Street Address	Street Address 2	City	State	Zip Code	Country	Gross Floor Area (Sq.Ft.)		Electricity Included in Cost? (Y/N)	Data Center Tier / Type	Electricity Metered (Y/N)	Total Data Center (Facility) Power Capacity (kW)	Average Data Center Electricity Usage (kWh)	Total Data Center IT Power Capacity (kW)
NNSA	112	LLNL	GOCO	B-111 R-170	General	Paul C Dickinson (925-	Scott M Taylor (925-	Q4 / 2014	Stage 1:	7000 East Ave		Livermore	Ca	94550	USA	794	\$15.13		2: Tier II	No	135.000	85.000	65.000
NNSA	112	LLNL	GOCO	B-111 R-178	General	Paul C Dickinson (925-	Scott M Taylor (925-	Q4 / 2014	Stage 1:	7000 East Ave		Livermore	Ca	94550	USA	564	\$15.13	Yes	2: Tier II	No	100.000	75.000	65.000
NNSA	112	LLNL	GOCO	B-112 R-1250	General	William E Maciel (925-	Andy Ashbaugh			7000 East Ave		Livermore	Ca	94550	USA	15,476	\$29.06	Yes	3: Tier III	Yes	7,000.000	850.000	580.000
NNSA	112	LLNL	GOCO	B-112 R-B126	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550	USA	914	\$29.06	Yes	2: Tier II	Yes	850.000	425.000	250.000
NNSA	112	LLNL	GOCO	B-112 R-B137	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550	USA	1,076	\$29.06	Yes	2: Tier II	Yes	850.000	425.000	250.000
NNSA	112	LLNL	GOCO	B-112 R-B140	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550	USA	1,960	\$29.06	Yes	2: Tier II	Yes	1,250.000	625.000	450.000
NNSA	112	LLNL	GOCO	B-112 R-B140A	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550	USA	560	\$29.06	Yes	2: Tier II	Yes	225.000	112.500	110.000
NNSA	112	LLNL	GOCO	B-112 R-B151	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550	USA	1,069	\$29.06	Yes	2: Tier II	Yes	500.000	250.000	200.000
NNSA	112	LLNL	GOCO	B-115 R-1410	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	2,413	\$47.49	Yes	2: Tier II	No	541.000	48.000	65.000
NNSA	112	LLNL	GOCO	B-115 R-1465	HPC	Anna Maria Bailey (925-423-1288)	423-2617)			7000 East Ave		Livermore	Ca	94550	USA	1,443	\$47.49	Yes	2: Tier II	No	323.000	28.000	33.000
NNSA	112	LLNL	GOCO	B-115 R-1469	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	904	\$47.49	Yes	2: Tier II	No	202.000	18.000	33.000
NNSA	112	LLNL	GOCO	B-115 R-1475	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	972	\$47.49	Yes	2: Tier II	No	218.000	19.000	33.000
NNSA	112	LLNL	GOCO	B-115 R-1506	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	3,178	\$47.49	Yes	2: Tier II	No	713.000	62.000	65.000
NNSA	112	LLNL	GOCO	B-117 R-1812	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	1,094	\$60.74	Yes	2: Tier II	No	304.905	91.000	115.000
NNSA	112	LLNL	GOCO	B-117 R-1824	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	1,611	\$60.74	Yes	2: Tier II	No	448.997	135.000	115.000
NNSA	112	LLNL	GOCO	B-117 R-1907	HPC	Anna Maria Bailey (925-423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550	USA	2,677	\$60.74	Yes	2: Tier II	No	746.098	224.000	220.000
NNSA	112	LLNL	GOCO	B-121 R-1146	General	Gregory A Cooper (925-423-8512)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA	672	\$19.45	Yes	2: Tier II	No	140.000	70.000	65.000
NNSA	112	LLNL	GOCO	B-121 R-1347	General	David L Parker (925-422 4607)	- Brian Van Hook (925-422-2737)			7000 East Ave		Livermore	Ca	94550	USA	2,000	\$19.45	Yes	2: Tier II	No	300.000	150.000	450.000
NNSA	112	LLNL	GOCO	B-131 R-2037A	General	Gregory A Cooper (925- 423-8512)	David D Cardenas (925-424-3283)	-	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550	USA	1,140	\$18.64	Yes	2: Tier II	No	200.000	100.000	80.000
NNSA	112	LLNL	GOCO	B-131 R-2259A	General	Gregory A Cooper (925-423-8512)	David D Cardenas (925-424-3283)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550	USA	1,421	\$18.64	Yes	2: Tier II	No	325.000	162.500	90.000
NNSA	112	LLNL	GOCO	B-131 R-2280	General	Gregory A Cooper (925-423-8512)	(925-422-2737)	-	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550	USA	1,956			2: Tier II	No	400.000	200.000	180.000
NNSA	112	LLNL	GOCO	B-131 R-2362	General	Gregory A Cooper (925- 423-8512)	David D Cardenas (925-424-3283)		Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550	USA	770	\$18.64	Yes	2: Tier II	No	125.000	62.500	65.000
NNSA	112	LLNL	GOCO	B-132N R-1470B	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA		\$15.68		2: Tier II	No	220.000	110.000	65.000
NNSA	112	LLNL	GOCO	B-132S R-1521	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA	839	\$16.16	Yes	2: Tier II	No	200.000	100.000	65.000
NNSA	112	LLNL	GOCO	B-132S R-2205		Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore		94550			\$16.16		2: Tier II		65.000	32.500	32.000
NNSA	112	LLNL	GOCO		General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA		\$16.16		2: Tier II	No	65.000	32.500	33.000
NNSA	112	LLNL	GOCO	B-132S R-2506	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA	2,204	\$16.16	Yes	2: Tier II	No	400.000	200.000	115.000
NNSA	112	LLNL	GOCO	B-140 R-1079	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA		\$17.75		2: Tier II		325.000	162.500	115.000
NNSA	112	LLNL	GOCO	B-170 R-1008	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)			7000 East Ave		Livermore	Ca	94550	USA	973	\$13.60	Yes	2: Tier II	No	150.000	75.000	65.000

ilities, Energy	y							<u>F</u>	Physical Ser	rvers						Virtu	alization		Net	work Stor	age	Notes
Average IT Electricity Usage (kWh)	Cost Per kWh (if known)	Watts per Sq.ft.	Estimated Power Usage Effectiveness (PUE)	Has A DC Pro Assessment been Conducted?	Current Rack Count (#)	Sq. Ft. per Rack	Super Computers or HPC Systems	Mainframes (IBM or compatible)	Mainframes	Windows Servers	Unix Servers	Linux Servers	Other	Total Physical Server Count (#)	Total Virtual Host Count (#)	Total Virtual OS Count (#)	Total Operating Systems Count (#)	Average CPU Utilization of All Physical Servers	SAN/NAS/ DAS - Total (TB)	DAS -	Percent Used	Additional Information
35.000	\$0.06	44.08	2.43	No		Incomplete			•		•			()		0				Incomplete	Director's Office. Closure plan to
25.000			3.00			Incomplete								()		0				Incomplete	Director's Office. Closure plan to
400.000			2.13			Incomplete								()		0					Computer Center
165.000		180.53	2.58			Incomplete								()		0					Computer Center
150.000			2.83			Incomplete								()		0					Computer Center
225.000			2.78			Incomplete								()		0					Computer Center
55.000 100.000	\$0.06		2.05 2.50			Incomplete Incomplete								()		0					Computer Center Computer Center
22.000	\$0.06		2.18		17		17	′ 0) () 0	C	(() 17	0	0	17					Computation Facility Building
15.000	\$0.06	10.40	1.87	No	6	241	6	5 0	() (C	(() 6	0	0	6	97%			Incomplete	Computation Facility Building
8.000			2.25		22									220			220					Computation Facility Building
10.000			1.90		10									10			10					Computation Facility Building
30.000			2.07		23	138 274	23							23	0		23					Computation Facility Building Computation Facility Building
90.000			1.50		17) 17			17					Computation Facility Building
150.000	\$0.06		1.49	No	21	127	21	. 0) () 0	C	((21	. 0	0	21	97%				Computation Facility Building
32.500	\$0.06	48.36	2.15	No		Incomplete								()		0	15%			Incomplete	PLS Office
59.400	\$0.06	29.70	2.53	No	36	56	0	0	() 10	14	74		5 103	0	0	103	15%	90	73	81%	PLS Office
40.000	\$0.06	35.09	2.50	No		Incomplete								()		0	30%				Engineering. Closure plan to be developed FY13.
45.000			3.61			Incomplete								()		0					Engineering. Closure plan to be developed FY13.
75.000			2.67		34		0	0	() 40	7	60		120	9	272				225		Engineering. Closure plan to be developed FY13.
32.500	7		3.38			Incomplete Incomplete								()		0					Engineering. Closure plan to be developed FY13. Global Security
32.500			3.08			Incomplete								()		0					Global Security
16.000			2.03			Incomplete								()		0	1				Global Security
16.500	\$0.06	33.00	1.97	No		Incomplete								()		0	1			Incomplete	Global Security
57.500	\$0.06	26.09	3.48	No		Incomplete								()		0	ı			Incomplete	Global Security
57.500	\$0.06	33.82	2.83	No		Incomplete								()		0				Incomplete	Global Security
32.500	\$0.06	33.40	2.31	No		Incomplete								()		0				Incomplete	NARAC Facility

								Basic Informat	tion													IT Fac
PSO	Site #	t Site	GOCO / FED	Data Center Name	Data Center Function	0	Data Center POC	Target Date for Closure (CY) (If Scheduled)	Phase of Closure	Street Address	Street Address 2	City	State	Zip Code Cour	Gross Floor Area (Sq.Ft.)	Facility Cost (\$/Sq.Ft.	Electricity Included in Cost? (Y/N)	Data Center Tier / Type	Electricity Metered (Y/N)	Total Data Center (Facility) Power Capacity (kW)	Average Data Center Electricity Usage (kWh)	Total Data Center IT Power Capacity (kW)
NNSA	112	LLNL	GOCO	B-170 R-1018	General	Eric D Carlberg (925- 423-0139)	Stanley D Ruppert (925-423-7552)		•	7000 East Ave		Livermore	Ca	94550 USA		5 \$13.60		2: Tier II	No	250.000	125.000	65.000
NNSA	112	LLNL	GOCO	B-191 R-2210	General	· · · · · · · · · · · · · · · · · · ·	Linda Oribello	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	60	0 \$24.28	Yes	2: Tier II	No	200.000	100.000	65.000
NNSA	112	LLNL	GOCO	B-216 R-185	General		Travis T Martin (925 422-1089)	5· Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	1,03	9 \$16.07	Yes	2: Tier II	No	350.000	175.000	115.000
NNSA	112	LLNL	GOCO	B-256 R-1000	General		David L Lima (925- 422-0919)	Q4 / 2014	Stage 1: Inventory	7000 East Ave	-	Livermore	Ca	94550 USA	2,31	3 \$30.30	Yes	2: Tier II	No	400.000	200.000	144.000
NNSA	112	LLNL	GOCO	B-271 R-B120	General	Paul C Dickinson (925-	Rick D Warrick	Q4 / 2014	Stage 1:	7000 East Ave		Livermore	Ca	94550 USA	1,79	1 \$31.84	Yes	2: Tier II	No	325.000	162.500	115.000
NNSA	112	LLNL	GOCO	B-439 R-1030	HPC	422-9130) Anna Maria Bailey (925-			Inventory	7000 East Ave		Livermore	Ca	94550 USA	6,36	4 \$61.15	Yes	2: Tier II	No	2,000.000	750.000	500.000
NNSA	112	LLNL	GOCO	B-451 R-1050	HPC	Anna Maria Bailey (925-	423-2617) John B Sines (925-423-2617)			7000 East Ave		Livermore	Ca	94550 USA	18,07	5 \$42.24	Yes	2: Tier II	Yes	5,500.000	1,900.000	4,000.000
NNSA	112	LLNL	GOCO	B-451 R-1056	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550 USA	85	5 \$42.24	Yes	2: Tier II	Yes	350.000	200.000	180.000
NNSA	112	LLNL	GOCO	B-453 R-1211 ASL	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550 USA	1,58	5 \$32.14	Yes	2: Tier II	Yes	125.000	39.000	26.000
NNSA	112	LLNL	GOCO	B-453 R-2100 USR	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550 USA	2,24	6 \$32.14	Yes	2: Tier II	Yes	500.000	76.000	50.000
NNSA	112	LLNL	GOCO	B-453 R-2125 CSR	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave	-	Livermore	Ca	94550 USA	1,08	2 \$32.14	Yes	2: Tier II	Yes	300.000	47.000	30.000
NNSA	112	LLNL	GOCO	B-453 R-2201 West	HPC	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave		Livermore	Ca	94550 USA	24,42	7 \$32.14	Yes	2: Tier II	Yes	15,000.000	1,600.000	1,050.000
NNSA	112	LLNL	GOCO	B-453 R-2251 East	НРС	Anna Maria Bailey (925- 423-1288)	John B Sines (925- 423-2617)			7000 East Ave	-	Livermore	Ca	94550 USA	24,42	4 \$32.14	Yes	2: Tier II	Yes	15,000.000	2,400.000	1,608.000
NNSA	112	LLNL	GOCO	B-490 R-1012	General	Barbara A Quivey (925- 422-1545)	Bob Demaret (925-423-6768)			7000 East Ave		Livermore	Ca	94550 USA	1,64	0 \$27.74	Yes	2: Tier II	No	325.000	162.500	115.000
NNSA	112	LLNL	GOCO	B-490 R-1015	General	Barbara A Quivey (925-				7000 East Ave		Livermore	Ca	94550 USA	1,49	8 \$27.74	Yes	2: Tier II	No	325.000	162.500	115.000
NNSA	112	LLNL	GOCO	B-490 R-1018	General	Barbara A Quivey (925- 422-1545)				7000 East Ave		Livermore	Ca	94550 USA	1,46	1 \$27.74	Yes	2: Tier II	No	325.000	162.500	115.000
NNSA	112	LLNL	GOCO	B-511 R-118A	General	/	David W Lavinsky (925-423-6538)	Q4 / 2014	Stage 1: Inventory	7000 East Ave	-	Livermore	Ca	94550 USA	64	9 \$14.25	Yes	2: Tier II	No	50.000	25.000	20.000
NNSA	112	LLNL	GOCO	B-543 R-1073	General	William E Maciel (925-	Russell A Baine (925-422-3928)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	1,74	2 \$16.86	Yes	2: Tier II	No	125.000	62.500	33.000
NNSA	112	LLNL	GOCO	B-551W R-1550A	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	1,45	0 \$16.97	Yes	2: Tier II	No	125.000	62.500	32.000
NNSA	112	LLNL	GOCO	B-551W R-2266	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	56	0 \$16.97	Yes	2: Tier II	No	60.000	30.000	18.000
NNSA			GOCO	B-551W R-2310	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	79	8 \$16.97	Yes	2: Tier II	No	60.000	30.000	16.000
		LLNL		B-581 R-1016	General	Barbara A Quivey (925-422-1545)	Bob Demaret (925-423-6768)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	77	4 \$7.94	Yes	2: Tier II	No	100.000	50.000	33.500
NNSA	112	LLNL	GOCO	T-2580 R-1003	General	William E Maciel (925- 423-1900)	David L Lima (925- 422-0919)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	1,38	7 \$17.35	Yes	2: Tier II	No	200.000	100.000	65.000
NNSA	112	LLNL	GOCO	T-2580 R-2000	General	William E Maciel (925- 423-1900)	David L Lima (925- 422-0919)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	56	1 \$17.35	Yes	2: Tier II	No	50.000	25.000	18.000

ilities, Energy	,						P	hysical Se	rvers						Virtu	ıalization		Network Sto	age	Notes
Average IT Electricity Usage (kWh)	Cost Per kWh (if known)	Watts per Sq.ft.	Estimated Power Usage Effectiveness (PUE) Has A DC I Assessme been Conducted	Rack	Sq. Ft. per Rack	Computers	Mainframes (IBM or compatible)	Mainframes (Other)		Unix Servers	Linux Servers	Other	Total Physical Server Count (#)	Total Virtual Host Count (#)	Total Virtual OS Count (#)	Total Operating Systems Count (#)	Average CPU Utilization of All Physical Servers	SAN/NAS/ DAS - Total (TB) Used (TB)	Percent Used	Additional Information
32.500	\$0.06	18.62	3.85 No		Incomplete								0			0			Incomplete	NARAC Facility
32.500	\$0.06	54.17	3.08 No		Incomplete								0			0				HEAF. Closure plan to be developed FY13.
57.500	\$0.06	55.34	3.04 No		Incomplete								0			0			Incomplete	Cyber Security. Closure plan to be developed FY13.
72.000	\$0.06	31.13	2.78 No		Incomplete								0			0			Incomplete	Telcom Node #1. Closure plan to be developed FY13.
57.500	\$0.06	32.10	2.83 No		Incomplete								0			0			Incomplete	Protective Force. Closure plan to be developed FY13.
425.000	\$0.06	66.78	1.76 No	12	52	123	0	(0	C	0	C	123	0	(123	97%			Institutional Computing / Archives
1,200.000	\$0.06	66.39	1.58 No	27	6 65	276	0	(0	C	0	C	276	0	(276	97%		•	Benchmarked through the http://hightech.lbl.gov/datacenters.h
80.000	\$0.06	93.57	2.50 No		8 107	8	0	(0	C	0	C	8	0	(8	97%		Incomplete	tml Benchmarked through the http://hightech.lbl.gov/datacenters.h tml
25.000	\$0.06	15.77	1.56 No		Incomplete								0			0	97%		Incomplete	Benchmarked through the http://hightech.lbl.gov/datacenters.h
45.000	\$0.06	20.04	1.69 No	4	7 48	47	0	(0	C	0	C	47	0	(47	97%			Benchmarked through the http://hightech.lbl.gov/datacenters.h
30.000	\$0.06	27.73	1.57 No	2	9 37	29	0	(0	C	0	C	29	0	(29	97%		Incomplete	Benchmarked through the http://hightech.lbl.gov/datacenters.h
1,200.000	\$0.06	49.13	1.33 No	34	1 72	341	0	(0	C) 0	C	341	0	(341	97%		-	Benchmarked through the http://hightech.lbl.gov/datacenters.h tml
1,800.000	\$0.06	73.70		29	2 84	292	0	(0	C	0	C	292			292	97%			Benchmarked through the http://hightech.lbl.gov/datacenters.h tml
57.500	\$0.06	35.06	2.83 No		Incomplete								0			0			Incomplete	IMF Managed Lab Facility
57.500	\$0.06	38.38	2.83 No		Incomplete								0			0			Incomplete	IMF Managed Lab Facility
57.500	\$0.06	39.36	2.83 No		Incomplete								0			0			_	IMF Managed Lab Facility
10.000	\$0.06	15.41	2.50 No		Incomplete								0			0				MUSD. Closure plan to be developed FY13.
16.500	\$0.06	9.47	3.79 No		Incomplete								0			0			Incomplete	O&B / PFS / SHMR Offices. Closure plan to be developed FY13.
16.000	\$0.06	11.03	3.91 No		Incomplete								0			0			Incomplete	
9.000	\$0.06	16.07	3.33 No		Incomplete								0			0			Incomplete	
8.000	\$0.06	10.03	3.75 No		Incomplete								0			0			Incomplete	
16.750	\$0.06	21.64	2.99 No		Incomplete								0			0				National Ignition Facility. Closure plan to be developed FY13.
32.500	\$0.06	23.43	3.08 No		Incomplete								0			0				Secure Communications Network. Closure plan to be developed FY13.
9.000	\$0.06	16.04	2.78 No		Incomplete								0			0				Secure Communications Network. Closure plan to be developed FY13.

								Basic Informat	ion											1		IT Fac
PSO	Site #	Site	GOCO / FED	Data Center Name	Data Center Function	U	Data Center POC	Target Date for Closure (CY) (If Scheduled)	Phase of Closure	Street Address	Street Address 2	City	State	Zip Code Coun	Floor	Cost (\$/Sq.Ft.	Electricity Included in Cost? (Y/N)	Lenter	Electricity Metered (Y/N)	Total Data Center (Facility) Power Capacity (kW)	Average Data Center Electricity Usage (kWh)	Total Data Center IT Power Capacity (kW)
NNSA	112	LLNL	GOCO	T-2580 R-2010	General	William E Maciel (925- 423-1900)	David L Lima (925- 422-0919)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	879	\$17.35	Yes	2: Tier II	No	95.000	47.500	33.000
NNSA	112	LLNL	GOCO	T-2632 R-1010	General	Paul C Dickinson (925- 422-9130)	Kent R Oelrich (925-423-3300)	Q4 / 2014	Stage 1: Inventory	7000 East Ave		Livermore	Ca	94550 USA	552	\$18.33	Yes	2: Tier II	No	50.000	25.000	17.000
NNSA	112	LLNL	GOCO	T-3649 R-1000	General	Mark P Costella	Frank M Bailey	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	918	\$10.42	Yes	2: Tier II	No	125.000	62.500	42.000
NNSA	112	LLNL	GOCO	T-4377 R-104	General	Mark P Costella	David L Lima (925- 422-0919)	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	595	\$14.18	Yes	2: Tier II	No	60.000	30.000	18.000
NNSA	112	LLNL	GOCO	T-4406 R-120	General	Mark P Costella	David L Lima (925- 422-0919)	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	1,218	\$9.07	Yes	2: Tier II	No	225.000	112.500	65.000
NNSA	112	LLNL	GOCO	T-4725 R-1116	General	n/a	_ ′	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	4,268	\$16.22	Yes	2: Tier II	No	800.000	400.000	230.000
NNSA	112	LLNL	GOCO	T-4725 R-1124	General	n/a	n/a	Q4 / 2012	Closed	7000 East Ave		Livermore	Ca	94550 USA	794	\$16.22	Yes	2: Tier II	No	225.000	112.500	65.000

ilities, Energy	y							P	hysical Ser	vers					Virtu	alization		Ne	twork Sto	age	Notes
Average IT Electricity Usage (kWh)	Cost Per kWh (if known)	Watts per Sq.ft.	Estimated Power Usage Effectiveness (PUE)	Has A DC Pro Assessment been Conducted?	Current Rack Count (#)	Rack	Computers	Mainframes (IBM or compatible)	Mainframes (Othor)	Windows Servers	Linux Servers	Other	Total Physical Server Count (#)	Total Virtual Host Count (#)	Count (#)		Average CPU Utilization of All Physical Servers				Additional Information
16.500	\$0.06	18.77	2.88	No		Incomplete							0			C)			•	Secure Communications Network.
																					Closure plan to be developed FY13.
8.500	\$0.06	15.40	2.94	No		Incomplete					 		0			()			Incomplete	Security. Closure plan to be
																					developed FY13.
21.000	\$0.06	22.88	2.98	No		Incomplete							0			C)			Incomplete	
9.000	\$0.06	15.13	3.33	No		Incomplete							0			C)			Incomplete	
32.500	\$0.06	26.68	3.46	No		Incomplete							0			C)			Incomplete	
115.000	\$0.06	26.94	3.48	No		Incomplete							0			()			Incomplete	
32.500	\$0.06	40.93	3.46	No		Incomplete					 		0			()			Incomplete	
		Incomplete	Incomplete			Incomplete							0			()			68%	

Fugitive Emissions: Refrigerants and Fluorinated Gases, Mixed Refrigerants

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 refrigerant data using the default or simplified material balance approach, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

NNSA

NNSA

112 LLNL

112 LLNL

2012

2012

R-C318

R-508B


R-C318

R-23/116

70.000

10.000

Methodology



											Refr	igerant Infori	mation											No	otes
							Default	Approach	R		Simplified Ma	aterial Balance A	Approach		F-Gas	s: Type 1	F-Gas	s: Type 2	F-Ga	s: Type 3	F-Gas	s: Type 4			
PSO	Site #	Site	FY	Data Entry Type	Refrigerant Type	Composition	Quantity Purchased/	Quantity Returned to	Quantity in storage	storage at end of	Sum of all refrigerant acquisitions (lbs)	Sum of all refrigerant disbursements (lbs)	Total capacity of refrigerant in equipment at beginning of inventory year (lbs)	Emitted Refrigerant Quantity (lbs)		Amount (lbs)	Material	Amount (lbs)	Material	Amount	Material	Amount (lbs)	Anthropogenic MtCO ₂ e	Additional Information	a SPO Notes
																									SPO Request: Due to the collection methodology and roll up of FY 2008 data, details are not available for FY 2008 refrigerants. Please provide FY 2008 data, if available, and update corresponding fugitives data to ensure emissions are not
NNSA	112	LLNL	2008			#N/A								-	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	#N/A	-		double counted.
NNSA	112	LLNL	2011		R-14	R-14	4.500	-						4.500	PFC-14	4.500	-	-	-	-	-	-	13.268		
NNSA	112	LLNL	2011		R-23	R-23	11.000	-						11.000	HFC-23	11.000	-	-	-	-	-	-	58.377		
NNSA	112	LLNL	2011		R-407C	R-32/125/134a	50.000	-						50.000	HFC-32	11.500	HFC-125	12.500	HFC-134a	26.000	-	-	34.598		
NNSA	112	LLNL	2011		R-410A	R-32/125	500.000	-						500.000	HFC-32	250.000	HFC-125	250.000	-	-	-	-	391.223		
NNSA	112	LLNL	2011		R-C318	R-C318	30.000	-						30.000	PFC-c318	30.000	-	-	-	-	-	-	118.388		
NNSA	112	LLNL	2012		R-23	R-23	11.000							 11.000	HFC-23	11.000	-	-	-	-	-	-	58.377		
NNSA	112	LLNL	2012		R-134a	R-134a	45.000							45.000	HFC-134a	45.000		-	-	-	-		26.535		
NNSA	112	LLNL	2012		R-407C	R-32/125/134a	275.000							 275.000	HFC-32	63.250	HFC-125	68.750	HFC-134a	143.000	-	-	190.288		

70.000 PFC-c318

10.000 HFC-23

70.000

4.600 PFC-116

5.400

276.238

46.947

Fugitive Emissions: Fugitive Fluorinated Gases and Other Fugitive Emissions (Not to Include Process Emissions)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 fugitive data using the default or simplified material balance approach, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. Do not report process emissions in this tab. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

Calculated fields. No action required. Fields that need to reviewed and updated with changes highlighted in blue. Fields that need to reviewed and updated with changes highlighted in blue. Optional data field to be completed, if applicable and available.

Methodology

								Fugitive Ga	as Information								Note	es
							Default A	pproach O	R		implified Mate	erial Balance App	proach					
PSO	Site #	Site	FY	Data Entry Type	Material Type	Composition	Quantity Purchased/ Issued (lbs)		Quantity in storage	Quantity in	Sum of all F-	Sum of all F- Gas	Total capacity of F- Gas in equipment at beginning of inventory year (lbs)	Total capacity of all F-Gas in equipment at end of inventory year (lbs)	Quantity Emitted (lbs)	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
NNSA	112	LLNL	2011		Carbon dioxide	CO2	11,542.000	-							11,542.000	5.235		
NNSA	112	LLNL	2011		HFC-245ca	C3H3F5	0.060	-							0.060	0.015		
NNSA	112	LLNL	2011		HFC-43-10mee	CF3CFHCFHCF2C	212.300	-							212.300	125.187		
NNSA	112	LLNL	2011		Methane	CH4	20.290	-							20.290	0.193		
NNSA	112	LLNL	2011		Nitrous oxide	N2O	0.500	-							0.500	0.070		
NNSA		LLNL	2011		PFC-9-1-18	C10F18	0.050	-							0.050	0.170		
NNSA		LLNL	2011		Sulfur hexafluoride	SF6	1,437.000	-							1,437.000	15,578.300		
NNSA		LLNL	2008		Methane	CH4	4.200								4.200	0.040		
NNSA		LLNL	2008		Carbon dioxide	CO2	20,868.500								20,868.500	9.466		
NNSA		LLNL	2008		HFC-134a	CH2FCF3	1,914.000								1,914.000	1,128.628		
NNSA		LLNL	2008		HFC-43-10mee	CF3CFHCFHCF2C	196.500								196.500	115.870		
NNSA		LLNL	2008		Nitrous oxide	N2O	18.900								18.900	2.658		
NNSA		LLNL	2008		PFC-c318	C-C4F8	24.000								24.000	94.710		
NNSA		LLNL	2008		Sulfur hexafluoride	SF6	3,065.000								3,065.000	33,227.202		
NNSA		LLNL	2010		Methane	CH4	1.460								1.460	0.014		
NNSA		LLNL	2010		Carbon dioxide	CO2	28,368.020								28,368.020	12.868		
NNSA		LLNL	2010		HFC-43-10mee	CF3CFHCFHCF2C	199.220								199.220	117.474		
NNSA	112	LLNL	2010		PFC-c318	C-C4F8	42.000								42.000	165.743		
NNSA																		SPO Request: Please review and confirm
	112	LLNL	2010		Sulfur hexafluoride	SF6	473.550								473.550	5,133.684		value.
NNSA	112	LLNL	2012		Sulfur hexafluoride	SF6	199.000								199.000	2,157.329		
NNSA		LLNL	2012		Methane	CH4	3.120								3.120	0.030		
NNSA	112	LLNL	2012		Carbon dioxide	CO2	17,480.900								17,480.900	7.929		
NNSA	112	LLNL	2012		HFC-43-10mee	CF3CFHCFHCF2C	39.560								39.560	23.327		
NNSA	112	LLNL	2012		HFC-245ca	C3H3F5	2.200								2.200	0.559	211.7 Tonnon of CO2	

311.7 Tonnes of CO2 generated as a result of controlled burns at 311.7 S300.

Industrial Process Emissions By Process (Not Reported under Tab 6.2 Fugitive F-gases)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 industrial process emission data by process, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. Report emissions at the individual process level; a laboratory is not considered a single process. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

Methodology

Key:	
Light	Pre-populated data by SPO to be reviewed
Green	and updated with changes highlighted in blue.
Orange	Fields that need to reviewed and updated with
Orange	changes highlighted in blue.
Yellow	Optional data field to be completed, if
1 enow	applicable and available.
Red	Calculated fields. No action required.
icu.	Carculated fields. 130 action required.


			Note	S						
PSO	Site #	Site	FY	Process Type	GHG Type	Composition	Quantity Emitted (lbs)	Anthropogenic MtCO₂e	Additional Information	SPO Notes
NNSA	112	LLNL	•	•	•	#N/A	•	-	•	
						#N/A		-		
						#N/A		-		
						#N/A		-		
·-						#N/A		-		

Fugitive Emissions: On-site Wastewater Treatment (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 on-site wastewater treatment plant/system data by type, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab



Metho	dology														
						On	-Site Wastewat	er Treatment Inform	nation					Not	es
PSO	Site #	Site	FY	Workdays per Year	Centralized WWTP with Anaerobic Digestion (Persons)	Centralized WWTP with Nitrification / Denitrification (Persons)	Centralized WWTP without Nitrification / Denitrification (Persons)	Effluent Discharge to Rivers and Estuaries with Nitrification / Denitrification (Persons)		Wastewater Treatment Lagoons (Persons)	Septic Systems (Persons)	Biogenic MtCO₂e	Anthropogenic MtCO₂e	Additional Information	SPO Notes
NNSA	112	LLNL	2011	230.000						78.000	76.000	_		LLNL assumptions for lagoon: 1) 69 FTE on 4/10s + 4 firemen 24/7, 2) Firefighter days per year total of 1460, 3) FTE equivalents an a 4-10 round up to 9 is 8.202, 4) Total = 78. For septic: 1) 44 FTE on 4/10s + 5 FTE 24/7 four days per week + 3 FTE 24/7 three days per week + 5 officers and 10 trainees 5 days per week at the firing range, 2) Security equivalent of 17.4, 3) FTE equivalents a 4-10 round up to 18, 4) Total = 76.4	
NNSA	112	LLNL	2008	230.000								-	7.200		SPO Request: Do not have raw data. Please provide original data, if available
NNSA	112	LLNL	2010	230.000								-	7.200		SPO Request: Do not have raw data. Please provide original data, if available
NNSA	112	LLNL	2012	184.000						72.000		-	4.207	LLNL assumptions for lagoon: 72 FTE on 4/10s	
NNSA	112	LLNL	2012	365.000						12.000			1.391	LLNL assumptions for lagoon: 4 firemen 24/7	
NNSA	112	LLNL	2012	184.000							38.000	-	1.982	LLNL assumptions for septic:38 FTE on 4/10s	
NNSA	112	LLNL	2012	197.000							15.000			LLNL assumptions for septic: 5 FTE 24/7 four days per week (8 hour shifts) Security	
NNSA	112	LLNL	2012	168.000							9.000	-	0.429	LLNL assumptions for septic 3 FTE 24/7 three days per week (8 hour shifts) Security	

Contracted Wastewater Treatment (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 contracted wastewater treatment plant/system data, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. If actual percentages are available from wastewater treatment plant/system contractor, site may override the current calculated percentages in columns I, K, M, and O. Finally, if historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

key:
Light
Green and updated with changes highlighted in blue.
Orange
Yellow
Optional data field to be completed, if
applicable and available.
Red Calculated fields. No action required.

Methodology

For the years represented below, the Off-site Wastewater Treament plant managed by the City of Livermore is centralized with Anaerobic Digestion with Nitrification/Denitrification of 100% of the waste water received. 80% of the water is discharged to the Bay through a common pipline with several other facilities. 20% of the waste water is diverted for utilization in non-potable applications.

								Contra	cted Was	tewater Inforn	nation							No	tes
PSO	Site#	Site	FY	Workdays per Year	Centralized WWTP with Anaerobic	with Nit	zed WWTP rification / ification	without Ni	ed WWTP trification / ification	and Estua	and Estuaries with Nitrification / Denitrification		arge to Rivers ies without Denitrification	Waste Treatmen		Biogenic MtCO ₂ e	Total Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
					Digestion (Persons)	%	Persons	%	Persons	%	% Persons		Persons	%	Persons		MtCO₂e		
NNSA	112	LLNL	2011	230.000	6,088.0	100.0%	6,088.0	0.0%	_	80.0%	4,870.4	0.0%	-	0.0%	_	19.264	13.056		SPO Request: Please check accuracy/ consistency following change in reporting method vs 2008 and 2010.
NNSA	112	IINI	2010	230.000		36.5%		63.5%	_	36.5%		63.5%	_	0.0%		30.059	49,802		SPO Request: Please provide actual data, if available. Do not have raw data.
NNSA																			SPO Request: Please provide actual data, if available. Do not have
	112	LLNL	2008	230.000		36.5%	-	63.5%	-	36.5%	-	63.5%	-	0.0%	-	27.052	52.632		raw data.
NNSA	112	LLNL	2012	230.000	6,113.0	100.0%	6,113.000	0.0%	-	80.0%	4,890.4	0.0%	-	0.0%	-	19.343	13.110		
							-	100.0%	-	0.0%	-	100.0%	-	0.0%		-	-		
							-	100.0%	-	0.0%	-	100.0%	-	0.0%		-	-		
							-	100.0%	-	0.0%	-	100.0%	-	0.0%		-	-		
							-	100.0%	-	0.0%	-	100.0%	-	0.0%		-			
							-	100.0%	-	0.0%	-	100.0%	-	0.0%	-	-	-		

Business Air Travel

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 air travel data by flight type for the primary contractor, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. Federal business air travel information will be pulled by DOE headquarters from GovTrip. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

ζey:	
	Pre-populated data by SPO to be reviewed
Green	and updated with changes highlighted in blue.
Orange	Fields that need to reviewed and updated with
Hange	changes highlighted in blue.
/ellow	Optional data field to be completed, if
enow	applicable and available.
Red	Calculated fields. No action required.

					Air Travel Information						Notes
PSO	Site #	Site	FY	Process Type	Flight Type	Fuel Type	Consumption/ Usage	Unit of Measure	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
NNSA	112	LLNL	2008	Air Business Travel	Unknown	Jet Fuel	35,453,275	Passenger miles	6,776.432		SPO Request: Do not have raw data. Please provide original data, if available. Used goal seek to estimate miles as unknown to match original 08 MtCO2e estimate of: 9,709.
NNSA	112	LLNI	2010	Air Business Travel	Unknown	Jet Fuel	36,152,583	Passenger miles	6,910.096		SPO Request: Do not have raw data. Please provide original data, if available. Used goal seek to estimate miles as unknown to match original 08 MtCO2e estimate of: 9,900.508
NNSA	112			Air Business Travel	Short Haul (< 300 miles)	Jet Fuel	12,877	Passenger miles	3.769		01. 9,500.508
NNSA	112			Air Business Travel	Medium Haul (300 mile ≤ x < 700 mile)	Jet Fuel	500,757	Passenger miles	83.651		
NNSA	112			Air Business Travel	Long Haul (≥ 700 miles)	Jet Fuel	50,138,400		9,583.303		
NNSA	112			Air Business Travel	Short Haul (< 300 miles)	Jet Fuel	9,753	Passenger miles	2.855		
NNSA	112	LLNL	2012	Air Business Travel	Medium Haul (300 mile ≤ x < 700 mile)	Jet Fuel	371,246	Passenger miles	62.016		
NNSA	112	LLNL	2012	Air Business Travel	Long Haul (≥ 700 miles)	Jet Fuel	37,923,550	Passenger miles	7,248.593		
				Air Business Travel		#N/A		#N/A	#N/A		
	Air Business Travel					#N/A		#N/A	#N/A		

Business Ground Travel (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 ground travel data for the primary contractor, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. Federal business ground travel information will be pulled by DOE headquarters from GovTrip. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab

ζey:	
ight	Pre-populated data by SPO to be reviewed
Green	and updated with changes highlighted in blue.
)rongo	Fields that need to reviewed and updated with
range	changes highlighted in blue.
ellow	Optional data field to be completed, if
enow	applicable and available.
Red	Calculated fields. No action required.
teu	Calculated fields. No action required.

					Ground '	Travel Info	ormation						Notes
PSO	Site	# Site	FY	Process Type	Vehicle Type	Fuel Type	Consumption/ Usage	Unit of Measure	Site Average Miles per Trip	Default Average Miles per Trip	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
NNSA	A 1:	12 LLNL	2008	Rental Trip Mileage	Passenger Car	Gasoline	7,759	Number of Agency Busir	419.000	210.000	1,217.700		SPO Request: Do not have raw data. Please provide original data, if available. Used goal seek to estimate # of passenger car trips at 419 miles per trip to match original 08 MtCO2e estimate of: 1,217.7 SPO Request: Do not have raw data. Please provide original data, if available. Used goal seek to estimate # of passenger car trips at 419 miles per trip to match original 08 MtCO2e estimate
NNS	A 1:	12 LLNL	2010	Rental Trip Mileage	Passenger Car	Gasoline	7,696	Number of Agency Busir	419.000	210.000	1,207.900		of: 1,207.9
NNSA	A 1:	L2 LLNL	2011	Rental Trip Mileage	Passenger Car	Gasoline	15,305	Number of Agency Busir	152.700	210.000	875.400		
NNSA	A 13	12 LLNL	2011	POV Mileage	Passenger Car	Gasoline	995,445	Total Reimbursed Mileage	e	-	372.865		
NNSA	A 13	12 LLNL	2011	Mass Transit Trip Mileage	Intercity Rail	Diesel	5	Number of Agency Busir	575.400	575.400	0.533		
NNSA	A 13	12 LLNL	2012	Rental Trip Mileage	Passenger Car	Gasoline	11,503	Number of Agency Busir	240.852	210.000	1,037.758		
NNSA	A 11	13 LLNL	2012	POV Mileage	Passenger Car	Gasoline	995,395	Total Reimbursed Mileag	e	- #N/A #N/A #N/A	372.846 #N/A #N/A #N/A		

Employee Commuting (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: Provide FY 2012 commuting data for both Federal and primary contractor employees, a short description of the methodology used for gathering information both in the CEDR and SSP narrative, and address SPO requests. If historical data is updated please be sure to address this in your SSP narrative, highlight the cell, and note the change in the "Additional Information" column.

Source: Site/Lab


Key:	
Light	Pre-populated data by SPO to be revie and updated with changes highlighted
Green	and updated with changes highlighted
Orange	Fields that need to reviewed and updat changes highlighted in blue.
Yellow	Optional data field to be completed, if applicable and available.
Red	Calculated fields. No action required.

Meth	odology											
				Ground T	ravel Infor	mation					Notes	
PSO	Site # Site	FY	Process Type	Vehicle Type	Fuel Type	Consumption/ Usage	Unit of Measure	Site Number of Commute Days per Year	Default Number of Commute Days per Year	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
NNSA	112 LLNL	2008	Personal Owned Vehicles	POV Passenger Car	Gasoline	299,661		230.000	230.000	25,816.200		
NNSA	112 LLNL	2010	Personal Owned Vehicles	POV Passenger Car	Gasoline	276,199		230.000	230.000	23,794.954		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	170,322		230.000	230.000	14,673.467		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	17,508		178.000	230.000	1,167.322		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	77,921		204.000	230.000	5,954.137		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	8,292		126.000	230.000	391.349		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	4,518		230.000	230.000	389.240		
NNSA	112 LLNL	2011	Personal Owned Vehicles	POV Passenger Car	Gasoline	1,671		204.000	230.000	127.693		
NINGA	442	2042	December 10 and Webiter	POV Parameter Con-	Carallina	05.405		220,000	220,000	0.227.407	The data for commuting included applying the results of a commuter survey and information from Human	
NNSA			Personal Owned Vehicles	POV Passenger Car	Gasoline	95,496		230.000	230.000		Resources.	
NNSA			Personal Owned Vehicles	POV Passenger Car	Hybrid	4,724		230.000	230.000	206.441		
NNSA			Personal Owned Vehicles	POV SUV or Truck	Gasoline	26,837		230.000	230.000	3,298.133		
NNSA			Personal Owned Vehicles	Motorcycle	Gasoline	2,851		230.000	230.000	111.894		
NNSA			Mass Transit	Bus	Diesel	2,546		230.000	230.000	62.755 676.460		
NNSA NNSA			Personal Owned Vehicles Personal Owned Vehicles	POV Passenger Car POV Passenger Car	Gasoline Hybrid	9,815 485		184.000 184.000	230.000 230.000	16.956		
NNSA			Personal Owned Vehicles	POV Passeliger Cal	Gasoline	2,758		184.000	230.000	271.155		
NNSA			Personal Owned Vehicles	Motorcycle	Gasoline	2,738		184.000	230.000	9.200		
NNSA			Mass Transit	Bus	Diesel	262		184.000	230.000	5.166		
NNSA			Personal Owned Vehicles	POV Passenger Car	Gasoline	43,679		207.000	230.000	3,386.704		
NNSA			Personal Owned Vehicles	POV Passenger Car	Hybrid	2,161		207.000	230.000	84.993		
NNSA		2012	Personal Owned Vehicles	POV SUV or Truck	Gasoline	12,275		207.000	230.000	1,357.682		
NNSA		2012	Personal Owned Vehicles	Motorcycle	Gasoline	1,304		207.000	230.000	46.061		
NNSA	112 LLNL	2012	Mass Transit	Bus	Diesel	1,165		207.000	230.000	25.844		
NNSA		2012	Personal Owned Vehicles	POV Passenger Car	Gasoline	4,652		161.000	230.000	280.543		
NNSA	112 LLNL	2012	Personal Owned Vehicles	POV Passenger Car	Hybrid	230		161.000	230.000	7.036		
NNSA	112 LLNL	2012	Personal Owned Vehicles	POV SUV or Truck	Gasoline	1,307		161.000	230.000	112.437		
NNSA	112 LLNL	2012	Personal Owned Vehicles	Motorcycle	Gasoline	139		161.000	230.000	3.819		
NNSA	112 LLNL	2012	Mass Transit	Bus	Diesel	124		161.000	230.000	2.139		

Fugitive Emissions: On-site Landfills and Municipal Solid Waste Facilities (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: This is an optional tab for FY 2012 GHG estimates of on-site landfill/municipal solid waste emissions and GHG goal performance. Enter information uploaded or to be uploaded into PPTRS for FY 2012 and select "Current FY" from the drop-down list in cell V4. If the information is not readily available, then select "Last FY" and the historical data provided will be used a placeholder for performance estimates. Also, please address SPO requests on historical data. If historical data is updated please be sure to highlight the cell and note the change in the "Additional Information" column. Finally, sites may elect to provide a short description of the methodology used for gathering this information. Source: Site/Lab



Calculated fields. No action required.

	On-Site Landfill Information															Notes							
PSO	Site #	Site	FY	Mass of Solid Waste Disposed On-site (Short	Date	Date	(biogenic) (MT		Percentage Uncontrolled Release (CO2 Biogenic)			Col	andfill Gas lection System iciency (CH4)	Venting	g Loss (CH4)	Bacter	thotropic ia Oxidation tor (CH4)	O	Combustion cidation Factor CO2 Biogenic)	Biogenic MtCO ₂ e	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
				Tons)	(Year)	(Year)	,		Site Default	Site	Default	Site	Default	Site	Default	Site	Default	Site	Default				
NNSA	SA 112 LLNL		100%	100% 50%		6	75%		1%		10%		99%	-	-								
									100%	6	509	6	75%		1%		10%		99%	-	-		
									100%	6	509	6	75%		1%		10%		99%	-	-		
									100%	6	50%	6	75%		1%		10%		99%	-	-		
									100%	6	509	6	75%		1%		10%		99%	-	-		

Fugitive Emissions: Contracted/Off-site Landfills and Municipal Solid Waste Facilities (Domestic Only)

Requirement(s): DOE O 436.1, E.O. 13514

Instructions: This is an optional tab for FY 2012 GHG estimates of off-site landfill/municipal solid waste emissions and GHG goal performance. Enter information uploaded or to be uploaded into PPTRS for FY 2012 and select "Current FY" from the drop-down list in cell AD4. If the information is not readily available, then select "Last FY" and the historical data provided will be used a placeholder for performance estimates. Also, please address SPO requests on historical data. If historical data is updated please be sure to highlight the cell and note the change in the "Additional Information" column. Finally, sites may elect to provide a short description of the methodology used for gathering this information.



Key:
Light
Green
Orange
Fields that need to reviewe
changes highlighted in blue
Yellow
palicable and available.
Red
Calculated fields. No actio

Source: Site/Lab

										Contracte	ed/Off-Site L	andfill Info	rmation										Notes
PSO	Site #	Site	FY	Mass of Solid Waste Disposed Off- site (Short	Mass of Solid Waste Disposed Off-site (Megagram)	(Megagram C/ Megagram Waste)		Correction Factor	Landfill Gas (%)	Methane Molecular Weight Conversion	Carbon Dioxide Molecular Weight	Carbon dioxide (biogenic) (MT	Methane (MT Megagram)		Percentage Uncontrolled Release (CH4)	Landfill Gas Collection System Efficiency (CH4)	(CH4)	Methotropic Bacteria Oxidation Factor (CH4)	(CO2 Biogenic)	Biogenic MtCO ₂ e	Anthropogenic MtCO ₂ e	Additional Information	SPO Notes
				Tons)	(integugrum)	Site Default	Site Default		Site Default	Conversion	Conversion	Megagram)		Site Default	Site Default	Site Default	Site Default	Site Default	Site Default				
NNSA	112	LLNL	2011	919.300	833.971	0.203	50.0%	1.0	50.0%	1.333	3.667	155.188	56.432	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	212.225	671.288		
																							SPO Request: Please provide actual data, if available. Do not
NNSA	112	LLNL	2010		-	0.203	50.0%	1.0	50.0%	1.333	3.667		-	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	31.214	729.768		have raw data.
																							SPO Request: Please provide actual data, if available. Do not
NNSA	112	LLNL	2008		-	0.203	50.0%	1.0	50.0%	1.333	3.667	-	-	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	230.714	729.768		have raw data.
NNSA	112	LLNL	2012	754.800	684.739	0.203	50.0%	1.0	50.0%	1.333	3.667	127.419	46.334	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	174.249	551.168		
					-	0.203	50.0%	1.0	50.0%	1.333	3.667	-	-	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	-	-		
					-	0.203	50.0%	1.0	50.0%	1.333	3.667	-	-	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	-	-		
					-	0.203	50.0%	1.0	50.0%	1.333	3.667	-	-	100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	-	-		
					-	0.203	50.0%	1.0	50.0%	1.333	3.667			100.0%	50.09	6 75.0%	1.0%	10.0%	99.0%	÷	-		

Fleet Fuel (FAST Data)

Requirement(s): NECPA, EISA 2007, DOE O 436.1, E.O. 13514

<u>Instructions</u>: This is an optional tab for FY 2012 GHG estimates of fleet fuel and fleet fuel goal performance. Enter information uploaded or to be uploaded into FAST for FY 2012 and select "Current FY" from the drop-down list in cell N4. If the information is not readily available, then select "Last FY" and the historical FAST data provided will be used a placeholder for performance estimates.



ght reen and updated with changes highlighted in blue.
Fields that need to reviewed and updated with changes highlighted in blue.

Optional data field to be completed, if applicable and available.

Calculated fields. No action required.

Source: FAST

				_		EPAct-					Fuel			Fuel	Fuel	Fuel	Fuel GGE		Diesel	
PSO	Site Num	Fleet Parent	Fleet Name	Report	Agency	covered	EO-covered	Fuel Group	Fuel Name	Fuel Type	State	Vehicle	Fuel	Consumption		Natural	Conversion	Fuel Cost (\$)	From	Anthropogenic
				Year	Group	Agency	Fuel	F		- 3.5 3.6.	Abbrevia	Exemption	Armored	(GGE)	(NU)	Units	Factor	(+)	B20	MtCO₂e
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2000	EPACT-Co	Voc	No	Alternative	CNG	CNG	NS NS	None	No No	762	010	hundred cul	0.83	4,165.000	No	5.055108
NNSA			Lawrence Livermore National Laboratory		EPACT-CC		No	Petroleum	Gasoline	GAS	NS	E/ER	No	2704		gallons	1 0.65	2,379.000		23.96117249
NNSA			Lawrence Livermore National Laboratory		EPACT-CC		No	Petroleum	Gasoline	GAS	NS	LE	No	27703		gallons	1	35,459.000		245.4868201
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Diesel	DSL	NS	None	No	53079		gallons	1.147	40,959.000		491.0681082
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Gasoline	GAS	NS	None	No	367732	367732		1.147	452,459.000		3258.613123
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Alternative	CNG	CNG	NS	None	No	274		hundred cul		4,831.000		1.817716
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Diesel	DSL		E/ER	No	13051		gallons	1.147	12,060.000		120.7432295
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Gasoline	GAS	NS	E/ER	No	315		gallons	1	387.000		2.791334813
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Gasoline	GAS	NS	LE	No	34632		gallons	1	53.623.000		306.8873246
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Diesel	DSL	NS	None	No	33013		gallons	1.147	39,011.000		305.4245833
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Gasoline	GAS	NS	None	No	394995		gallons	1	539,361.000		3500.200935
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Alternative	CNG	CNG 3000		None	No	1177		gallons at 30	0.225	3,641.000		7.808218
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2002	EPACT-Co	Yes	No	Petroleum	Diesel	DSL	NS	E/ER	No	14274		gallons	1.147	10,453.000	No	132.0579924
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2002	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS		E/ER	No	659		gallons	1	744.000		5.839649657
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2002	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS	NS	LE	No	38443	38443	gallons	1	48,548.000	No	340.6580452
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2002	EPACT-Co	Yes	Yes	Petroleum	Diesel	DSL	NS	None	No	21497	18742	gallons	1.147	20,222.000	No	198.8826301
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2002	EPACT-Co	Yes	Yes	Petroleum	Gasoline	GAS	NS	None	No	383734	383734	gallons	1	486,449.000	No	3400.412931
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2003	EPACT-Co	Yes	No	Petroleum	Diesel	DSL	CA	E/ER	No	14523	12662	gallons	1.147	19,564.000	No	134.3616522
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2003	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS	CA	E/ER	No	1310	1310	gallons	1	2,030.000	No	11.60840827
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2003	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS	CA	LE	No	42239	42239	gallons	1	65,904.000	No	374.295845
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2003	EPACT-Co	Yes	Yes	Petroleum	Diesel	DSL	CA	None	No	23058	20103	gallons	1.147	31,160.000	No	213.3244492
NNSA	112	Oakland Site Of	Lawrence Livermore National Laboratory	2003	EPACT-Co	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	374970	374970	gallons	1	581,204.000	No	3322.751794
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2004	EPACT-Co	Yes	No	Alternative	CNG	CNG	CA	None	No	2988	3600	hundred cul	0.83	3,970.000	No	19.822392
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2004	EPACT-Co	Yes	No	Petroleum	Diesel	DSL	CA	E/ER	No	6386	5568	gallons	1.147	6,960.000	No	59.08101018
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2004	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS	CA	LE	No	43019	43019	gallons	1	64,098.000	No	381.2077217
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2004	EPACT-Co	Yes	Yes	Petroleum	Diesel	DSL	CA	None	No	30765	26822	gallons	1.147	33,528.000	No	284.6268835
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2004	EPACT-Co	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	353987	353987	gallons	1	527,441.000	No	3136.813449
NNSA	112	NNSA Service C	Livermore Site Office	2004	EPACT-Co	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	1272	1272	gallons	1	3,078.000	No	11.27167582
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2005	EPACT-Co	Yes	No	Alternative	Bio-diesel	B20	CA	None	No	796	707	gallons	1.126	2,436.000	No	5.892586335
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2005	EPACT-Co	Yes	No	Alternative	CNG	CNG	CA	None	No	2093	2522	hundred cul	0.83	3,214.000	No	13.884962
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2005	EPACT-Co	Yes	No	Petroleum	Diesel	B20	CA	None	No	3186	2829	gallons	1.126	9,742.000	Exempt	23.58515083
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2005	EPACT-Co	Yes	No	Petroleum	Diesel	DSL	CA	E/ER	No	5081	4430	gallons	1.147	8,860.000	No	47.00761239
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2005	EPACT-Co	Yes	No	Petroleum	Gasoline	GAS	CA	E/ER	No	207	207	gallons	1	414.000	No	1.834305735
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Gasoline	GAS	CA	LE	No	37255	37255	gallons	1	74,510.000		330.1307253
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Diesel	B20	CA	None	No	0		gallons	1.126		Covered	0
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Diesel	DSL	CA	None	No	27700		gallons	1.147	48,300.000		256.2705891
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Gasoline	GAS	CA	None	No	326594	326594		1	,		2894.073657
NNSA			Livermore Site Office		EPACT-Co		No	Alternative	E-85	E85	CA	None	No	271		gallons	0.72	999.000		0.361862114
NNSA			Livermore Site Office		EPACT-Cc		Yes	Petroleum	Gasoline	GAS	CA	None	No	972		gallons	1	2,575.000		8.61326171
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No		CNG	CNG	CA	None	No	935		hundred cul		1,824.000		6.20279
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Diesel	DSL		E/ER	No	5139		gallons	1.147	10,796.000		47.54420784
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No		Gasoline	GAS		E/ER	No	87		gallons	1	210.000		0.770940091
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		No	Petroleum	Gasoline	GAS	CA	LE	No	34096		gallons	1 1 1 1 7	86,603.000		302.1376248
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes	Petroleum	Diesel	DSL	CA	None	No	29991		gallons	1.147	63,017.000		277.4661096
NNSA			Lawrence Livermore National Laboratory		EPACT-Co		Yes		Gasoline	GAS	CA	None	No	267553		gallons	0.72	679,584.000		2370.888899
NNSA			Livermore Site Office		EPACT-Co		No		E-85	E85	CA	None	No	1184		gallons	0.72	3,054.000		1.580976912
NNSA NNSA					EPACT Co		Yes		Gasoline E-85	GAS E85	CA	None	No	2779 17835		gallons	0.72	5,917.000		24.62577602 23.81480002
			Lawrence Livermore National Laboratory		EPACT-Co		No				CA	None E/EP	No			gallons	0.72	59,946.000		
NNSA NNSA			Lawrence Livermore National Laboratory Lawrence Livermore National Laboratory		EPACT-CC		No No	Petroleum Petroleum	Diesel Diesel	DSL	CA	E/ER LE	No No	5993 266		gallons gallons	1.147 1.147	13,271.000 589.000		55.44511337 2.460937787
NNSA			·							GAS		E/ER		985						8.728459655
ACNINI	112	ININSA SERVICE C	Lawrence Livermore National Laboratory	2007	EPACT-Co	162	No	Petroleum	Gasoline	CAD	CA	C/ EK	No	985	985	gallons	1	2,580.000	VU	6.728459055

					ı		[1	1	l	1					
PSO	Site Num	Fleet Parent	Fleet Name	_	Agency Group	EPAct- covered Agency	EO-covered Fuel	Fuel Group	Fuel Name	Fuel Type	Fuel State Abbrevia tion	Vehicle Exemption	Fuel Armored	Fuel Consumption (GGE)	Fuel Consumption (NU)	Fuel Natural Units	Fuel GGE Conversion Factor	Fuel Cost (\$)	Diesel From B20	Anthropogenic MtCO ₂ e
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2007 E	PACT-Cc	Yes	No	Petroleum	Gasoline	GAS	CA	LE	No	27329	27329	gallons	1	71,601.000	No	242.1726639
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2007 E	PACT-Cc	Yes	Yes	Petroleum	Diesel	DSL	CA	None	No	31717	27652	gallons	1.147	70,235.000	No	293.4344503
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2007 E	PACT-Cc	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	238620	238620	gallons	1	625,184.000	No	2114.502582
NNSA	112	NNSA Service C	Livermore Site Office	2007 E	PACT-Cc	Yes	No	Alternative	E-85	E85	CA	None	No	1099	1527	gallons	0.72	3,665.000	No	1.467477725
NNSA	112	NNSA Service C	Livermore Site Office	2007 E	PACT-Cc	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	2800	2800	gallons	1	7,100.000	No	24.81186501
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	No	Alternative	E-85	E85	CA	None	No	36873	51213	gallons	0.72	161,321.000	No	49.23594736
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	No	Petroleum	Diesel	DSL	CA	E/ER	No	6116	5332	gallons	1.147	19,196.000	No	56.58306581
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	No	Petroleum	Diesel	DSL	CA	LE	No	13	11	gallons	1.147	40.000	No	0.120271396
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	No			GAS	CA	E/ER	No	213	213	gallons	1	767.000	No	1.887474017
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	No	Petroleum	Gasoline	GAS	CA	LE	No	27551	27551	gallons	1	99,183.000	No	244.1398903
NNSA			Lawrence Livermore National Laboratory	2008 E	PACT-Cc	Yes	Yes	Petroleum	Diesel		CA	None	No	31584	27536	gallons	1.147	99,130.000	No	292.2039814
NNSA			Lawrence Livermore National Laboratory		PACT-Cc						CA	None	No	158586	158586	gallons	1			1405.290866
NNSA			Livermore Site Office		PACT-Cc		No		E-85	E85	CA	None	No	1099		gallons	0.72	6,108.000		1.467477725
NNSA			Livermore Site Office		PACT-Cc		Yes		Gasoline	GAS	CA	None	No	2800			1	8,400.000		24.81186501
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		E-85	E85	CA	None	No	44386	· · · · · · · · · · · · · · · · · · ·	<u> </u>	0.72	•		59.26794021
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		Yes		Diesel	DSL	CA	None	No	39257	34226		1.147	67,084.000		363.1918598
NNSA			Lawrence Livermore National Laboratory		PACT-Cc				Diesel	DSL	CA	None	Yes	454		gallons	1.147	776.000		4.2002472
NNSA			Lawrence Livermore National Laboratory		PACT-Cc						CA	None	No	122891	122891		1	,		1088.983894
NNSA			Livermore Site Office		PACT-Cc		No		E-85	E85	CA	None	No	520		gallons	0.72	1,137.000		0.694347968
NNSA			Livermore Site Office		PACT-Cc		Yes		Gasoline	GAS	CA	None	No	202		gallons	1	600.000		1.789998833
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		E-85	E85	CA	LE	No	17791	24710	<u> </u>	0.72	62,517.000		23.7560475
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		E-85	E85	CA	None	No	44470			0.72			59.38010412
NNSA NNSA			Lawrence Livermore National Laboratory		PACT-CC		No No		Diesel Diesel	DSL DSL	CA	E/ER LE	No No	5614 253		gallons	1.147 1.147	11,995.000 542.000		51.93873961 2.340666391
NNSA			Lawrence Livermore National Laboratory Lawrence Livermore National Laboratory		PACT-Cc				Diesel	DSL	CA	LE	Yes	2736		gallons	1.147	5,844.000		25.31250295
NNSA			Lawrence Livermore National Laboratory		PACT-CC		No		Gasoline	GAS	CA	LE	No	3994	· · · · · · · · · · · · · · · · · · ·	gallons gallons	1.147	11,465.000		35.39235316
NNSA			Lawrence Livermore National Laboratory		PACT-CC			Petroleum			CA	None	No	31696		<u> </u>	1.147	67,708.000		293.2401658
NNSA			Lawrence Livermore National Laboratory		PACT-CC		Yes		Gasoline		CA	None	No	96611	96611	<u> </u>	1.147			856.106818
NNSA			Livermore Site Office		PACT-Cc		Yes	Petroleum		GAS	CA	None	No	711		gallons	1			6.300441436
NNSA			Livermore Site Office		PACT-Cc			Petroleum	Gasoline	GAS	LA	None	No	23	· · · · · · · · · · · · · · · · · · ·	gallons	1			0.203811748
NNSA			Livermore Site Office		PACT-Cc		Yes		Gasoline	GAS	NV	None	No	9		gallons	1	24.000		0.079752423
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		E-85	E85	CA	LE	No	15862	22031	<u> </u>	0.72	70,940.000		21.1802836
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		E-85	E85	CA	None	No	40329		•	0.72	•		53.85069078
NNSA			Lawrence Livermore National Laboratory		PACT-Cc				Diesel		CA	E/ER	No	6025		<u> </u>	1.147	619.000		55.74116604
NNSA			Lawrence Livermore National Laboratory		PACT-Cc			Petroleum	Diesel	DSL	CA	LE	No	235		gallons	1.147	701.000		2.174136767
NNSA			Lawrence Livermore National Laboratory		PACT-Cc		No		Gasoline	GAS	CA	E/ER	No	101		gallons	1	25.000		0.894999416
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory	2011 E	PACT-Cc	Yes	No	Petroleum	Gasoline	GAS	CA	LE	No	8581		gallons	1	31,149.000	No	76.03950487
NNSA	112	NNSA Service C	Lawrence Livermore National Laboratory		PACT-Cc		Yes		Diesel	DSL	CA	None	No	29786	· · · · · · · · · · · · · · · · · · ·	0	1.147			275.5695223
NNSA			Lawrence Livermore National Laboratory		PACT-Cc						CA	None	No	94590			1			838.1979683
NNSA	112	NNSA Service C	Livermore Site Office	2011 E	PACT-Cc	Yes	No	Alternative	E-85	E85	CA	None	No	21	30	gallons	0.72	0.000	No	0.028040976
NNSA	112	NNSA Service C	Livermore Site Office	2011 E	PACT-Cc	Yes	Yes			GAS	CA	None	No	497	497	gallons	1	1,794.000	No	4.404106039
NNSA			Livermore Site Office		PACT-Cc					E85	CA	LE	No	20790			0.72			27.76056588
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes				CA	None	No	60252	-	gallons	0.72	_		80.45356495
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Diesel	DSL	CA	E/ER	No	6342	7274	gallons	1.147	21,882.000	No	58.67393776
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Diesel	DSL	CA	LE	No	2815	3229	gallons	1.147	9,715.000	No	26.04338297
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Gasoline	GAS	CA	E/ER	No	318	318	gallons	1	1,227.000	No	2.817918954
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Gasoline	GAS	CA	LE	No	8085	8085	gallons	1	31,209.000	No	71.64426021
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Diesel	DSL	CA	None	No	23636	27110	gallons	1.147	81,545.000	No	218.6719005
NNSA	112	NNSA Service C	Livermore Site Office	2012 E	PACT-Cc	Yes	Yes	Petroleum	Gasoline	GAS	CA	None	No	89938	89992	gallons	1	347,350.000	No	796.9748268
-																				

EISA Section 432 - Compliance Path

Requirement(s): EISA 2007, DOE O 436.1

Instructions: June 2012 marks the beginning of the second 4-year period of EISA Section 432. To begin strategizing and planning for this next 4-year period update the FIMS list below by identifying covered facilities, estimating energy consumption, providing anticipated evaluation year and type/level including re-/retro-commissioning and benchmarking status. Sites will be provided the option to update or use information provided in December for their EISA Section 432 June snapshot reporting.

ight Pre-populated data by SPO to be reviewed and updated with changes highlighted in blue. Fields that need to reviewed and updated with changes highlighted in blue. Optional data field to be completed, if applicable and available.

Source: Site/Lab and FIMS

Strategy

						FIMS	' Facilit	y Informa	tion									(Covered Facility	y Information				Notes
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Anticipated or Actual Energy Evaluation Date (MM/YY)	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14002	001	205181		LLNS OFF-SITE OFFICE	•	В	3,156	3,156	-		112	2 NNSA	С	N	Not Covered					-			
Lawrence Liver	14002	001	89542		LONG TERM STORAGE		В	25,555	25,555	-		112	2 NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89544	71	WESTGATE BADGE OFFICE		В	4,166	4,166	-		112	2 NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89546		STORAGE		В	153	153	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89547	111	DIRECTORS OFFICE		В	112,418	112,418	-		112	2 NNSA	О	N	Covered	20,680	2014	201-	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	203771	112	COMPUTER CENTER		В	45,512	45,512	-		112	2 NNSA	О	N	Covered	31,540	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89548	113	G.S		В	44,426	44,426	-		112	2 NNSA	О	N	Covered	3,544	2015	201:	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89549	115	COMPUTATION FACILITY BLDC	; }	В	17,140	17,140	-		112	2 NNSA	O	N	Covered	4,311	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89550	116	G.S		В	7,781	7,781	-		112	2 NNSA	0	N	Not Covered						•		
Lawrence Liver	14002	001	89551	117	COMPUTATION FACILITY BLDC	; }	В	11,370	11,370	-		112	2 NNSA	O	N	Covered	7,020	2013	201	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89552	118	TELECONFERE NCE FACILITY		В	1,505	1,505	-		112	2 NNSA	О	N	Not Covered						,		
Lawrence Liver	14002	001	89553		PAT OFFICE		В	90,759	90,759	-		112	2 NNSA	О	N	Covered	7,850	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89554	122	PROTOCOL OFFICE		В	962	962	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89555		AUDITORIUM		В	7,742	7,742	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89556	125	WEST CAFETERIA		В	12,513	12,513	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89561		ENGINEERING		В	285,308	285,308	-		112	2 NNSA	O	N	Covered	55,220	2013	201:	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89563	133	CENTRAL PLANT/DPRF/N TTC		В	5,631	5,631	-		112	2 NNSA	O	N	Covered	67,960	2013	201	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	125727	134	G.S/STORAGE		В	1,284	1,284			112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	125728	135	G.S/STORAGE		В	1,369	1,369	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	143668	140	G.S		В	66,660	66,660	-		112	2 NNSA	О	N	Covered	7,465	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89576	141	ELECTRONIC SHOPS		В	47,342	47,342	-		112	2 NNSA	O	N	Covered	4,308	2014	201-	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	143756	142	PAT		В	20,306	20,306	-		112	2 NNSA	О	N	Not Covered				J		•	<u> </u>	
Lawrence Liver	14002	001	89589	151	ISOTOPE SCIENCES FACILITY		В	96,018	96,018	-		112	2 NNSA	O	N	Covered	47,200	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
					1.1011.111													2010	201	1110ugii	- 10	Jompieted		

																			D (D			
Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	4002	001	89590	152 GENERATOR HOUSE	В	751	751	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89593	153 MICROFABRIC ATION LAB	В	25,976	25,976	-		112	NNSA	О	N	Covered	18,440	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89594	BIO SECURITY 154 & NANOSCIENCE	В	9,450	9,450	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	141490	155 ISF OFFICE	В	21,742	21,742	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89599	161 JUPITER LASER SUPPORT	В	6,105	6,105	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89600	162 RESEARCH/CR YSTAL GTH	В	19,042	19,042	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89605	164 MACHINE SHOP	Р В	207	207	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89606	165 OPTICS/DEVEL OPMENT LAB	В	10,053	10,053	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89607	166 DEVELOPMENT LAB	В	13,226	13,226	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	125923	170 NARAC FACILITY	В	43,760	43,760	-		112	NNSA	О	N	Covered	4,922	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89626	173 PAT WELD SHOP	В	413	413	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89634	174 PAT	В	19,332	19,332	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89635	175 IMF MANAGED LAB	В	16,656	16,656	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89636	176 PAT SHOP	В	3,973	3,973	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89638	179 PAT	В	2,720	2,720	-		112		0	N	Not Covered								
Lawrence Live 1	4002	001	89640	181 PAT	В	13,532	13,532	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89641	182 VACANT	В	1,958	1,958	-		112	NNSA	0	N	Not Covered								_
Lawrence Live 1	4002	001	89657	190 CAMS FACILITY	В	10,252	10,252	-		112	NNSA	О	N	Covered	3,505	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89658	191 HEAF	В	121,028	121,028	-		112	NNSA	О	N	Covered	25,590	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Livei 1		001	89662	194 PAT EPD/ORAD	В	41,543	41,543	-					N	Covered	6,178	2014	2014	4 Walk-Through			Portfolio Manager	
Lawrence Live 1	4002	001	89664	195 EPD/ORAD SHOP EPD/ORAD	В	400	400	-		112	NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89665	196 SRVC-MNTRNG STAT		853	853	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89666	197 IMF MANAGED LAB FACILITY	В	10,716	10,716	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1		001	89668	198 MACHINE SHOP		966	966						N	Not Covered								
Lawrence Live 1	4002	001	133205	211 PAT	В	14,122	14,122	-		112	NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89671	212 VACANT	В	3,770	3,770	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89674	214 VACANT	В	4,837	4,837	-		112	NNSA	О	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop	GSFT	EC Bldg Fac	EC Metered	l Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr)	Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver 1	4002	001	89676	216 CYBER SECURITY	В	18,976	18,976	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89677	217 VACANT	В	17,999	17,999	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89680	218 VACANT	В	17,956	17,956	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	4002	001	89682	IMF MANAGED 219 OFFICE FACILITY	В	18,429	18,429	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89684	221 VACANT	В	1,764	1,764	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89699	DEVLMT & 231 ASSBLY ENGNG	В	142,403	142,403	-		112	NNSA	О	N	Covered	15,373	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89701	233 MATERIALS MANAGEMENT	В	4,933	4,933	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	125924	234 MATERIALS MGMT OFFICE	В	5,261	5,261	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89702	235 WMRDF	В	88,175	88,175	-		112	NNSA	О	N	Covered	3,674	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Livei 1	4002	001	89703	239 RADIOGRAPHY	В	12,517	12,517	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89707	241 VACANT	В	54,369	54,369	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	201413	242 OFFICE	В	20,328	20,328	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89711	243 E&E LAB SPACE	В	20,000	20,000	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89714	251 VACANT	В	31,120	31,120	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89716	252 HC/SHIPNG/RE CEIVNG SHED	В	192	192	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89722	HC DEPT 253 OFFICES & LABS	В	30,932	30,932	-		112	NNSA	О	N	Covered	3,583	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89724	254 HC BIO ASSAY LAB	В	2,488	2,488	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89725	255 HC SPD LABS- OFFICES	В	21,855	21,855	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89727	256 TELCOM NODE #1	В	5,937	5,937	-		112	NNSA	О	N	Covered	4,032	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89731	261 VACANT	В	52,655	52,655	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1		001	140543	262 G.S	В	10,882	10,882	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	90072	263 VACANT	В	51	51	_		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	202401	264 ESH OFFICES	В	20,461	20,461	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89744	271 PROTECTIVE FORCE	В	18,874	18,874	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89746	272 PAT	В	10,124	10,124	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89747	SECURITY 274 ADMINISTRATI ON	В	21,436	21,436	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89752	280 VACANT	В	5,341	5,341	-		112	EM	О	N	Not Covered								
Lawrence Live 1	4002	001	89757	281 LABORATORY	В	18,505	18,505	-		112	NNSA	О	N	Not Covered								

																			Retro/Re-			
Site Name	Site	Area	Seq No	Prop ID Prop Name		rop ype GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr)	Anticipated or Actual Energy Evaluation Date (MM/YY)	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Commissi	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14002	001	89758	282 PAT	В	2,16	0 2,160	-	ı	112	NNSA	О	N	Not Covered	•	1		1				
Lawrence Liver	14002	001	89761	292 CAMS LAB FACILITY	В	20,81	1 20,811	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89763	293 CAMS LAB FACILITY	В	80	0 800	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89764	294 CAMS LAB FACILITY	В	97	0 970	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89765	297 PAPER DISPOSAL	В	99	2 992	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89767	298 TARGET FABRICATION	В	47,98	6 47,986	-		112	NNSA	О	N	Covered	17,266	2016	201	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89768	311 DOE OFFICES	В	40,95	1 40,951	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89769	FACILITY	В	11,48	2 11,482	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89770	REGIONAL 313 DISPATCH CENTER	В	4,35				112	NNSA	0	N	Not Covered								
Lawrence Liver	14002	001	89771	314 DIR.OFF/QA	В	13,23	8 13,238	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89772	ESH 315 ENVIRONMEN AL PROT	Т В	18,13	3 18,133	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89774	316 DIRECTORS OFFICE	В	14,09	0 14,090	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89775	NETWORKING 317 GROUP FACILITY	В	1,42	6 1,426	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89777	318 POOL CHANGE ROOM		6,11	2 6,112	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89782	IMF MANAGEI 319 OFFICE FACILITY	В	18,04	8 18,048	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89788		р В	5,70	5,704	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89792	FIRE	В	18,55	5 18,555	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89793	EMERGENCY 324 SERVICES / ALARMS	В	11,29	0 11,290	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89794	326 VACANT	В	3,51	6 3,516	-		112	NNSA	O	N	Not Covered								
Lawrence Live	14002	001	89795	327 RADIOGRAPH	Y B	19,10	0 19,100	-		112	NNSA	O	N	Not Covered								
Lawrence Live	14002	001	89800	329 LASER WELD SHOP	В	5,15	0 5,150	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89801	331 TRITIUM FACILITY	В	30,48	4 30,484	-		112	NNSA	0	N	Covered	3,864	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89802	332 PU FACILITY	В	104,78	7 104,787	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89803	334 НЕТВ	В	10,66	8 10,668	-		112	NNSA	О	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live	14002	001	89804	335 SUPPORT FACILITY		В	11,988	11,988	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89805	SOUTH 336 SECURITY PORTAL		В	792	792	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14002	001	89806	337 NW SECURITY PORTAL		В	792	792	-		112	NNSA	0	N	Not Covered								
Lawrence Live	14002	001	89808	341 VACANT		В	44,184	44,184	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89812	IMF MANAGED 343 OFFICE/LAB FACILITY		В	27,368	27,368	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14002	001	89813	345 VACANT	· ·	В	9,467	9,467	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89821	361 BIOSCIENCES RESEARCH		В	68,889	68,889	-		112	SC	О	N	Covered	11,530	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89822	362 BIOSCIENCES RESEARCH		В	3,766	3,766	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89824	363 VACANT		В	1,584	1,584	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89825	364 BIOSCIENCES RESEARCH		В	10,932	10,932	-		112	SC	0	N	Not Covered								
Lawrence Liver	14002	001	89827	365 G.S/BIO LAB		В	8,825	8,825	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89828	366 BIOSCIENCES RESEARCH		В	2,631	2,631	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89829	367 VACANT		В	629	629	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	202152	368 G.S/BSL-3 LABORATORY		В	1,590	1,590	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89839	373 BIO WAREHOUSE		В	1,768	1,768	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89841	376 VACANT		В	1,575	1,575	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89845	378 LAB SPACE		В	3,840	3,840	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89846	379 LAB SPACE		В	1,500	1,500	-		112	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89847	381 OFFICE/RESEA RCH		В	95,421	95,421	-		112	NNSA	О	N	Covered	37,030	2013	201	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89848	382 TECH SUPPORT		В	292	292	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89849	383 MACHINE SHOL	P	В	6,715	6,715	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89855	391 DEVELOPMENT LABS	Γ	В	197,841	197,841	-		112	NNSA	О	N	Covered	56,898	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89856	392 OPTICS LABORATORY		В	8,413	8,413	-		112	NNSA	О	N	Covered	3,030	2015		5 Walk-Through			Portfolio Manager	
Lawrence Liver	14002	001	89861	MUSD / 404 BATTERY SHOI / WAREHOUSE		В	6,460	6,460	-		112	NNSA	О	N	Not Covered				J		*	<u> </u>	
Lawrence Liver	14002	001	89862	INDUSTRIAL		В	8,636	8,636	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89863	406 VACANT		В	345	345	-		112	EM	О	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop Type	GSFT	EC Bldg Fac	EC Metered Just	ification EMS S	ite Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	4002	001	89868	411 SHIPPING/RECE IVING	В	71,625	71,625	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89874	415 EMPLOYEE RESOURCES	В	19,297	19,297	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89878	418 MUSD PAINT SHOP	В	12,414	12,414	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89888	423 PAT MACHINE SHOP	В	7,791	7,791	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89891	431 ACCELERATOR RESCH CNTR	В	54,545	54,545	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89893	432 IMF MANAGED LAB FACILITY	В	33,575	33,575	-		12 SC	О	N	Covered	3,031	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89896	433 LABOR ONLY METAL SHOP	В	5,793	5,793	-		12 SC	О	N	Not Covered								
Lawrence Live 1	4002	001	89897	435 VACANT	В	57,724	57,724	-		12 SC	О	N	Not Covered								
Lawrence Live 1	4002	001	89898	436 AXION	В	9,745	9,745	-		12 NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89901	438 ERD OFC-FIELD OPERATIONS	В	16,262	16,262	-		12 NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89908	INSTITUTIONA 439 L COMPUTING/A	В	12,055	12,055	-		12 NNSA	0	N	Covered	23,131	2013	201:	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89913	442 ERD / D&D OPERATIONS	В	4,169	4,169	-		12 NNSA	О	N	Not Covered						•		
Lawrence Live 1	4002	001	89914	443 VACANT	В	8,953	8,953	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89915	444 VACANT	В	805	805	-		12 NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89918	445 VACANT	В	5,100	5,100	-	· · · · · · · · · · · · · · · · · · ·	12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89919	446 VACANT	В	1,743	1,743	-		12 SC	0	N	Not Covered								
Lawrence Live 1	4002	001	89922	451 COMPUTATION FACILITY BLDC	G - Metered B	51,398	29,177	22,221 Electr	ric metere	12 NNSA	О	N	Not Covered								_
Lawrence Live 1	4002	001	90062	COMPUTATION 452 FACILITY BLDG.	В	492	492	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	200806	453 TERA SCALE FACILITY	G - Metered B intensive	240,598	192,598	48,000 TSF f	facilities ii	12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	143564	471 CENTRAL CAFETERIA	В	16,086	16,086	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89931	473 VACANT	В	205	205	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89932	481 OFFICE	В	61,165	61,165	-	·	12 NNSA	О	N	Covered	2,531	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live 1	4002	001	89933	482 OFFICE	В	108,000	108,000	-		12 NNSA	О	N	Covered	9,923	2013				_	Portfolio Manager	
Lawrence Live 1		001	89934	490 IMF MANAGED LAB FACILITY	В	216,789	216,789	-		12 NNSA	0	N	Covered	44,890	2016					Portfolio Manager	
Lawrence Live 1	4002	001	89937	491 VACANT	В	13,259	13,259	-		12 NNSA	0	N	Not Covered						•		
Lawrence Live 1	4002	001	89938	492 VACANT	В	9,550	9,550	-		12 NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89942	SUPPORT 493 FACILITY/STOR AGE	В	19,100	19,100	-		12 NNSA	О	N	Not Covered								_
Lawrence Live 1	4002	001	89943	494 STORAGE	В	29,961	29,961	-		12 NNSA	0	N	Not Covered								
							,				-	•									

																			D			
Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part 7	Prop Type GSF	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr	Actual Energy Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live	14002	001	137823	501 DUS OFFICE	T	2	10 210	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89945	509 MUSD SHEET MTL SHOP STO	В	2	54 254	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89946	MUSD / FACS / 510 UPS BATTERY BANK	В	1	144 144	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89951	511 MUSD / CRAFTS SHOP	В	77,0	77,078	-		112	NNSA	О	N	Covered	3,007	2015	201	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live	14002	001	89952	512 MUSD / CRAFTS SUPPLIES	В	5,8	96 5,896	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89958	515 MUSD / CRAFTS STORAGE	В	8,4	09 8,409	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89959	516 PE/CRAFTS FACILITY/ME	В	6,4	96 6,496	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89960	517 ELECT UTILITY OFFICES		6,0	90 6,090	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89965	MUSD / HEAVY 519 EQUIPMENT REPAIR	В	10,0	06 10,006	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89966	MUSD / 520 PESTICIDE STORAGE	В	4	00 400	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89968	FACILITY	В	5	16 516	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89971	LABOR ONLY / 523 WELD / CARPTRY WK	В	3,5	3,507	-		112	NNSA	О	N	Not Covered								
Lawrence Liver		001	89972	525 LABOR ONLY ELECT	В	1,0		-				О	N	Not Covered								
Lawrence Liver	14002	001	89973	531 ICS OFFICE	В	12,3	81 12,381	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14002	001	136930	532 EPD/ORAD SERVICE BLDG	Т	2	15 215	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89975	533 EPD/DO STORAGE	В	3	20 320	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89978	543 O&B / PFS / SHMR OFFICES	В	78,2		-		112	SC	О	N	Covered	3,806	2014	201	4 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	89985	571 NIF OFFICE	В	41,4	07 41,407	-		112	NNSA	0	N	Not Covered								
Lawrence Live	14002	001	140320	THE NATIONAL 581 IGNITION FACILITY	Metered B	696,9	58 3,796	693,172	Electric power	112	NNSA	О	N	Not Covered								
Lawrence Live		001	140857	582 SERVICE BUILDING	В	2,9							N	Not Covered								
Lawrence Liver		001	203637	583 OFFICE	В	21,7							N	Not Covered								
Lawrence Liver	14002	001	89992	591 NIF STORAGE	В	3,2	00 3,200	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	90003	597 ERD CORP YARD	В	2	60 260	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	143692	TRUCK 610 INSPECTION STATION	В	4,3	14 4,314	-		112	NNSA	O	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners	Outgran	Not	Estimated Tota Energy Used	Evaluation Date	Anticipated or Actual Water Evaluation Date	Anticipated or Actual Evaluation	Retro/Re- Commissi oning	Benchmark ing Status	Benchmarking System	Additional Information
						JF							r		Covered?	(10^6 x Btu/Yr	(MM/YY)	(MM/YY)	Type/Level	Assessmen	g		
Lawrence Live	ei 14002	001	90016	611 AUTO FLEET MAINTENANC	Е	В	15,018	15,018	-		112	NNSA	0	N	Not Covered								
Lawrence Live	ei 14002	001	90017	612 EPD/RHWM WASTE TSDF		В	7,015	7,015	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ย 14002	001	90021	614 EPD/RHWM WASTE TSDF		В	1,221	1,221	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ei 14002	001	90022	615 DUS OFFICE		В	3,525	3,525	-		112	NNSA	O	N	Not Covered								
Lawrence Live	ei 14002	001	90023	616 DONATION UTIL&SALES		В	2,273	2,273	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90027	619 DONATION UTIL&SALES		В	2,038	2,038	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ย 14002	001	140321	622 F&I CORP. YARD		В	1,033	1,033	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90029	624 EPD/RHWM OFFICE		В	240	240	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90030	625 EPD/RHWM WASTE TSDF		В	4,854	4,854	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90035	651 VISITOR CENTER		В	2,381	2,381	-		112	NNSA	O	N	Not Covered								
Lawrence Live	ย 14002	001	90036	PUBLIC 652 AFFAIRS STORAGE		В	208	208	-		112	NNSA	0	N	Not Covered								
Lawrence Live	ei 14002	001	202698	653 EPD SAMPLE STAGING		Т	96	96	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90040	663 HEALTH SERVICES		В	24,786	24,786	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90041	671 PROCUREMEN	Т	В	41,476	41,476	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ei 14002	001	137350	OPTICS 681 ASSEMBLY BLDG	G - Metered intensive	В	46,819	-	46,819	Electric power	112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	140859	CHEMICAL		В	278	278	-		112	NNSA	О	N	Not Covered								
Lawrence Live	eı 14002	001	90042	691 IMF MANAGEI LAB FACILITY)	В	18,437	18,437	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ย 14002	001	90044	EPD/RHWM 693 WASTE STORAGE		В	12,000	12,000	-		112	NNSA	0	N	Not Covered								
Lawrence Live	eı 14002	001	132382	EDD/DHWM		В	10,590	10,590	-		112	NNSA	О	N	Not Covered								
Lawrence Live	ย 14002	001	140676	EPD/RHWM 695 LIQUID WST PROCSSING		В	46,504	46,504	-		112	NNSA	О	N	Covered	5,226	2014	2014	- Walk-Through	No	Completed	Portfolio Manager	
Lawrence Live	ei 14002	001	135831	EPD/RHWM 696 WST PRCSSING SOLID	Ĵ-	В	21,381	21,381	-		112	NNSA	О	N	Not Covered			-	J		*	3.	
Lawrence Live	ย 14002	001	135832	EPD/RHWM 697 WRHS-CHEM EXCHG		В	4,118	4,118	-		112	NNSA	0	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Pro		EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	oning	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 14	4015	001	90524	803 EPD/ORAD STRG WRHS	В	1,719	1,719	-	•	112	NNSA	0	N	Not Covered								
Lawrence Live 14	4015	001	90525	804 STAGING AREA	В	107	107	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90526	INERT 805 MACHNG/EXPL VS WST	В	6,830	6,830	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90528	807 HE MACHINING	В	1,575	1,575	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90533	811 VACANT	В	1,081	1,081	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90537	813 CHANGE HOUSE	В	2,870	2,870	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	131384	816 EXPLSE WASTE STRG FAC	В	1,223	1,223	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90543	819 PE/STORAGE- C&M SHOPS	В	828	828	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90545	821 CHEMISTRY STORAGE	В	650	650	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90547	824 HE STORAGE FACILITY	В	300	300	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90548	CHEM 825 PROCESS FACILITY	В	1,370	1,370	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90549	CHEM 826 PROCESS FACILITY	В	1,638	1,638	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90557	830 VACANT	В	1,764	1,764	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90559	833 EPD/ERD SERVICE-R&D	В	1,892	1,892	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90562	835 EPD/ERD STORAGE	В	1,216	1,216	-		112	NNSA	О	N	Not Covered								
Lawrence Livei 14	4015	001	90564	837 VACANT	В	1,031	1,031	-		112	NNSA	O	N	Not Covered								
Lawrence Live 14	4015	001	90567	PE/STORAGE - C&M SHOPS	В	1,786	1,786	-		112	NNSA	O	N	Not Covered								
Lawrence Live 14	4015	001	90570	848 VACANT	В	1,300	1,300	-		112	NNSA	O	N	Not Covered								
Lawrence Live 14		001	90571	850 VACANT	В	5,095	5,095	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14		001	90576	856 VACANT	В	1,613	1,613	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14		001	90579	859 STORAGE	В	1,500	1,500				NNSA		N	Not Covered								
Lawrence Live 14		001	90580	860 STORAGE	В	298	298				NNSA		N	Not Covered								
Lawrence Live 14	4015	001	90581	865 VACANT	В	61,360	61,360	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90584	BUNKER 867 SUPPORT FACILITY	В	4,342	4,342	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90585	869 PE/MAINT SHOP STORAGE	В	353	353			112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90586	870 VACANT	В	4,000	4,000	-		112	NNSA	О	N	Not Covered								
Lawrence Live 14	4015	001	90587	871 ADMINISTRATI ON	В	7,928	7,928	-		112	NNSA	О	N	Not Covered								

																			D (/D			
Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Proj Typ		EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live	14015	001	90588	872 PE/PAINT SHOP	В	1,887	1,887	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14015	001	90589	873 PE/C&M SHOPS	В	17,452	17,452	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14015	001	90590	874 MECHANICAL SHOPS	В	19,972	19,972	-		112	NNSA	O	N	Not Covered								
Lawrence Live	14015	001	90591	875 PE/SUPPLY & MAINTENANCE	В	15,171	15,171	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14015	001	90592	876 STORES & RECLAMATION	В	2,400	2,400	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	90593	COMPUTER 877 TECHL SUPPORT	В	3,352	3,352	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90594	878 PE/MAINT SHOP STORAGE	В	488	488	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90595	879 MOTOR POOL & GARAGE	В	2,879	2,879	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90596	880 VACANT	В	2,839	2,839	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90598	882 PFD COMM CENTER	В	4,912	4,912	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	137320	886 CHEMICAL STORAGE	Т	36	36	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	137312	SITE 300 889 MEDICAL FACILITY	В	2,719	2,719	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	137313	890 SITE 300 FIRE STATION	В	6,863	6,863	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90600	892 CENTRAL CONTROL POST	В	866	866	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	139177	895 EPD/ORAD OFFICE	В	380	380	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89558	1277 VACANT	T	4,058	4,058	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89559	1280 VACANT	Т	5,644	5,644	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89597	1601 VACANT	T	2,228	2,228	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89598	1602 VACANT	T	2,160	2,160	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89603	1631 OFFICE	T	1,490				112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89604	1632 VACANT	T	4,290	4,290	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89608	IMF MANAGED 1677 OFFICE FACILITY	T	28,576	28,576	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89609	1678 VACANT	T	3,550	3,550	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89611	1680 VACANT	T	5,697	5,697	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14002	001	89991	1713 TOILET TRAILER	T	335	335	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	135609	1714 SHOWER FACILITY	Т	270	270	-		112	NNSA	О	N	Not Covered								

																			Retro/Re-			
Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop Type		EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	Commissi	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	4002	001	89624	1726 JUPITER SUPPORT	Т	2,160	2,160	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89625	1727 JUPITER TECH SUPPORT	Т	1,837	1,837	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89627	1730 JUPITER VISITORS	Т	2,100	2,100	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89629	1735 JUPITER MAIN OFFICE	Т	3,261	3,261	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89630	1736 SECURITY TRAINING	Т	4,526	4,526	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89633	1739 JUPITER OFFICES	Т	5,646	5,646	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	135819	1802 TOILET TRAILER	Т	411	411	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89642	1826 VACANT	T	3,590	3,590	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89647	1878 VACANT	T	6,292	6,292	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89648	LABORATORY 1879 TRAINING CNTR	Т	11,118	11,118	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89651	1884 VACANT	Т	2,880	2,880	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89652	1885 VACANT	Т	4,266	4,266	-		112	NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89653	1886 ICS RECEIVING / STORAGE	Т	3,643	3,643	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89654	1887 VACANT	Т	5,108	5,108	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89655	1888 VACANT	Т	11,520	11,520	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89656	INSTITUTIONA 1889 LY MANAGED MULTI-TENANT	T	17,380	17,380	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89659	1925 PAT	T	2,236	2,236	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89661	1927 VACANT	Т	2,160	2,160	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	128145	2180 VACANT	Т	1,764	1,764	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89715	2512 VACANT	T	360	360	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89717	2525 VACANT	T	2,160	2,160	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	90046	2552 VACANT	T	2,100	2,100	-		112	EM	О	N	Not Covered								
Lawrence Live 1	4002	001	89726	2554 VACANT	T	740	740	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89728	SECURE 2580 COMMUNICATI ON CENTER	T	4,203	4,203	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	90001	2625 VACANT	T	240	240	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89790	2627 VACANT	T	1,867	1,867	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89735	2632 SECURITY	T	2,202	2,202	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89738	2679 VACANT	T	12,310	12,310	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89739	2684 VACANT	T	5,284	5,284	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89740	2685 VACANT	T	4,320	4,320	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89741	2687 VACANT	T	2,100	2,100	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89743	SECURITY 2701 SHOWER TRAILER	Т	720	720	-		112	NNSA	0	N	Not Covered								

																			D (//D			
Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop		EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Anticipated or Actual Energy Evaluation Date (MM/YY)	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14002	001	89628	2726 OFFICE	T	2,098	2,098	-		112 N	NSA	O	N	Not Covered								
Lawrence Liver	14002	001	89650	2727 LOCKS AND KEYS	Т	5,090	5,090	-		112 N	INSA	O	N	Not Covered								
Lawrence Liver	14002	001	89996	2728 VACANT	T	2,130	2,130	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89748	2775 SECURITY	T	9,831	9,831	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89750	2777 SECURITY ARMORY	Т	1,400	1,400	-		112 N	INSA	О	N	Not Covered								
Lawrence Liver	14002	001	89751	SECURITY 2787 FITNESS FACILITY	Т	2,160	2,160	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89753	2801 VACANT	T	2,130	2,130	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89754	2802 VACANT	T	2,130	2,130	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89832	2808 TOILET TRAILER	Т	238	238	-		112 N	INSA	0	N	Not Covered								
Lawrence Liver	14002	001	89759	2825 OFFICE	T	5,922	5,922	-		112 N	INSA	О	N	Not Covered								
Lawrence Liver	14002	001	89762	2925 VACANT	T	4,917	4,917	-		112 N	INSA	О	N	Not Covered								
Lawrence Liver		001	89778	3180 VACANT MATERIAL	T	4,371	4,371	-		112 N			N	Not Covered								
Lawrence Live		001	89783	3203 FABRICATION DIV	T	649	649	-		112 N			N	Not Covered								
Lawrence Liver		001	89784	3204 VACANT	T	649	649	-					N	Not Covered								
Lawrence Liver		001	89789	3226 VACANT	T	3,077	3,077	-		112 N	NNSA	0	N	Not Covered								
Lawrence Liver	14002	001	143411	3304 TOILET TRAILER	T	128	128	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	140533	3340 OFFICES	T	2,160	2,160	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89810	3427 VACANT	T	6,365	6,365	-		112 N	INSA	O	N	Not Covered								
Lawrence Liver	14002	001	89816	HUMAN 3526 RELIABILITY PROGRAM	Т	2,165	2,165	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89817	3527 DOE OFFICES	T	9,782	9,782	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	133598	HUMAN 3555 RELIABILITY PROGRAM	T	508	508	-		112 N	INSA	O	N	Not Covered								
Lawrence Liver	14002	001	89820	3577 VACANT	T	4,614	4,614	-		112 N	INSA	О	N	Not Covered								
Lawrence Liver	14002	001	89826	3649 BIOSCIENCES RESEARCH	Т	4,800	4,800	-		112 S	SC	О	N	Not Covered								
Lawrence Liver	14002	001	89834	3724 COMPUTATION FACILITY BLDC	т 3	19,810	19,810	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89835	NIF 3725 DIRECTORATE OFFICES	Т	19,867	19,867	-		112 N	INSA	0	N	Not Covered								
Lawrence Liver	14002	001	89836	NIF 3726 DIRECTORATE OFFICES	Т	19,824	19,824	-		112 N	INSA	О	N	Not Covered								
Lawrence Liver	14002	001	89840	3751 VACANT	T	2,160	2,160	-		112 N	INSA	O	N	Not Covered								
Lawrence Liver	14002	001	89843	3775 VACANT	T	1,440	1,440	-		112 N	NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89857	REDWOOD RM. 3925 CONF./CLASSR OOM		1,081	1,081	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89860	3982 VACANT	T	1,920	1,920	-		112 N	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89867	4107 VACANT	T	388	388	-		112 N	NNSA	О	N	Not Covered								
-																						

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Proj Typ		EC Bldg Fac	EC Metered	l Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Anticipated or Actual Energy Evaluation Date (MM/YY)	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	4002	001	89921	$^{4113}_{\rm STORAGE}^{\rm PAINT\ SHOP}$	T	203	203	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89890	4302 ERD OFFICES	T	5,022	5,022	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89892	4316 VACANT	T	299	299	-		112	EM	О	N	Not Covered								
Lawrence Live 1	4002	001	140566	4352 ERD OFC-FIELD OPERATIONS	Т	240	240	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89899	4377 ERD OFFICES	T	4,920	4,920	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89900	4378 ERD OFFICES	T	5,180	5,180	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89588	4382 VACANT	T	3,600	3,600	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89902	4383 VACANT	T	4,988	4,988	-		112	EM	О	N	Not Covered								
Lawrence Live 1	4002	001	89903	4384 VACANT	T	1,577	1,577	-		112	EM	O	N	Not Covered								
Lawrence Live 1	4002	001	89904	4385 VACANT	T	3,744	3,744	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89906	4387 VACANT	T	3,658	3,658	-		112	EM	O	N	Not Covered								
Lawrence Live 1	4002	001	89907	4388 VACANT	T	320	320	-		112	EM	O	N	Not Covered								
Lawrence Live 1	4002	001	89911	4406 VACANT	T	1,560	1,560	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89920	4475 VACANT	T	4,176	4,176	-		112	SC	O	N	Not Covered								
Lawrence Livei 1	4002	001	89923	4525 COMPUTATION FACILITY BLDG	T	5,713	5,713	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89924	4576 COMPUTATION FACILITY BLDG	T	848	848	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89925	4675 EMPLOYEE RESOURCES	Т	11,287	11,287	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89926	4725 VACANT	T	9,389	9,389	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89927	4726 S&T / COMP	T	9,384	9,384	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89928	4727 O&B TID LIBRARY	Т	9,891	9,891	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89929	4728 COMPUTATION S	T	6,762	6,762	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89930	4729 O&B TID LIBRARY	Т	10,018	10,018	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89935	4905 VACANT	Т	322	322	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89936	4906 VACANT	T	322	322	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	143340	4924 VACANT	T	638	638	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89941	4926 VACANT	T	1,638	1,638	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89949	5104 INDUSTRIAL GAS FACILITY	T	624	624	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	4002	001	89950	LABOR ONLY 5105 CONSTRUCTIO N	Т	510	510	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89953	LABOR ONLY 5125 CONSTRUCTIO N OFFICE	Т	2,912	2,912	-		112	NNSA	0	N	Not Covered								
Lawrence Live 1	4002	001	89967	5207 MUSD / AC STORAGE	Т	320	320	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	4002	001	89969	LABOR ONLY 5225 CONSTRUCTIO N OFFICE	Т	1,952	1,952	-		112	NNSA	0	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID Prop Name	Excl Part Prop		EC Bldg Fac	EC Metered	l Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	oning	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	14002	001	89970	5226 VACANT	Т	2,548	2,548	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89976	5425 VACANT	T	5,260	5,260	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89977	5426 VACANT	T	5,180	5,180	-		112	EM	О	N	Not Covered								
Lawrence Live 1	14002	001	89979	5475 ICS DEPT OFFICE	Т	32,368	32,368	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89980	IMF MANAGED 5477 OFFICE FACILITY	Т	6,693	6,693	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	89983	5626 AUDIT & OVERSIGHT	Т	4,356	4,356	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	89984	5627 LEGAL SERVICES	Т	8,470	8,470	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	141330	5675 STAFF RELATIONS	Т	4,277	4,277	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	90019	6127 EPD/RHWM OFFICE	Т	1,560	1,560	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	90024	EPD/RHWM 6178 OFF/CHANGE HOUSE	Т	1,040	1,040	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	90025	6179 EPD/RHWM OFFICE	Т	3,904	3,904	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89742	MUSD HEAVY 6205 EQUIP. STORAGE	Т	404	404	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89818	6206 IE STORAGE	Т	684	684	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	201383	6301 RIGGER STORAGE	T	732	732	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	90032	6325 VACANT	T	4,320	4,320	-		112	EM	О	N	Not Covered								
Lawrence Live 1	14002	001	89865	6424 VACANT	Т	390	390	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89994		T	2,100	2,100	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	209507	HIGH 6475 PERFORMANCE COMPUTING	В	12,070	12,070	-		112	NNSA	С	N	Not Covered								
Lawrence Live 1	14002	001	90034	PUBLIC 6501 AFFAIRS OFFICE	Т	908	908	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	90037	6525 VISITORS CTR AUDITRM	Т	971	971	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	90038	PUBLIC 6526 AFFAIRS OFFICE	Т	2,756	2,756	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	89667	6527 VACANT	T	2,115	2,115	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	90039	PUBLIC 6575 AFFAIRS OFFICE	Т	1,460	1,460	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89730		T	1,416	1,416	-		112	NNSA	О	N	Not Covered							-	
Lawrence Live 1	14002	001	533	6901 TOILET TRAILER	Т	520	520	-		112	NNSA	O	N	Not Covered								
Lawrence Live 1	14002	001	90043	6925 OFFICES	T	5,873	5,873	-		112	NNSA	О	N	Not Covered								
Lawrence Live 1	14002	001	89781	6926 OFFICES	T	2,160	2,160	-		112	NNSA	O	N	Not Covered								
-	-										-	-			-		-	-			-	

Site Name	Site	Area	Seq No	Prop ID Prop Name		rop ype GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14002	001	89631	6928 OFFICES	T	1,912	1,912	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	201479	6929 NIF OFFICE TRAILER	Т	4,925	4,925	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	201480	6930 NIF OFFICE TRAILER	Т	5,937	5,937	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	90045	EPD/RHWM 6951 SERVICE BUILDING	T	1,440	1,440	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	143464	6989 TOILET TRAILER	Т	756	756	-		112	2 NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	137861	7990 DINE COLLEGE OFFICES	T	880	880	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90561	8340 EPD/ERD SRVC MNTRNG TF834	Т	282	282	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	204013	8580 BREAKROOM TRAILER	Т	384	384	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	136739	8724 EPD/ERD SERVICE-R&D	T	322	322	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver		001	128006	8726 EPD/ERD OFFICE	T	953	953	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90597	8806 VACANT	T	509	509	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	132064	8825 SHOWER FACILITY	Т	370	370	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	132065	8826 SECURITY FITNESS	Т	943	943	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90601	B899 A&B 8990 WASH UP FACILITY	Т	281	281	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	135719	8991 INSTRUCTOR FACILITY	Т	480	480	-		112	2 NNSA	O	N	Not Covered								
Lawrence Liver	14002	001	89495	002LS LANDSCAPING	S		-	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	208114		В	3,750	3,750	-		112	2 NNSA	С	N	Not Covered								
Lawrence Liver	14002	001	204000	STORAGE	В	205	205	-		112	2 NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	89503	COMPRESSOR	S		-	-		112	2 NNSA	О		Not Covered								
Lawrence Liver	14002	001	89504	CMPRSSED AIR 022CA SYS COMPRESSOR	S		-	-		112	2 NNSA	O		Not Covered								
Lawrence Liver	14002	001	89505	SYS DIST LINES	S S		-	-		112	2 NNSA	O		Not Covered								
Lawrence Liver	14002	001	89506	SITEWIDE 02AL ACCELERATOR S	. S		-	-		112	2 NNSA	O		Not Covered								
Lawrence Liver	14002	001	89508	02CND RETURN LINES / CONDENSATE			-	-		112	2 NNSA	O		Not Covered								
Lawrence Liver	14002	001	89509	02CSL COMM SYSTEM LINES	s s		-	-		112	2 NNSA	О		Not Covered								

Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	4002	001	112	02EDT	ELECTRIC DIST TRANSFORMER S	S	3		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	4002	001	89511	02EGU	UTIL ELECT GENERATORS	S	1		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89512	02EPL	UTIL ELEC PRI DIST LINES	S	1		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89513	02EPT	ELEC POWER TRANSFORMER S	S	;		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	4002	001	89514	02ESL	UTIL ELEC SEC DIST LINES	S	i		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89515	02FAS	FIRE ALARM SYSTEM	S	\$		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89516	02FNC	ALL OTHER FENCES	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89517	02GAWR	GARAGE AUTO WASH RACK	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89520	02GSDL	GAS SYS DIST LINES	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89524	02LGS	UTIL ELECT SUBSTATIONS	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	1	02LLIX	LLIX CABLE SYSTEM	S	1		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89525	02MFEST	ERD STORAGE AREA	S	1		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89526	02OST	STORAGE OIL TANKS TO-1	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89527	02PRK	ALL OTHER PARKING AREAS	S	;		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89529	02RDP	ROADS PAVED	S	\$		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	4002	001	89530	02RDU	ROADS UNPAVED & IMPROVED	S	\$		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89531	02RTW	RETAINING WALLS	S	;		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	4002	001	89532	02SAS	SECURITY ALARM SYSTEM	S	3		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89533	02SCL	ALL OTHER SECURITY LIGHTG	S	3		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89534	02SCSG	SEWER COLL SYST GRAVITY	S	3		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	4002	001	89535	02STL	ALL OTHER STREET LIGHTING	S	}		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	4002	001	89536	02STM	SUPPLY LINES / STEAM	S	1		-	-		112	NNSA	О		Not Covered								

Site Name	Site	è	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owner hip	S Outgran	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liv	/ei 14002	001	1	89537	02SWCS	STORM WATER COLL SYS GRAV		S		-	-		112	NNSA	0	•	Not Covered								
Lawrence Liv	/ei 14002	001	1	89538	3 02SWP	ALL OTHER SIDEWALKS & PATHS		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14002	001	1	89540	02TS	TRUCK SCALE		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14002	001	1	89541	02WRS	WASTE RETENTION SYSTEM		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/eı 14002	001	1	127068	3 132N	DPRF		В	251,316	251,316	-		112	NNSA	О	N	Covered	19,105	2013	201	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liv	/ei 14002	001	1	89562	132S	G.S		В	219,385	219,385	<u>-</u>		112	NNSA	О	N	Covered	14,928	2013	201	3 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liv	/ei 14015	001	1	90498	3 15AL	SITEWIDE ACCELERATOR S		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90499	15CASC	CONPRD AIR SYS COMPRESS	3	S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90500	15CSL	COMM SYSTEM LINES	ſ	S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90501	15CW	WATER SYS POTBL DIST		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14015	001	1	90502	15EDT	ELECT DIST TRANSFORMER S	R	S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90503	15EGV	UTILITY ELEC GENERATORS		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14015	001	1	90504	15EPL	UTIL PRI ELEC DIST LINES		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14015	001	1	90505	15EPT	ELEC POWER TRANSFORMER S	R	S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14015	001	1	90506	5 15ESL	UTIL ELEC SEC DIST LINES		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90507	15FAS	FIRE ALARM SYSTEM		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90508	15FNC	ALL OTHER FENCES		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liv	/ei 14015	001	1	90509	15GDS	GAS DIST SYSTEM		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90510	15HS	HEATING SYS / BOILERS / OIL		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90511	15LGS	UTIL ELEC SUBSTATIONS		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90512	2 15LS	LANDSCAPING		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90513	15RW	RETAINING WALL		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liv	/ei 14015	001	1	90514	15RWPA	ROADS WALKS PAVED AREAS		S		-	-		112	NNSA	О		Not Covered								

																					Dotus/Do			
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver 1	14015	001	90515	15SAS	SECURITY ALARM SYSTEM		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90516	15SCL	ALL OTHER SECURITY LIGHTGS		S		-	-		112	NNSA	0		Not Covered								
Lawrence Live 1	14015	001	90517	15SCSG	SEWAGE COLL SYS GRAVITY		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90518	15SOT	STORAGE OIL TANK		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90519	15SPS	SEWAGE POND / SEPTIC & RETN TKS		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90520	15STL	ALL OTHER STREET LIGHTING		S		-	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90640	15WST	WATER STORAGE TANKS - 11		S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	128200	170A	VACANT		В	800	800	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	134179	193A	EPD/ORAD SRVC-MNTRNG STAT	ł	В	151	151	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	89663	194A	VACANT		В	240	240	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	129496	196A	EPD/ORAD STORAGE		В	112	112	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	201360	231A	BEAD BLASTER RECEIVING	₹-	Т	110	110	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	89766	297A	MUSD CLASS DOC DESTRUCTION		В	320	320	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	138782	312A	VACANT		В	107	107	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	89786	321A	MATERIALS FAB SHOP		В	59,515	59,515	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	205437	321B	MATERIALS FAB SHOP		В	7,511	7,511	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	205438	321C	MATERIALS FAB SHOP		В	78,335	78,335	-		112	NNSA	О	N	Covered	28,000	2016	2016	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver 1	14002	001	89787	321D	EE FABRICATION		В	2,106	2,106	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	139832	321E	MMED BOILER ROOM		В	2,581	2,581	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	89791	322A	PLATING SHOP ANNEX		В	340	340	-		112	NNSA	О	N	Not Covered								
Lawrence Liver l	14002	001	129497	335A	EMRGCY RESPONSE FACILITY		В	64	64	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	129498	335B	EMRGCY RESPONSE FACILITY		В	64	64	-		112	NNSA	О	N	Not Covered								
Lawrence Liver 1	14002	001	89957	514A	VACANT		В	2,473	2,473	-		112	EM	0	N	Not Covered								
Lawrence Liver 1	14002	001	89963	517A	MUSD / CUSTODIAN LAUNDRY RM		В	462	462	-		112	NNSA	О	N	Not Covered								

Site Name Site Name Site Area Seq No Prop ID Prop Name Excl Part Prop Type GSFT EC Bldg Fac EC Metered Justification EMS Site Program Owners Outgrant Covered or Not Covered? Estimated Total Energy Used (10^6 x Btm/Yr) Covered? Covered?	Actual Water Evaluation Date (MM/YY) Actual Evaluation Type/Level Type/Level Actual Evaluation Oning Assessmen t Type/Level Type/Level	enchmarking Additional Information
Lawrence Liver 14002 001 130929 516A GAS STORAGE 1 193 193 - 112 NNSA O N Not Covered HEAVY Lawrence Liver 14002 001 138127 519A EQUIPMENT T 401 401 - 112 NNSA O N Not Covered STORAGE Lawrence Liver 14002 001 130921 551E O&B / F&I B 41 068 41 068 - 112 NNSA O N Not Covered	5 2015 Walk-Through No Completed Portfo	
Lawrence Live 14002 001 138127 519A EQUIPMENT T 401 401 - 112 NNSA O N Not Covered STORAGE Lawrence Live 14002 001 130291 551F O&B / F&I B 41 068 41 068 - 112 NNSA O N Not Covered	5 2015 Walk-Through No Completed Portfo	
Lawrence Liver 14002 001 130201 5515 O&B / F&I B 41 068 41 068 112 NNSA O N Not Covered	5 2015 Walk-Through No Completed Portfo	
	5 2015 Walk-Through No Completed Portfo	
Lawrence Livei 14002 001 130292 551W BUS/NCOP/TID/ SCM B 65,776 65,776 - 112 NNSA O N Covered 4,983		folio Manager
Lawrence Livei 14002 001 136921 597A		
Lawrence Live: 14002 001 90020 612A		
Lawrence Live 14015 001 90522 801A FIRING B 44,262 44,262 - 112 NNSA O N Not Covered		
TECHNICAL Lawrence Live 14015 001 133958 801B MAINTENANCE B 790 790 - 112 NNSA O N Not Covered SHOP		
Lawrence Livei 14015 001 133961 801D ADMINISTRATI B 4,686 4,686 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 90523 802A VACANT B 3,264 3,264 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 90527 806A HE MACHINING B 3,417 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 133963 806B HE MACHINING B 4,088 4,088 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 130264 806C MACHINING B 640 640 - 112 NNSA O N Not Covered		
Lawrence Livei 14015 001 133967 806D MACHINING B 192 192 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 90530 809A HE PRESSING B 2,570 2,570 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 143694 809B MECHANICAL B 617 617 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 139520 809C		
Lawrence Live 14015 001 90532 810A HE ASSEMBLY B 3,365 3,365 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 133974 810B HE ASSEMBLY B 921 921 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 133975 810C ASSEMBLY B 914 914 - 112 NNSA O N Not Covered		
Lawrence Livei 14015 001 90534 812A VACANT B 2,656 2,656 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 134157 812D VACANT B 325 325 - 112 NNSA O N Not Covered		
Lawrence Live 14015 001 134160 812E LABORATORY B 1,310 1,310 - 112 NNSA O N Not Covered		
HE PRESSING Lawrence Livel 14015 001 90539 817A CONTROL B 417 417 - 112 NNSA O N Not Covered ROOM		

																					Retro/Re-			
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr)	Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Commissi	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	4015	001	133981	817B	HE PRESSING CELL		В	639	639	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133984	817D	HE PRESSING STORAGE		В	207	207	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133985	817E	HE PRESSING- INACTIVE		В	186	186	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133986	817F	HE PRESSING OVENS		В	526	526	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133987	817G	HE PRESSING BOILERS		В	237	237	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133988	817H	HE PRESSING INERT STORAGE		В	890	890	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	90541	818A	HE STORAGE FACILITY		В	1,244	1,244	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133989	818C	HE STORAGE FACILITY		В	578	578	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	90546	823A	LINAC RADIOGRAPHY	7	В	1,089	1,089	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133990	823B	LINAC RADIOGRAPHY	7	В	1,842	1,842	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	90550	827A	CHEMISTRY BLDG		В	4,539	4,539	-		112	NNSA	О	N	Not Covered								
Lawrence Live	4015	001	90551	827B	SERVICE SHOP		В	871	871	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	4015	001	90552	827C	CHEM PROCESS FACILITY		В	4,579	4,579	-		112	NNSA	О	N	Not Covered								
Lawrence Live	4015	001	90553	827D	CHEM PROCESS FACILITY		В	4,579	4,579	-		112	NNSA	О	N	Not Covered								
Lawrence Live	4015	001	90554	827E	CHEM PROCESS FACILITY		В	4,407	4,407	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90555	828A	OFFICE		В	212	212	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	4015	001	133991	828B	HE MACHINING INACTIVE	} -	В	199	199	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133992	828C	HE MACHINING INACTIVE	3 .	В	258	258	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90558	832A	STORAGE		В	540	540	-		112	NNSA	О	N	Not Covered								
Lawrence Live	14015	001	133994	832C	STORAGE		В	335	335	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133996	832E	MM OFFICE/SHIP&R ECEIVE	R	В	1,581	1,581	-	,	112	NNSA	0	N	Not Covered								
Lawrence Live	4015	001	90560	834A	THERMAL TEST FACILITY	Γ	В	1,694				112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133997	834B	VACANT		В	751	751	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	130265	834C	VACANT		В	751	751	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	4015	001	133998	834D	VACANT		В	1,694	1,694	-		112	NNSA	0	N	Not Covered								

Site Name	Site	Area	Seq No	Prop ID	Prop Name		rop type GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yr	Actual Energy Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14015	001	134000	834E	VACANT	В	998	998	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14015	001	134001	834F	VACANT	В	649	649	-		112	NNSA	0	N	Not Covered								
Lawrence Live	14015	001	134002	834G	VACANT	В	527	527	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	134003	834H	THERMAL TEST FACILITY	В	998	998	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134004	834J	VACANT	В	511	511	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	130266	834K	PUMP STATION	В	545	545	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134005	834L	VACANT	В	1,281	1,281	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90563	836A	DYNAMIC TEST FACILITY	В	2,191	2,191	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134007	836B	VACANT	В	4,505	4,505	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134010	836C	VACANT	В	2,900	2,900	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	134011	836D	DYNAMIC TEST FACILITY	В	3,427	3,427	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90568	843A	EPD/ERD CORP YARD	В	486	486	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	131922	843B	EPD/ERD STORAGE	В	402	402	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90569	845A	EXPL WASTE TREATMNT FAC	В	431	431	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14015	001	133564	845B	EWTF	В	290	290	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	90572	851A	FIRING FACILITY	В	12,996	12,996	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134014	851B	MACHINE SHOP	В	985	985	-		112	NNSA	0	N	Not Covered								
Lawrence Liver	14015	001	134701	851C	FABRICATION SHOP	В	652	652	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90574	854A	VACANT	В	2,458	2,458	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	90575	855A	HE MACHINING	В	667	667	-		112	NNSA	O	N	Not Covered								
Lawrence Liver	14015	001	134046	855B	HE MACHINING	В	637	637	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	134047	855C	HE MACHINING	В	612	612	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	129504	874A	VACANT	T	279				112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	129505	874B	VACANT	T	279	279	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	138146	899A	GUN SHOP	В	572	572	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14015	001	138147	899B	PISTOL RANGE TRNING/OFFICE	В	688	688	-		112	NNSA	О	N	Not Covered								
Lawrence Liver	14002	001	90049	CW01	WATER SYS POT DISTRIBUTION	S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90050	CW02	WATER SYS POT SUPPLY LINE	S		-	-		112	NNSA	0		Not Covered								

Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Live 1	14002	001	90051	CW03	WATER SYS POT STA(ZONE7)	;	S		-	-		112	NNSA	O		Not Covered		1						
Lawrence Live 1	14002	001	90052	CW06	STORAGE WATER TANKS	;	S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	90053	DW001	WATER SYS DW TREAT PLTS	ľ	S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	90054	DW002	WATER SYS DW DIST	;	S		-	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	90056	LCW06	CLG WATER SYS DISTRIBUTION	;	S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	204001	OS012A	SECURITY KIOSK	;	S		26	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	204002	OS012B	SECURITY KIOSK	;	S		26	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	204003	OS012C	SECURITY KIOSK	;	S		26	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	130229	OS041S	SECURITY KIOSK	;	S		60	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	130228	OS071N	SECURITY KIOSK		S		132	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	130227	OS113E	SECURITY KIOSK		S		34	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	136771	OS122S	SECURITY KIOSK	;	S		217	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	130225	OS122W	SECURITY KIOSK	;	S		60	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	130204	OS169W <i>A</i>	EPD/RHWM AFWASTE ACC AREA	;	S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	201336	OS231S	SECURITY KIOSK	ľ	S		90	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	136985	OS235N	SECURITY KIOSK	;	S		32	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	136773	OS243W	SECURITY KIOSK	;	S		32	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	90073	OS270	PROGRAMMAT IC STORAGE SO PRO FORCE)	S		433	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14002	001	90058	OS273	LINE OF SITE VAULT		S		831	-		112	NNSA	0		Not Covered								
Lawrence Live 1	14002	001	130207	OS298A	OUTSIDE STORAGE		S		-	-		112	NNSA	0		Not Covered								
Lawrence Live 1	14002	001	130226	OS316N	SECURITY KIOSK		S		49	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	201318	OS321E	SECURITY KIOSK		S		54	-		112	NNSA	О		Not Covered								

Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver 1	14002	001	130208	OS321WA	BUILDING 321 WAA		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	130209	OS332WA	BUILDING 332 WAA		S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	90059	OS338	GUARD TOWER		s		416	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	130210	OS361WA	BIO WST AF ACCUMLTN AREA		S		-	-		112	NNSA	0		Not Covered								
Lawrence Live 1	14002	001	90061	OS394	VACANT		S		144	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	136774	OS415W	SECURITY KIOSK		S		154	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	130211	OS418WA	BUILDING 418 WAA		S		-	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	200870	OS454	TSF COOLING TOWERS		s		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	89944	OS495	STORAGE		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	207155	OS513	E85 FUELING STATION		s		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	90063	OS518	GAS CYLINDER DOCK		S		3,270	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	204249	OS601	GUARD KIOSK		S		83	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	144392	OS610E	SECURITY KIOSK		S		49	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	11	OS621	CNG FUEL STATION		S		824	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	136775	OS651N	SECURITY KIOSK		S		92	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	90064	OS665	MEDICAL TRIAGE AREA		S		576	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14002	001	140981	OS682	NIF CENTRAL PLANT		S		-	8,880)	112	NNSA	О		Not Covered								
Lawrence Liver 1	14002	001	140860	OS683	NIF COOLING TOWER		S		-	2,104	ı	112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90535	OS812B	VACANT		S		995	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90536	OS812C	VACANT		S		1,007	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	203715	OS812P	MITIGATION POND		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	135317	OS845C	EWTF BURN PAD		s		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90578	OS858	DROP TOWER COMPLEX STORAGE		S		1,506	-		112	NNSA	О		Not Covered								

							Duon							0	Outomont	Covered or	Estimated Tota	Anticipated or	Anticipated or	Anticipated or	Retro/Re- Commissi	Dan ahan a ula	Danah mankina	Additional
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	hip	Outgrant Ind	Not	Energy Used (10^6 x Btu/Yr		Actual Water Evaluation Date (MM/YY)	Actual Evaluation Type/Level	oning Assessmen t	Benchmark ing Status	Benchmarking System	Information
Lawrence Liver 1	14015	001	134294	OS858B	DROP TOWER - VACANT		S		-	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90611	OS883	EPD/RHWM CNTNR STRG UNIT		S		3,829	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	131777	OS891	MAIN GATE KIOSKS A		S		50	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90613	OS894	PROCESS AREA POST	L	S		152	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90615	OS896A	EAST OBSERVATION POST		S		33	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90616	OS897	WEST CONTROL POST		S		294	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90617	OS898	WEST OBSERVATION POST		S		572	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90618	OS899	PISTOL RANGE	Į.	S		-	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	136722	OS899C	LIVE FIRE HOUSE		S		11,140	-		112	NNSA	О		Not Covered								
Lawrence Liver l	14015	001	138148	OS899D	RIFLE RANGE		S		-	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90619	OSM1	MAGAZINE- STORAGE VAULT		S		387	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	143336	OSM10	HE STORAGE MAGAZINE		S		104	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	143203	OSM15	HE STORAGE MAGAZINE		S		120	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90620	OSM2	HE WASTE STORAGE MAGAZINE		S		538	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	131778	OSM21	MAGAZINE- STORAGE VAULT		S		386	-		112	NNSA	О		Not Covered								
Lawrence Liver l	14015	001	131779	OSM22	MAGAZINE- STORAGE VAULT		S		390	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	131780	OSM23	MAGAZINE - STORAGE VAULT		S		369	-		112	NNSA	О		Not Covered								
Lawrence Liver I	14015	001	131781	OSM24	MAGAZINE- STORAGE VAULT		S		48	-		112	NNSA	О		Not Covered								
Lawrence Livei 1	14015	001	90621	OSM3	HE WASTE STORAGE MAGAZINE		S		137	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90622	OSM30	MAGAZINE- STORAGE VAULT		S		386	-		112	NNSA	0		Not Covered								
Lawrence Liver 1	14015	001	90623	OSM31	MAGAZINE- STORAGE VAULT		S		389	-		112	NNSA	О		Not Covered								
Lawrence Livei 1	14015	001	90624	OSM32	MAGAZINE- STORAGE VAULT		S		389	-		112	NNSA	0		Not Covered								

						1															D (D			
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metered	Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Actual Energy Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Actual Evaluation	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver 1	14015	001	90625	OSM33	HE STORAGE MAGAZINE		S		139	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90626	OSM34	MAGAZINE-HE CUBCL STRGE	;	S		36	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90602	OSM35	MAGAZINE- STORAGE VAULT	;	S		386	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90603	OSM36	HE STORAGE MAGAZINE		S		386	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14015	001	90604	OSM37	MAGAZINE-HE CUBCL STRGE		S		36	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14015	001	132166	OSM38	MAGAZINE- STORAGE VAULT		S		641	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90627	OSM4	HE WASTE STORAGE MAGAZINE		S		137	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	132167	OSM41	MAGAZINE- STORAGE VAULT		S		641	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	131782	OSM5	HE WASTE STORAGE MAGAZINE		S		140	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90628	OSM51	HE STORAGE MAGAZINE	;	S		138	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	134700	OSM52	MAGAZINE- STORAGE VAULT		S		492	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	203825	OSM58	STORAGE MAGAZINE		S		61	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	90630	OSM7	MAGAZINE- STORAGE VAULT		S		387	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14015	001	90631	OSM70	MAGAZINE- STORAGE VAULT		S		305	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90632	OSM71	MAGAZINE- STORAGE VAULT		S		136	-		112	NNSA	О		Not Covered								
Lawrence Live 1	14015	001	90633	OSM72	MAGAZINE- STORAGE VAULT	i	S		136	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90634	OSM8	MAGAZINE- STORAGE VAULT	i	S		387	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14015	001	90635	OSM80	M80 READY VAULT	i	S		389	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14015	001	136582	OSM817C	HE STORAGE MAGAZINE	;	S		366	-		112	NNSA	O		Not Covered								
Lawrence Live 1	14015	001	131309	OSM82	MAGAZINE - STORAGE	;	S		62	-		112	NNSA	O		Not Covered								
Lawrence Liver 1	14015	001	90636	OSM83	M83 READY VAULT		S		422	-		112	NNSA	О		Not Covered								
Lawrence Liver 1	14015	001	136583	OSM832E	EXPLOSIVES STORAGE	:	S		568	-		112	NNSA	О		Not Covered								

																					D - 4 /D -			
Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT	EC Bldg Fac	EC Metere	d Justification	EMS Site	Program	Owners hip	Outgrant Ind	Not	Estimated Total Energy Used (10^6 x Btu/Yr)	Anticipated or Actual Energy Evaluation Date (MM/YY)	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14015	001	136584	OSM832D	HE SHIPPING AND RECEIVING		S		572	-	·	112	NNSA	0		Not Covered								
Lawrence Liver	14015	001	134140	OSM834N	1 HE STORAGE		S		1,690	-		112	NNSA	О		Not Covered								
Lawrence Liver	14015	001	134043	OSM854H	MAGAZINE STORAGE		S		3,205	-		112	NNSA	O		Not Covered								
Lawrence Liver	14015	001	134139	OSM854V	STORAGE		S		500	-		112	NNSA	O		Not Covered								
Lawrence Liver	14015	001	136585	OSM857	MAGAZINE STORAGE VAULT		S		457	-		112	NNSA	О		Not Covered								
Lawrence Liver	14015	001	135970	OSV822A	D CONTRL MTLS- STRG VAULT		S		297	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90066	U011	ERD TREATMNT FAC A		S		402	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90067	U042	ERD TREATMNT FAC B		S		402	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90069	U119	TELCOM NODE #11		S		2,061	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	131805	U172	TELCOM NODE #12		S		675	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90070	U187	ERD TREATMNT FAC		S		1,225	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90071	U193	SEWER DIVERSION FAC		S		72	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	89745	U271T	MICROWAVE TOWER		S		-	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	133599	U283	TELCOM NODE #3		S		216	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90074	U291	LCW STATION		S		6,981	-		112	NNSA	О		Covered	34,091	2016	2010	6 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	90075	U295	PUMP HOUSE		S		1,128	-		112	NNSA	О		Not Covered						-	-	
Lawrence Liver	14002	001	133600	U299	TELCOM NODE #4		S		675	-		112	NNSA	0		Not Covered								
Lawrence Liver	14002	001	133601	U313A	TELCOM NODE #10		S		216	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	90076	U313B	HC EMRGCY COMM RADIO CTR		S		336	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	90078	U325	LCW CONTROL		S		5,072	-		112	NNSA	O		Covered	35,695	2015	201:	5 Walk-Through	No	Completed	Portfolio Manager	
Lawrence Liver	14002	001	131775	U328C	PE/LCW CONTROL BLDG		S		300	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	90079	U416	BOILER FACILITY		S		743	-		112	NNSA	O		Not Covered								
Lawrence Liver	14002	001	90080	U424	ELECTRICAL SUBSTATION		S		4,456	-		112	NNSA	0		Not Covered								
Lawrence Liver	14002	001	133602	U430	TELCOM NODE #9		S		675	-		112	NNSA	0		Not Covered								
Lawrence Liver	14002	001	133603	U448	TELCOM NODE #8		S		675	-		112	NNSA	О		Not Covered								
Lawrence Liver	14002	001	133604	U470	TELCOM NODE #2		S		675	-		112	NNSA	0		Not Covered								
Lawrence Liver	14002	001	90081	U472	ERD TREATMENT FAC D		S		1,313	-		112	NNSA	О		Not Covered								
	-			-				-									-	-	·				·	

Site Name	Site	Area	Seq No	Prop ID	Prop Name	Excl Part	Prop Type	GSFT EC Bldg Fa	ac EC Metered	l Justification	EMS Site	Program	Owners hip	Outgran Ind	Not	Estimated Tota Energy Used (10^6 x Btu/Yı	Evaluation Date	Anticipated or Actual Water Evaluation Date (MM/YY)	Anticipated or Actual Evaluation Type/Level	Retro/Re- Commissi oning Assessmen t	Benchmark ing Status	Benchmarking System	Additional Information
Lawrence Liver	14002	001	13360	5 U599	TELCOM NODES 5&6		S	68	8 -		112	2 NNSA	О		Not Covered								
Lawrence Liver	14002	001	13663	0 U6042	MOCHO POT PUMP STA HH		S	35	2 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14002	001	13663	1 U6047	SANDIA WTR TNKS CNTRL STATN		S	26	8 -		112	2 NNSA	О		Not Covered								
Lawrence Liver	14002	001	13360	06 U664	TELCOM NODE #7	E	S	21	6 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	9063	9 U815	CNTRL AIR PLANT/STRG		S	1,30	0 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001		4 U842	INSTAL COMM HUT#1 CW BOOSTER		S	41				2 NNSA			Not Covered								
Lawrence Liver		001		06 U844 -1 U846	STATION #1 ELECTRICAL		S	37				2 NNSA 2 NNSA			Not Covered								
Lawrence Liver		001		6 U847	SUBSTATION CW BOOSTER		S S	35				2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	9064	2 U849	STATION #2 COMM RADIO TRANS		S	10	0 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	14098	5 U849A	COMM RADIO TWR CNTRL BLDG		S	13	8 -		112	2 NNSA	0		Not Covered								
Lawrence Live	14015	001	14098	3 U849B	COMM TWR GENERATOR BLDG		S	17	7 -		112	2 NNSA	О		Not Covered								
Lawrence Liver	14015	001	14098	4 U849C	COMM RADIO TWR CNTRL BLDG		S	33	6 -		112	2 NNSA	О		Not Covered								
Lawrence Liver	14015	001	9064	3 U853	CW BOOSTER STATION #3		S	35	2 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	13698	66 U865D	ELECTRICAL SUBSTATION		S	2,45	0 -		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	13327	5 U866	INSTAL COMM HUT #2 S300		S	41	-		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	9059	9 U882T	MICROWAVE TOWER		S	-	-		112	2 NNSA	0		Not Covered								
Lawrence Liver	14015	001	13731	4 U887	WELL 20 POTBI WATER WELL	Ĺ	S	14	1 -		112	2 NNSA	О		Not Covered								
Lawrence Liver	14015	001	13731	5 U888	WELL 18 POTBI WATER WELL	L	S	17	1 -		112	2 NNSA	0		Not Covered								
						-		6,943,718 6,214,581	821,196		-	-				704,359							



- 1. DOE Building Exclusion Self-Certification Form FY12
- 2. LLNL Metering Plan Update, November 2012

LLNL-AR-603352 App-1

DOE BUILDING EXCLUSION SELF-CERTIFICATION FORM FY 2012

FROM:

Lawrence Livermore National Laboratory

Program Office Landlord: NNSA

TO:

Sustainability Performance Office

DATE:

October 19, 2012

SUBJECT:

SELF CERTIFICATION FORM FOR THE ENERGY INTENSITY GOAL OF

EISA 2007

Each buildings or group of buildings that are to be excluded under the criteria for a Part G or Part H exclusion is/are metered for energy consumption and their consumption is reported annually.

If any building has been excluded under the criteria for Part H for impracticability then all practicable energy and water conservation measures with a payback of less than 10 years have been installed. A justification statement that explains why process-dedicated energy in the facility may impact the ability to meet the goal has been provided in the FIMS Report 063.

I certify that the buildings listed on the Excluded Buildings List produced by FIMS as Report 063 dated 24 September 2012 for Lawrence Livermore National Laboratory (page 1 of 1 attached) and the Other Structures listed in Part J (attached) meet the exclusion criteria in *Guidelines Establishing Criteria for Excluding Buildings* published by FEMP on January 27, 2006.

DOE Site Office Official – printed name

DOE Site Office Official signature

11 20/2012

Contact Information: Name: Carey Bailey

Title: Sustainability Program Manager

Phone: (925) 422-1295 eMail: <u>bailey1@llnl.gov</u>

Definitions of Exclusions PART B through PART \mathbf{H}

PART B —	Building or group of buildings is privately owned and privately occupied but happen to be colocated on Federal lands or military installations. (Privately owned buildings listed in FIMS will not be excluded in this Part.)
PART C	Building or group of buildings has Fully-Serviced Leases.
PART D —	Building or group of buildings is/are essentially structures such as outside parking garages which consume essentially only lighting energy, yet are classified or categorized as buildings.
PART E —	Building or group of buildings has energy usage that is skewed significantly due to reasons such as: buildings entering or leaving the inventory during the year, buildings down-scaled operationally to prepare for decontamination, decommissioning and disposal, and buildings undergoing major renovation and/or major asbestos removal.
PART F —	Building or group of buildings is/are leased space where the Government may pay for some energy but not all, the space comprises only part of a building, or the expiration date of the lease limits the ability to undertake energy conservation measures.
PART G <u>✓</u>	(BOTH statements in this part must be met for exclusion) Building or group of buildings is/are separately-metered energy-intensive loads that are driven by mission and operational requirements, not necessarily buildings, and not influenced by conventional building energy conservation measures.
	AND
✓	Building or group of buildings is/are metered for energy consumption and their consumption will be reported annually.
PART H _	(BOTH statements in this part must be met for exclusion) Building or group of buildings can demonstrate four critical findings at the excluded building(s): 1) Energy requirements are impracticable; 2) All Federally required energy management reports have been completed and submitted; 3) Has achieved compliance with all energy efficiency requirements; and 4) Implementation of all practicable, life cycle cost-effective projects.
	AND
_	Building or group of buildings is/are metered for energy consumption and their consumption will be reported annually.

Part J

FIMS Site	Site Name	Prop Sequence	Property ID	Prop Name	EXCLUSION	PROPERTY	Comments
Number					PART	TYPE	
14002	Lawrence Livermore National Laboratory	200806	453	TERA SCALE FACILITY	G	В	Note 1
14002	Lawrence Livermore National Laboratory	200870	OS 454	TSF COOLING TOWERS	G	S	Note 1
14002	Lawrence Livermore National Laboratory	89922	451	COMPUTATION FACILITY BLDG	G	В	Note 2
14002	Lawrence Livermore National Laboratory	140320	581	LTAB	G	В	Note 3
14002	Lawrence Livermore National Laboratory	137350	681	OPTICS ASSMBY BLDG	G	В	Note 3
14002	Lawrence Livermore National Laboratory	140981	OS 682	NIF CENTRAL PLANT	G	S	Note 3
14002	Lawrence Livermore National Laboratory	140860	OS 683	NIF COOLING TOWER	G	S	Note 3

- Note 1 TSF facilities include B453 and OS 454. Electric metered data has been identified via review of 1-line diagrams and coordination with dedicated electric meter reports prepared by PE / Site Utilities Division / Electric Utilities Group using the MV-90 data collection software. The Computations facility management team identified process and building related, non-process, meters. The computer floor (48,000-SF) will be reported as Metered Process per the Instructions for DOE Building Exclusions Self-Certification guidance, because lighting and HVAC electric power use for the computer floor are included, to some part, and are not totally metered separately. The remaining building area of 193,197-SF will be reported as Energy Consuming Buildings/Facilities. Process energy use by the TSF, B453 and the cooling tower, OS 454 will be reported under "Metered Process"; facility area is 0-SF, thus, the reporting category is moot.
- Note 2 Electric metered data has been identified via review of 1-line diagrams and coordination with the facility management team and reports from dedicated electric meter reports prepared by PE / Site Utilities Division / Electric Utilities Group using the MV-90 data collection software. The Computations facility management team identified process and building related, process & non-process, meters.

 Building 451 22,221 SF to Metered Process Category = Computer Operations areas per LLNL data base Natural Gas Usage: Virtually no reheat is used for the (process) computer area, thus, natural gas usage is NOT excluded.
- Note 3 Electric power and natural gas consumption by these facilities is excluded, placed into the Metered Process category for these facilities. The building areas have also been placed into the Metered Process category as lighting and HVAC energy use are not separately metered.

581	693,002	SF - to Metered Process Category
681	46,819	SF - to Metered Process Category
OS 682	8,880	SF - to Metered Process Category
OS 683	2 104	SF - to Metered Process Category

(FIMS 063)

U.S. Department of Energy
Facilities Information Management System
Energy Consuming Excluded Buildings and Trailers List

Page 1 of

09/24/2012

Program Office NNSA

Site 14002 Lawrence Livermore National Laboratory

Property ID Justification Comments:	Real Property Unique ID	Property Name	Exclusion Part	Property Type	Gross SQFT	Excluded SQFT
451	89922	COMPUTATION FACILITY BLD	G G - Metered intensive loads	Building	51,398	22,221
Electric metered data has beer Utilities Group using the MV-9	n identified via review of 1	-line diagrams and coordination with the facility	management team and reports from dec	dicated electric meter repo	orts prepared by PE / Site Utilit	ties Division / Electric
453	200806	TERA SCALE FACILITY	G - Metered intensive loads	Building	240,598	48,000
TSF facilities include B453 and Group using the MV-90 dat	d OS 454. Electric metere	ed data has been identified via review of 1-line of	diagrams and coordination with dedicated	d electric meter reports pre	epared by PE / Site Utilities Di	vision / Electric Utilities
9998	205760	THE AMERICAN RED CROSS	F - Lease some energy provid	led Building	5,682	5,682
Lease						
681	137350	OPTICS ASSEMBLY BLDG	G - Metered intensive loads	Building	46,819	46,819
Electric power and natural gas and HVAC energy use are not		cilities is excluded, placed into the Metered Pro	cess category for these facilities. The bu	uilding areas have also be	en placed into the Metered Pro	ocess category as lighting
581	140320	THE NATIONAL IGNITION FACILITY	G - Metered intensive loads	Building	696,968	693,172
Electric power and natural gas and HVAC energy use are not		cilities is excluded, placed into the Metered Pro	cess category for these facilities. The bu	uilding areas have also be	en placed into the Metered Pro	ocess category as lighting



Lawrence Livermore National Laboratory

Metering Plan Update

November 2012







Table of Contents

Section 1	Executive Summary	3
Section 2	Site Metering Progress and Plans Towards DOE SSPP Goals	4
Section 3	Site Metering Progress and Plans	6
Section 4	Evaluation Methodology/Justification for Meter Installations	9
Section 5	Metering Implementation Plan	11
Section 6	Performance Validation	18
Appendix 1	NNSA Meter Installation Progress and Plans	

Section 1. Executive Summary

Lawrence Livermore National Laboratory (LLNL) has a long history of metering electric usage. Electric meters have, for the most part, been installed at the distribution transformer rather than at the building.

NNSA's Metering Plan Guidance of August 2011 and Guidance for FY 2013 Site Metering Plan Updates highlighted the DOE 2011 Strategic Sustainability Performance Plan (SSPP) Metering Goals as follows:

- Install electricity meters on individual buildings or processes at each site so that these individually metered buildings and processes account for at least 90 percent of the site's consumption by October 1, 2012.
- Install natural gas, steam and chilled water meters on individual buildings or processes so that
 these individually metered buildings and processes account for at least 90 percent of the site's
 consumption by October 1, 2015 (90 percent for each utility).
- Individually meter all stand alone buildings that are not part of multi-building facilities for electricity, natural gas, steam, and chilled water.
- Independently meter 90% of agency data centers by October 1, 2015.

LLNL's commitment to support the DOE 2011 SSPP and comply with EPAct 2005 and EISA 2007 regulations is further exemplified in this latest issue of its Metering Plan. LLNL is committed to monitor and reduce its energy usage and find innovative ways to lead the complex while at the same time meeting its mission goals.

By the end of FY12, LLNL's metering portfolio is as follows:

		Number of Meters	Number of Buildings
Electricity			
	Advanced Ind.	109	109
	Advanced Shared	138	268
	Standard	49	7
	No Meter	0	24
	Total	296	408
Natural Gas			
	Equipment Meters	25	10
	Building Meters	24	22
	No Meter	0	5
	Total	49	37
Water			
	Advanced	10	0
	Standard	13	1
	Total	23	1

A major significant challenge and/or risk to achieving the metering requirements by 1 October FY 2016 is the availability of funding. Metering projects are expected to compete with mission-related projects and other noteworthy energy conservation projects that are being evaluated as a result of the EISA facility audit recommendations.

Metering Investment Plan

The estimated funding required to fully implement natural gas metering is about \$3.5M and potable water metering, about \$1.5M. Another \$700K is estimated for data center metering. This is well documented in the LLNL Multi-Year Sustainability Investment Proposal.

The projected total percentage of site wide usage that can be metered at the individual building level, funding permitting, is as follows:

Natural Gas Metering:

1 October FY14 50% of required gas meters, connected to centralized system

1 October FY15 75% of required gas meters, connected to centralized system

1 October FY16 90% of required gas meters, connected to centralized system

Potable Water Metering: LLNL does not meter potable water at the building level. Our biggest users are the Cooling Towers and Landscape irrigation respectively. The appropriate meters to be centralized are the standard water meters at the cooling towers and the advanced meters at the Irrigation Smart Controllers.

The projected total percentage of site wide usage that can be connected to a centralized system, funding permitting, is as follows:

1 October FY14 50% of Cooling Tower water meters, connected to a centralized system

1 October FY15 50% of Advanced Smart Controller meters, connected to centralized system

1 October FY16 90% of Cooling Tower and Smart Controller meters, connected to a centralized

system

Section 2. Site Metering Progress and Plans Towards DOE SSPP Goals

SSPP Metering Stretch Goals	FY 2011 Performance Status	Planned Actions and Key Issues
Install electricity meters on individual buildings or processes at each site so that these individually metered buildings and processes account for at least 90% of the site's consumption by October 1, 2012.	90% by 2012 stretch goal: 90% site percentage was achieved as of the end of FY12.	LLNL has met FY12 stretch goal of 90%. Energy Modernization and Investment Program (EMIP) granted LLNL with \$640k to re-establish communications on existing meters and add new advanced meters on buildings that are part of the 90% largest users.
Install natural gas, steam and chilled water meters on individual buildings or processes so that these individually metered buildings and processes account for at least 90% by October 1, 2015 (90% for each utility).	90% stretch goal: 90% site projected percentage to be achieved as of the end of FY15.	In FY12, LLNL achieved 52% natural gas metering and is continuing work towards meeting the FY15 goal. EMIP funds were utilized on both electric and gas metering in FY12. Steam use is very limited at LLNL, it is not metered and there are no plans to meter it. Chilled water use is captured in the building's energy use. LLNL projects it will meet the
Independently meter agency data centers working toward a goal of 100% by October 1, 2015.	100% by 2015: Enter site projected percentage to be achieved as of the end of FY 2015.	stretch goal of 90% by FY15. Based on new definition of greater than 500 SF and 1 rack, LLNL will not be in compliance by FY 2015. All of the areas that meet the new criteria were surveyed in FY12 and a total of 58 data centers were determined. The next step is to develop a consolidation plan, then develop a metering plan.

Section 3. Site Metering Progress and Plans (by Fiscal Year)

In FY12, LLNL metered 408,030,000 kWh using both advanced meters and standard meters. The ratio of metered data towards the DOE SSPP stretch goal is approximately 90%, meeting the goal.

				Electric Mete	ring			
		Standard meters	5	,	Advanced meters	5	Appropr	iate Buildings
Fiscal Year	Cumulative Number of Buildings Metered	Cumulative Electricity Metered (KWh)	Cumulative % of Electricity Metered	Cumulative Number of Buildings Metered	Cumulative Electricity Metered (KWh)	Cumulative % of Electricity Metered	Number of Appropriate Buildings for Metering	Cumulative % of Appropriate Buildings Metered
2010 Report				6	179,964,951	51.3%	61	9.8%
2011 Report	17	35,926,393	9.5%	65	253,981,504	76.5%	82	100.0%
2012 Report	7	2,146,924	0.5%	96	363,500,274	89.1%	103	100.0%
2013 Planned								#DIV/0!
2014 Planned								#DIV/0!
2015 Planned								#DIV/0!
		ctricity Consump		408,030,000 90%				

In FY12, LLNL metered 411,429 MCF of natural gas, or approximately 424,183 MM BTUs. The ratio of metered data towards the DOE SSPP stretch goal is approximately 52%. LLNL is on track to meet the DOE SSPP stretch goal of 90% by FY15.

				Natural Gas Me	tering			
	9	Standard meter	s	Ac	dvanced meters		Appropria	te Buildings
Fiscal Year	Cumulative Number of Buildings Metered	Cumulative Natural Gas Metered (BTU ⁶)	Cumulative % of Natural Gas Metered	Cumulative Number of Buildings Metered	Cumulative Natural Gas Metered (BTU ⁶)	Cumulative % of Natural Gas Metered	Number of Appropriate Buildings for Metering	Cumulative % of Appropriate Buildings Metered
2010 Report				2		11.8%	17	11.8%
2011 Report	15	60,103		10	184,908	54.8%	25	100%
2012 Planned	15	71,395		11	149,294	52.0%	26	100%
2013 Planned								#DIV/0!
2014 Planned								#DIV/0!
2015 Planned								#DIV/0!
FY 201	2 Total Natural	Gas Consumpt	ion (BTU ⁶)	424,183			·	-

Progress Towards FY12 SSPP Stretch Goal:

52%

LLNL does not use a district-type chilled water system. In a few cases where a chilled water system serves more than one building, submeters are being planned to monitor the system separately so energy use can be more efficiently measured and tracked. In general, a building's energy use of its chilled water system is accounted for in the electricity usage for that building.

			Ch	illed Water Me	tering - N/A			
	9	Standard meter	s	A	dvanced meter	Appropriate Buildings		
Fiscal Year	Cumulative Number of Buildings Metered	Cumulative Chilled Water Metered (BTU ⁶)	Cumulative % of Chilled Water Metered	Cumulative Number of Buildings Metered	Cumulative Chilled Water Metered (BTU ⁶)	Cumulative % of Chilled Water Metered	Number of Appropriate Buildings for Metering	Cumulative % of Appropriate Buildings Metered
2010								#DIV/0!
Report								
2011								#DIV/0!
Report								
2012								#DIV/0!
Report								
2013								#DIV/0!
Planned								
2014								#DIV/0!
Planned 2015 Planned								#DIV/0!
FY 2012	2 Total Chilled \	Water Consump	tion (BTU ⁶)		N/A	•	•	
Prog	gress Towards F	Y12 SSPP Stret	ch Goal:					

LLNL has very little steam consumption. Steam is not being metered and there are no plans to meter in the future. However, gas consumption at the boilers is metered.

				Steam Meteri	ng - N/A			
	9	Standard meter	S	A	dvanced meter	Appropriate Buildings		
Fiscal Year	Cumulative Number of Buildings Metered	Cumulative Steam Metered (BTU ⁶)	Cumulative % of Steam Metered	Cumulative Number of Buildings metered	Cumulative Steam Metered (BTU ⁶)	Cumulative % of Steam Metered	Number of Appropriate Buildings for Metering	Cumulative % of Appropriate Buildings Metered
2010 Report								#DIV/0!
2011 Report								#DIV/0!
2012 Report								#DIV/0!
2013 Planned								#DIV/0!
2014 Planned								#DIV/0!
2015 Planned								#DIV/0!
FY 2	2012 Total Stea	m Consumptior	n (BTU ⁶)		N/A	•	•	
Proc	gress Towards F	Y12 SSPP Stret	ch Goal:					

Data Centers - Metering

Based on the new definition of data center as being greater than 500 square feet and 1 rack, LLNL has determined that it will not be in compliance by FY 2015. LLNL's plan to survey all of the areas that meet the new data center criteria was completed in FY12. A total of 58 data centers has been determined. LLNL is in the process of developing a plan to consolidate the data centers as much as practicable, and update the metering plan to address metering of the data centers.

Section 4. Evaluation Methodology/Justification for Meter Installations

EPAct-2005 requires that all federal buildings have their electrical usage metered by "advanced meters" to the "maximum extent practicable."

DOE interprets "maximum extent practicable" as a cost-effective meter installation. Per Federal Energy Management Program (FEMP) Document 2006.10, *DOE Building Electric Metering Guidance*, 27 September 2006, the energy savings achievable from installation of an electric meter represents 2.5% of the metered power consumption. Thus, any building/facility that has the potential to recover electric metering installation costs within a ten-year lifetime is considered to meet this criterion.

Using this criterion as a basis, all LLNL Main Site buildings were evaluated for electric metering cost-effectiveness. Electric metering cost-effectiveness is determined in two ways, by facility area and by recorded electric power use per building.

- <u>Minimum Power Use</u>: The minimum annual electric power use per building is determined, based on 2.5% savings and the present power rate, which will recover meter installation costs within ten years. Result: 650,000 kWH per year.
- <u>Facility Floor Area</u>: The average annual electric power use per facility square foot is determined by dividing total LLNL electric power use by the total square footage of buildings provided with electric power. A minimum "cost-effective" building area is calculated from this average and the minimum annual power use determined above. All buildings meeting this criterion are identified regardless of current metering capability. Minimum building area: 12,000 sf.
- <u>Recorded Electric Power Use Per Building</u>: Electric power use for each building using electric
 power at the LLNL Main Site is collected and recorded by the MV90 meter collection system. All
 buildings shown to use more than the minimum cost-effective amount of electric power, from
 above, are identified regardless of current metering capability.
- Resolution of Conflicts: Where a building is identified as "cost-effective" for a meter installation in only one of the above tests, a reasonable judgment is made as to the reliability of one test as compared to the other. In most cases, recorded annual electric power use was selected.

Existing LLNL Electric Metering

At the start of the Energy Savings Performance Contract (ESPC) Project for ECM3.2, there were 228 electric meters installed at the LLNL Main Site; a single meter serves LLNL Site 300. These numbers include permanent buildings, trailers/modulars, tents, and other structures such as waste accumulation areas, explosives magazines, electrical substations, and other utility structures.


Many large buildings at LLNL already have one or more meters which record their usage. The newer buildings have individual meters. New permanent buildings are equipped with their own dedicated meters.

Many of the existing LLNL Main Site buildings are metered in small "clusters" of buildings fed from a single distribution transformer. In approximately one dozen cases, one building comprises 90 to 99 per cent of the gross square footage of the entire cluster.

Examples of various configurations of existing electric meter installations are illustrated in Figure 1.

Approximately fourteen buildings are served directly by the Pacific Gas and Electric Company (PG&E) and are metered separately by PG&E. The largest of these PG&E accounts is at the MOCHO (water) Pumping Station and is fitted with an advanced-type electric meter. None of the other facilities served directly by PG&E meet the minimum square footage or power consumption criteria for cost-effective meter installations.

Livermore Open Valley Campus (LVOC) facilities will be powered off the LLNL grid, and not PG&E's. Each new building under LVOC is planned to have its own dedicated advanced meter.



Section 5. Metering Implementation Plan

5-1. Prioritization and installation

The methodology for prioritizing buildings for meter application follows EPAct 2005 guidelines. First is meeting regulatory EPAct 2005 electrical metering requirements. Second is in support of High Performance Sustainability Buildings (HPSB). Third, meters to support other DOE/NNSA metering requirements. Energy Modernization and Investment Program (EMIP) granted LLNL metering funds to assist in the program. The following is a list of the facilities that are metered.

Advanced Electricity Meters - EMIP

Item	Building(s) (FIMS Name)	Property Sequence Number	GSF	EPAct 2005 Electrical ("as practicable")	Estimated Electrical Usage	EMIP Funded
1	B453	200806	240,598	Yes	75,757,080	Yes
2	B451	89922	51,398	Yes	26,123,060	Yes
3	B581	140320	693,172	Yes	20,638,011	Yes
4	B391	89855	197,171	Yes	16,675,726	Yes
5	B131	89561	284,206	Yes	11,504,000	Yes
6	OS454	200870	-	Yes	7,067,799	Yes
7	B439	89908	11,783	Yes	6,779,174	Yes
8	B321c	205438	144,840	Yes	7,449,695	Yes
9	B112	203771	45,814	Yes	6,318,923	Yes
10	B298	89767	47,986	Yes	5,060,249	Yes
11	B282	89758	2,160	Yes	108,452	Yes
12	B332	89802	104,787	Yes	4,325,050	Yes
13	B231	89699	142,403	Yes	4,505,454	Yes
14	B361	89821	68,889	Yes	3,316,054	Yes
15	B482	89933	107,941	Yes	2,908,220	Yes
16	B111	89547	112,418	Yes	2,511,899	Yes
17	B121	89553	90,759	Yes	2,300,741	Yes
18	B239	89703	12,517	Yes	1,703,587	Yes
19	B194	89662	41,543	Yes	1,810,768	Yes
20	B253	89711	30,932	Yes	1,050,041	Yes
21	B190	89657	10,086	Yes	1,027,357	Yes
22	B272	89746	9,978	Yes	485,935	Yes
23	T1677	89608	28,789	Yes	566,840	Yes
24	U325	90078	5,072	Yes	10,461,629	Yes
25	B242	201413	20,328	Yes	284,603	Yes
26	B531	89973	12,537	Yes	290,927	Yes
27	B490	89934	216,789	Yes	10,063,113	Yes
28	B334	89803	10,652	Yes	338,899	Yes
29	B132n	127068	251,316	Yes	5,144,654	Yes
30	B264	202401	20,461	Yes	334,056	Yes
31	T4727	89928	9,909	Yes	128,503	Yes
32	B321e	139832	2,581	Yes	115,352	Yes
33	T1727	89625	1,837	Yes	31,070	Yes

Gas Meters – EMIP

ltem	Building(s) (FIMS Name)	Property Sequence Number	GSF	EPAct 2005 Electrical ("as practicable")	Estimated Electrical Usage	EMIP Funded
1	B112/B113	89548	45,814	N/A	N/A	YES
2	B142	143756	20,306	N/A	N/A	YES
3	B361	89821	68,889	N/A	N/A	YES
4	B121	89553	90,759	N/A	N/A	YES
5	B181	89640	13,453	N/A	N/A	YES
6	B471	143564	16,086	N/A	N/A	YES
7	OS682	140981	8,880	N/A	N/A	YES

Advanced Electricity Meters - ESPC

Item	Building(s)		GSF	EPAct 2005 Electrical	Estimated	ESPC
item	(FIMS Name)	Property Sequence Number	usr	("as practicable")	Electrical Usage	Funded
				•		
1	B116	89550	7,781	Yes	1,401,942	Yes
2	B118	89552	1,505	Yes	279,267	Yes
3	B131	89561	284,206	Yes	11,504,000	Yes
4	B141	89576	47,342	Yes	1,262,712	Yes
5	B151	89589	96,018	Yes	4,785,646	Yes
6	B155	141490	21,742	Yes	1,083,555	Yes
7	B176	89636	3,973	Yes	1,463,846	Yes
8	B181	89640	13,532	Yes	373,617	Yes
9	B194	89662	41,543	Yes	1,810,768	Yes
10	B211	133205	14,122	Yes	246,373	Yes
11	B216	89676	18,976	Yes	331,217	Yes
12	B271	89744	18,874	Yes	570,714	Yes
13	B274	89747	21,436	Yes	636,812	Yes
14	B282	89758	2,160	Yes	38,282	Yes
15	B313	89770	4,352	Yes	277,967	Yes
16	B314	89771	13,238	Yes	74,949	Yes
17	B319	89782	18,048	Yes	228,146	Yes
18	B323	89792	18,555	Yes	7,557,491	Yes
19	B324	89793	11,290	Yes	171,071	Yes
20	B327	89795	19,100	Yes	414,918	Yes
21	B329	89800	5,150	Yes	227,714	Yes
22	B361	89821	68,889	Yes	3,316,054	Yes
23	B366	89828	2,631	Yes	319,844	Yes
24	B368	202152	1,590	Yes	75,908	Yes
25	B381	89847	95,421	Yes	4,878,650	Yes
26	B383	89849	6,715	Yes	144,908	Yes
27	B391	89855	197,171	Yes	16,675,726	Yes
28	B411	89868	71,625	Yes	366,067	Yes
29	B432	89893	33,575	Yes	676,319	Yes
30	B438	89901	16,262	Yes	218,917	Yes
31	B439	89908	11,783	Yes	6,779,174	Yes
32	B451	89922	51,398	Yes	26,123,060	Yes
33	B452	90062	492	Yes	33,505	Yes
34	B490	89934	216,789	Yes	11,003,404	Yes
35	B493	89942	19,100	Yes	176,517	Yes
36	B571	89985	41,407	Yes	721,354	Yes
37	B611	90016	15,018	Yes	225,821	Yes
38	B694	132382	10,590	Yes	289,249	Yes
39	B695	140676	46,504	Yes	1,531,737	Yes
40	B696	135831	21,381	Yes	119,537	Yes
41	T1727	89625	1,837	Yes	14,153	Yes

42	T1739	89633	5,646	Yes	141,982	Yes
43	T1879	89648	11,118	Yes	102,094	Yes
44	T2580	89728	4,203	Yes	55,977	Yes
45	T6929/T6930	201479	4,925	Yes	141,544	Yes
46	B551E	1020327	40,966	Yes	745,664	Yes
47	B551W	1020328	65,776	Yes	1,009,332	Yes
48	T3726	89836	19,824	Yes	393,998	Yes
49	T4525	89923	5,713	Yes	435,507	Yes
50	T5475	89979	32,368	Yes	751,238	Yes
51	T6925	90043	5,873	Yes	160,609	Yes
52	T6926	89781	2,160	Yes	42,466	Yes
53	U291	90074	8,612	Yes	9,991,385	Yes
54	U325	90078	5,072	Yes	10,461,629	Yes
55	U328C	131775	300	Yes	618,446	Yes

5-2. Staffing/Resources

LLNL received funds for metering under EMIP in the amount of \$640,000.00. The plan is to first reconnect existing meters that are no longer communicating. The meters found to be defective will be replaced with DSL-ethernet capable meters as much as practicable. Where DSL is not feasible due to impractical and/or expensive construction issues, traditional phone lines will be used. In total, EMIP funding installed 55 electricity meters and 7 gas meters.

At project completion, ESPC ECM3.2 installed 79 advanced meters at 55 facilities, 19 of which are replacement of existing meters. The total meters at LLNL (including the existing) will then equal 109 advanced meters at 109 facilities, 138 shared advanced meters at 268 facilities and 49 standard meters at 7 facilities.

5-3. Uses of Metering Data

The existing MV-90 meter collection system was upgraded as part of the ESPC project. An optional software package, Energy Enterprise Management Suite (EEM), was installed. It provides the monthly usage report notices (see Figure 3.1 below) and the actual report when the recipient clicks on the link (see Figure 3.2). In addition, EEM automatically transmits notices via email to LLNL facilities managers (FM) when their buildings experience electric power use anomalies, such as sudden increases and drops in power consumption (see Figure 3.3 below) or a Zero Alert (see Figure 3.4) where no anomalies have been detected. Such notices allow facility staff to investigate and correct and/or explain causes of power use fluctuations. The Energy Management Program will oversee this program to assure that notices are properly provided and that appropriate responses are made.

A program to assure appropriate responses are made is being evaluated. The program includes the following components:

- Train FMs and FPOCs to review metering data on a regular basis.
- For any anomaly, Energy Management Group (EMG) will make voice contact with the
 respective FM or facility point-of-contact (FPOC) to ensure awareness and to discuss what may
 be the reason for the anomaly. If anomaly is maintenance related, a work order will be called
 in for repairs and the building performance will be rechecked.
- Second, a face-to-face meeting and evaluation with the respective FM or FPOC if the anomaly

continues.

 Third, a facility energy audit by the energy management group and the FPOC (funding permitting).

Metering data was used in Benchmarking of buildings on Portfolio Manager as required by Section 432 of EISA 2007. This was completed in FY 2012.

LLNL does not currently bill the users, however, the monthly usage report email notice is automatically sent out to the FMs and FPOCs. This electronic notice takes the place of the traditional paper monthly usage bill.

LLNL's O&B finance department reviews the monthly utility bills from WAPA, PG&E and the water suppliers along with the metered data to verify accuracy. Energy Management group participates in this review and provides the metered data and analysis.

LLNL does not have a 'time of use or demand response' charge with the main supplier WAPA, however, in keeping with Best Management Practice, off-peak use is always considered with non-critical programs. With PG&E, the local supplier, off-peak electricity use is the norm. An example is the Mocho Pumping Station where the supply pumps are programmed to turn on during off-peak hours to fill the water tanks, subject to a manual over-ride should an emergency require it.

Metered electric data is also used, to the maximum extent feasible, to measure and verify the energy savings achieved from ESPC ECM3.1, installation and upgrading of building automation controls in 23 of the largest LLNL Main Site buildings. In addition, the metered electric data is also being used to verify the savings achieved from implementing the recommended energy conservation projects resulting from the previous EISA Facility Audits.

Additional uses of the metered data will be explored in the future. For example, development of building HVAC system diagnostics may be possible with meters connected to the MV-90 system via Open Lab-Net due to greater communication speeds available over the present telephone modem communications. Annual Energy audits to meet EISA Section 432 and efforts to increase efficiency (e.g. combining energy audits with condition assessment surveys) along with re-commissioning/retrocommissioning are constantly being evaluated (subject to funding) and will use metering data to monitor and fine tune building HVAC systems.

The F&I Directorate is responsible for gathering, analyzing and using the metered data to the maximum extent practicable. Usage data and energy intensity information can be sent to different groups within LLNL.

The EEM system is currently monitored by the Building Environmental Specialist (BES) with LLNL oversight, however when the BES departs after one year, the Energy Management Group will take over this important task.

The Metering System will continue to be operated and maintained by LLNL. Work orders will be cut for the Electric Utilities Group to maintain and fix the meters in the MV90 system, IT personnel will assist in maintaining the software in conjunction with the MV90 and EEM vendors. The Energy Management

Group under the Sustainability Manager will operate and monitor the systems on a daily basis and see to it that all systems are working as designed.

From: Itron EEMSuite [eem-support@llnl.gov] Thursday, September 15, 2011 4:50 PM
Abacherli, David T.; Akers, Jim; Westfall, Jacquelyn A. {westfall4}; anita.martin@oak.doe.gov; Anson, Jim; Bailey, Anna Sent: Maria; Bailey, Frank M.; Balatayo, Jordan I.; Barrett, Chuck; Berckart, Russ; betz5@linl.gov; Bray, Justin; Buckman, Steve J.; Buhowsky, Brian; Burklin, Ralph; Cadwell, Kerry L.; Cardoza, Mark E.; Conner, Kevin P.; Cook, Craig Stanley; Cooper, Greg; Cote, Jeff, Cowen, Michael L.; Dean, Paul K.; Dickinson, Paul C.; Divoky, Mark E.; Duenas, Anselmo R.; Fischer. Bob; Gerber, Richard W.; greenbaum1@llnl.gov; Herbert, Jim; Higby, Doug; Holm, Chris; Howing, Bill; Johnson, Ben; Juarez, Fred; Kapit, Lee A.; Kerns, John; Kilmer, John M.; Knudsen, Steve; krause10@llnl.gov; Langland, Tom; Lavinsky, Dave; Lima, Jack A.; Lind, Susan G.; Lochner, Robert T.; Maciel, Bill; mark.zulim@oak.doe.gov; Marks, Jon; Masica, Ken; Dave, Lilia, Jack A., Lin, Susan G., Docliner, Robert T., Maciel, Bill; mark.zulim@oak.doe.gov; Marks, Jon; Masica, Ken; Massa, Tony; morris@lin!gov: Ocampo, Ruben P.; Olliff, Jesse D.; Oravetz, Tony; Poor. Susan E.; Rey, Manuel; Robison, Matt; Rocha, Roger R.; Rodriguez, Bob; Rogers, Ken; Rubio, Manny; Scott, John J.; Shah, JEET; Shier, Doug; Silva, Jimmy; Silveira, Marriann S.; Silveira, Paul L.; Simpson, Steve; Sims, Mike; Sloan, Jim; Spivey, Rich; Spragge, Maura K.; Springer, Milke; Swanson, Bob; Swyers, Paul W.; Tom, Curtis; Traini, Matt; Verges, Chris; Walker, Gary W.; Waterman, Mitch; White, Rich; Williams, Matthew T.; wilson26@llnl.gov

EEM Suite Monthly Reporting Subject: Date last modified: 6/21/2010 10:11:26 AM Dear Users Please find below links to monthly energy use reports for buildings with which you are associated. EEM Suites is compatible only with Internet Explorer. Click on the link(s) below to see the reports. http://datamine5/itron/favorites/asp/favorites_update.asp?reportID=4 http://datamine5/itron/favorites/asp/favorites_update.asp?reportID=5 http://datamine5/itron/favorites/asp/favorites update.asp?reportID=6 http://datamine5/itron/favorites/asp/favorites update.asp?reportID=7

Figure 3.1. Monthly use report email notice.




Figure 3.2 Sample usage report.




Figure 3.3. Email alert message indicating buildings that are reporting high usage above a predetermined set point.




Figure 3.4. Email alert message indicating no buildings exceeded the pre-determined set point.

5-4. Metering Gap Analyses

LLNL has met the statutory metering requirements of EPAct 2005 and EISA 2007 and DOE 2011 SSPP goals. No corrective actions are deemed appropriate at this time. In the event that conditions drastically change, it is LLNL's full intention to take positive steps to take corrective action.

Section 6. Performance Validation

The installation of meters by itself is considered 'revenue neutral'; however, the data collected can be used in various ways to alter and improve old, wasteful habits, and flawed perceptions. It is a convincing tool when one can actually see the change in use after implementing certain measures such as turning off unneeded lighting or turning off the AC unit during unoccupied hours.

LLNL will use the monthly reporting tool to compare the before-and-after energy use of the metered facilities. EEM has a 3D chart tool (see Figure 6.1 and Figure 6.2 below) that graphically compares a facility's use for different time periods. Figure 6.1 shows the peaks and valleys attributed to nights and weekends that were not apparent in the Figure 6.2 chart. In Figure 6.2, the load was not being shed on nights and weekends due to lack of efficient HVAC controls.




Figure 6.1: B663 energy use in September 2009.




Figure 6.2: B663 energy use in September 2008.

NNSA FY 2013 Site Metering Plan Spreadsheet (Building-by-Building)

						ELECTRICAL					NATURAL G	AS				WATER				DATA CENTER		
Α	В	С	D	E	F	G	Н	ı	J	Р	Q	R	S	Т	Υ	Z	AA	AB	AC	AD	AE	AF
Site	Building	Property	GSF	HPSB	Meter Type and	Estimated	Fiscal Year	Cost		Meter Type and	Estimated	Fiscal Year	Cost		Meter Type and	Estimated	Fiscal Year		Data Center	Data Center	FY to	Cost (Dollars)
	(FIMS	Sequence			Status	Annual Energy	to Install	(Dollars)	ţ	Status	Annual	to Install	(Dollars)	₹	Status	Annual Water	to Install		Building	Metered	Complete	
	Name)	Number				Usage (KWh)	201x		EPA		Energy Usage	201x		EISA		Usage (000s			_		Metering	
						FY12					(Btu ⁶)					Gallons)						
LLNL	41	89542	25,555		5 Advanced Installed	257,680			YES													
LLNL	71	89544	4,166		5 Advanced Installed	131,084			NO						5 Advanced	927						
LLNL	111	89547	112,418	}	5 Advanced Installed	1,927,660		\$ 9,700	YES	Installed	20,926								NO	NO		
LLNL	112	213771	45,512	1 Yes	5 Advanced Installed	5,867,704		\$ 38,800	YES	4 Standard		2013	\$ 15,285	YES					YES	YES		
LLNL	113	89548	44,426	i	5 Advanced Installed	963,884			YES	Installed	17,670			YES								
LLNL	115	89549	17,140		5 Advanced Installed	1,234,398			YES										YES	NO		
LLNL	116	89550	7,781		5 Advanced Installed	175,898			NO													
LLNL	117	89551	11,370		5 Advanced Installed	3,664,204			YES										YES	NO		
LLNL	118	89552	1,505		5 Advanced Installed	78,528			NO													
LLNL	121	89553	90,759		5 Advanced Installed	2,180,502		\$ 9,700		3 No Meter	12,000	2013	\$ 15,285	+	Installed	508		\$ 17,000		NO		
LLNL	131	89561	285,308	_	5 Advanced Installed	11,306,992		\$ 9,700		Installed	22,834			YES					YES	NO		
LLNL	133	89563	5,631		5 Advanced Installed	4,405,683			YES	Installed	51,931				Installed	6,896						
LLNL	140	143668	66,660		5 Advanced Installed	2,029,333			YES										YES	NO		
LLNL	141	89576	47,342		5 Advanced Installed	1,560,669			YES													
LLNL	142	143756	20,306		5 Advanced Installed	296,863			NO	Installed	262		\$ 15,285	+								+
LLNL	151	89589	96,018		Advanced	4,794,318			NO	Installed	30,867			YES								
LLNL	153	89593	25,967	+	5 Advanced Installed	2,821,055			YES	Installed	7,929			YES								
LLNL	154	89594	9,504		Advanced	471,880			NO													+
LLNL	155	141490	21,742	+	5 Advanced Installed	771,221			YES													+
LLNL	161	89599 89600	6,105		4 Standard Installed	265,389			NO													+
LLNL	162	125923	19,197	1	Advanced 5 Advanced Installed	603,126			NO	Installed	2.507				Installed	2.663			YES	NO		+
LLNL	170 174	89634	43,760 19,332		5 Advanced Installed	1,359,131 536,903			YES NO	Installed	3,587				Installed	2,663			YES	NO		+
LLNL	176	89636	3,958		5 Advanced Installed	723,741			NO													+
LLNL	181	89640	13,532	1	5 Advanced Installed	395,132			YES	Future Advanced	1,676	2013	\$ 15,285	VES								+
LLNL	190	89657	10,252	1	5 Advanced Installed	888,960		\$ 9,700		Tatare Advanced	1,070	2013	7 13,203	1123								-
LLNL	191	89658	121,028	1	5 Advanced Installed	2,425,977		ÿ 3,700	YES	Installed	14,576								YES	NO		+
LLNL	194	89662	41,543	1	5 Advanced Installed	1,607,101		\$ 9,700		Installed	4,160			YES					1.23			
LLNL	197	89666	10,716	+	5 Advanced Installed	191,785		ψ 3), σσ	NO		.,255			1.20								
LLNL	211	133205	3,770		5 Advanced Installed	180,267			YES						Installed	376						
LLNL	216	89676	18,982		5 Advanced Installed	464,394			YES										YES	NO		
LLNL	231	89699	142,403		5 Advanced Installed			\$ 19,400	YES													
LLNL	235	89702	88,175		5 Advanced Installed	<u> </u>		,	YES													
LLNL	239	89703	12,904		5 Advanced Installed	637,477		\$ 9,700	YES													
LLNL	242	201413	20,328		5 Advanced Installed	239,294		\$ 9,700		Installed	354											
LLNL	243	89711	20,000		4 Standard Installed	111,844			NO	_												
LLNL	253	89722	30,932		5 Advanced Installed	793,570		\$ 9,700	YES													
LLNL	255	89725	21,855		Advanced	253,111			NO						Installed	50						
LLNL	256	89727	5,937	'	5 Advanced Installed	1,079,665			YES										YES	NO		
LLNL	264	202401	20,461		5 Advanced Installed	246,638		\$ 9,700	NO	Installed	280											
LLNL	271	89744	18,874		Advanced	697,665			NO													
LLNL	272	89746	10,124		5 Advanced Installed	383,851		\$ 9,700	YES													
LLNL	274	89747	21,436		5 Advanced Installed	614,216			NO													
LLNL	282	89758	2,160		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		\$ 9,700														
LLNL	298	89767	47,986		5 Advanced Installed	5,200,003		\$ 9,700	YES													
LLNL	311	89768	40,951		5 Advanced Installed	· · · · · ·			YES	Installed	1,833			NO								
LLNL	312	89769	11,482		5 Advanced Installed				NO													1
LLNL	314	89771	13,238		5 Advanced Installed	· · · · · ·			NO													
LLNL	319	89782	18,048		5 Advanced Installed	211,524			NO													

					ELECTRICAL				NATURAL GAS					WATER				DATA CENTER			
Α	В	С	D	E	F	G	Н	l J	Р	Q	R	S	Т	Y	Z	AA	AB	AC	AD	AE	AF
Site	Building	Property	GSF	HPSB	Meter Type and	Estimated	Fiscal Year	Cost	Meter Type and	Estimated	Fiscal Year	Cost		Meter Type and	Estimated	Fiscal Year		Data Center	Data Center	FY to	Cost (Dollars)
	(FIMS	Sequence			Status	Annual Energy	to Install		• •	Annual	to Install	(Dollars)	⋖	Status	Annual Water	to Install		Building	Metered	Complete	
	Name)	Number				Usage (KWh)	201x	(Dollars) EPAct	552500	Energy Usage	201x	(= 0.1)	EISA		Usage (000s			2		Metering	
	,					FY12				(Btu ⁶)					Gallons)						
LLNL	323	89792	18,555		5 Advanced Installed	199,953		NO		(200.)					,						
LLNL	324	89793	11,244		5 Advanced Installed			NO													
LLNL	327	89795	19,100		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		NO													
LLNL	329	89800	5,150		5 Advanced Installed			YES													
LLNL	331	89801	30,484		4 Standard Installed	1,132,344		YES	Installed	4,304			YES								
LLNL	332	89802	104,787		5 Advanced Installed			\$ 9,700 YES	otaea	1,301			1.23								
LLNL	334	89803	10,652		5 Advanced Installed			\$ 9,700 YES													
LLNL	341	89808	44,184		Advanced	119,605		NO NO													
LLNL	361	89821	68,889		5 Advanced Installed	1		\$ 9,700 YES	Installed	261	2013	\$ 15,285	YFS								
LLNL	365	89827	8,825		Advanced	400,900		NO NO	Installed	1,871	2013	7 13,203	1123								
LLNL	381	89847	95,421		5 Advanced Installed			YES	Installed	20,383			YES								
LLNL	383	89849	6,715		5 Advanced Installed			YES	mstanca	20,383			11.5								
LLNL	391	89855	197,841		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		\$ 29,100 YES					-								
LLNL	392	89856	8,413		5 Advanced Installed	-, - ,		YES													
LLNL	404	89861	6,460		4 Standard Installed	154,779		NO					+	+							
	411	89868	71,625		5 Advanced Installed	1		NO					1								
LLNL	411	89874	19,297		4 Standard Installed	164,897		NO					+								
	-				5 Advanced Installed																
LLNL	432	89893 89908	33,575		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		YES					-					VEC	NO	EV4.2	
LLNL	439		12,055			· · · · · ·		\$ 19,400 YES	In stall a d	1 (22	2012		-	In stalled	70		ć 17.000	YES	NO	FY13	
LLNL	451	89922	51,398		5 Advanced Installed	· · ·		\$ 19,400 YES	Installed	1,622	2013		+	Installed	70		\$ 17,000		Yes		
LLNL	453	200806	240,598		5 Advanced Installed	' ' ' 		\$ 126,100 YES	Installed	10,813	2013	4 45 005	1/50	Installed	1,328			Yes	Yes		
LLNL	471	143564	16,086		5 Advanced Installed	' '		NO	Installed	1,532	2013	\$ 15,285	YES								
LLNL	481	89932	61,165		5 Advanced Installed	' '		NO NO					1								
LLNL	482	89933	108,000		5 Advanced Installed	· · ·		\$ 19,400 YES													
LLNL	490	89934	216,789		5 Advanced Installed	' ' ' 		\$ 9,700 YES	Installed	7,338	2013		-					YES	NO		
LLNL	491	89937	13,259		4 Standard Installed	315,646		NO					1								
LLNL	492	89938	9,550		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		NO													
LLNL	493	89942	19,100		Advanced	215,620			Installed	669	2013										
LLNL	494	89943	29,961		5 Advanced Installed	· · · · ·			Future Advanced	1,000	2013										
LLNL	511	1000284	77,078		Advanced	819,931		NO										YES	NO		
LLNL	531	89973	12,381		5 Advanced Installed	· · · · · · · · · · · · · · · · · · ·		\$ 9,700 YES													
LLNL	543	89978	78,261		5 Advanced Installed	· · ·		YES						Installed	4,903			YES	NO		
LLNL	571	89985	41,407		5 Advanced Installed			YES													
LLNL	581	140320	696,968		5 Advanced Installed	· · · · · ·		\$ 9,700 YES										YES	NO		
LLNL	583	203637	21,793		Advanced	374,878		NO													
LLNL	651	90035	2,381		5 Advanced Installed			NO													
LLNL	663	90040	24,786		5 Advanced Installed				Installed	1,426			1	Installed	648		\$ 17,000				
LLNL	671	90041	41,476		5 Advanced Installed			YES													
LLNL	695	140676	46,504		5 Advanced Installed				Installed	12,103											
LLNL	1677	89608	28,576		5 Advanced Installed	394,536		\$ 9,700 YES													
LLNL	1727	89625	1,837		5 Advanced Installed			\$ 9,700 YES													
LLNL	1739	89633	5,646		5 Advanced Installed	146,691		NO													
LLNL	2580	1000333	4,253		Advanced	42,608		NO										YES	NO		
LLNL	2632	1000438	2,817		Advanced	14,772		NO										YES	NO		
LLNL	3180	89778	4,371		5 Advanced Installed	1,431		NO													
LLNL	3649	1020396	4,800		Advanced	117,697		NO										YES	NO		
LLNL	3724	89834	19,810		4 Standard Installed	430,495		YES													
LLNL	3725	89835	19,867		5 Advanced Installed			YES													
LLNL	3726	89836	19,824		5 Advanced Installed			YES													
LLNL	4377	1000259	4,920		Advanced	48,324		NO										YES	NO		
LLNL	4406	1000268	1,560		Advanced	8,889		NO										YES	NO		
LLNL	4725	1000413	9,389		Advanced	247,459		NO					1					YES	NO		
			-,555		·	= .,,.55			l.	l l				ı	1	ı	l			1	ı

						ELECTRICAL				NATURAL (GAS				WATER			DATA CENTER			
A	В	С	D	E	F	G	Н	l J	Р	Q	R	S	T	Υ	Z	AA	AB	AC	AD	AE	AF
Site	Building	Property	GSF	HPSB	Meter Type and	Estimated	Fiscal Year	Cost	Meter Type and	Estimated	Fiscal Year	Cost		Meter Type and	Estimated	Fiscal Year	Cost (Dollars)	Data Center	Data Center	FY to	Cost (Dollars)
	(FIMS	Sequence			Status	Annual Energy	to Install	(Dollars) EPAct	Status	Annual	to Install	(Dollars)	EISA	Status	Annual Water	to Install		Building	Metered	Complete	
	Name)	Number				Usage (KWh)	201x	EP		Energy Usage	201x		ӹ		Usage (000s					Metering	
						FY12				(Btu⁵)					Gallons)						
LLNL	4727	89928	9,891		5 Advanced Installed	99,675		\$ 9,700 YES													
LLNL	4729	89930	10,018		5 Advanced Installed	100,049		YES													
LLNL	5475	89979	32,368		5 Advanced Installed	634,362		YES													
LLNL	6325	90032	4,320		5 Advanced Installed	6,075		NO													
LLNL	6475	209507	12,070		5 Advanced Installed	260,933		YES													
LLNL	6925	90043	5,873		Advanced	137,591		NO													
LLNL	132N	127068	251,316		5 Advanced Installed	5,144,654		\$ 9,700 YES	Installed	17											
LLNL	132S	89562	219,385		5 Advanced Installed	4,033,807		YES						Installed	1,005		\$ 34,000	YES	NO		
LLNL	321C	205438	78,335		5 Advanced Installed	6,672,351		\$ 9,700 YES										YES	NO		
LLNL	321E	139832	2,581		5 Advanced Installed	115,352		\$ 9,700 NO	Future Advanced	27,589	2013										
LLNL	551E	130291	40,966		5 Advanced Installed	745,664		NO													
LLNL	551W	130292	65,776		5 Advanced Installed	1,009,332		YES	Installed	3,653								YES	NO		
LLNL	OS454	200870	3,375		5 Advanced Installed	20,761,594		\$ 19,400 YES						Installed	36,363						
LLNL	OS682	140981	8,880		5 Advanced Installed	265,838		YES	Installed	2,071	2013	\$ 15,285	YES								
LLNL	OS683	140860	2,104		5 Advanced Installed	62,572		YES						Installed	10,595						
LLNL	PTU-10		350		5 Advanced Installed	33,463		NO						Installed	1,500						
LLNL	U291	90074	8,612		5 Advanced Installed	9,471,877		YES						Installed	16,763						
LLNL	U299	133600	675		5 Advanced Installed	42,437		NO													
LLNL	U325	90078	5,072		5 Advanced Installed	18,152,345		\$ 9,700 YES						Installed	27,749						
LLNL	U328C	131775	300		Advanced	798,798		NO													
LLNL	U415	89874	19,297		5 Advanced Installed	164,897		NO													
LLNL	U418	89878	12,414		Advanced	132,013		NO	Future Advanced	10,000	2013										
LLNL	U6042	136630	354		5 Advanced Installed	1,232,179		YES													
								\$ 533,500		297,537		\$ 106,995			112,344		\$ 85,000				

60,103 Total Std 15 bldg

7 bldgs

Columns for "Meter Type and Status" and "EISA / EPACT" have a dropdown picklist for answer choices which are shown above in rows 12 -17.

55 33 bldgs